

SADY®



Catalogue 2023



Garden Tools



SADY®

garden tools



D&S



GARDEN TOOLS



TIN SNIPS



Code	Ref.			EAN
1101070	12A025	10" 250 mm	 6	5602482043596
1101071	12A030	12" 300 mm	 6	5602482043602

HARVEST SHEARS



Code	Ref.			EAN
1101078	01A18V	180 mm	 12	5602482043688

PRUNING SHEARS



Code	Ref.			EAN
5112315	01A22V	22 mm	 20	5602482043619
5112316	01A23V	23 mm	 20	5602482043626
5112317	01A24V	24 mm	 15	5602482043633
5112318	01A26V	26 mm	 15	5602482043640

GARDEN SHEARS



Code	Ref.			EAN
1107877	08L25	10" 250 mm	 25	5602482043657
1107878	08L30	12" 300 mm	 20	5602482043664

STRAIGHT SNIP HARVEST SHEARS



Code	Ref.			EAN
1101077	02A19V	190 mm	 12	5602482043671

SECATEURS REPLACEMENT SPRING



Code	Ref.			EAN
5600252	98N50	50 mm		5603492980505
5600256	98N60	60 mm		5603492980604
1400300	98N65	65 mm		5603492980659
5600253	98N70	70 mm		5603492980703
5600254	98N75	75 mm		5603492980758
5600255	98N80	80 mm		5603492980802

PRUNING SHEARS



Code	Ref.			EAN
5118478	420CFA1	210 mm (8.1/4")	10	4719131008965
5118745	420CFA1-1	spare blade		4719131012580

PRUNING SHEARS (ALUMINIUM HANDLE)



Code	Ref.			EAN
5118466	417QLG	210 mm (8.1/4")	10	4719131005773
5118744	417QLG-1	spare blade		4719131012573

PRUNING SHEARS



Code	Ref.			EAN
5117608	420CZ	210 mm (8.1/4")		4719131012856

BYPASS LOPPERS



With long aluminium handles

Code	Ref.			EAN
5118457	018H9	725 mm	12	4719131008880

BYPASS LOPPERS (TELESCOPIC)



Aluminium extendable handles

Code	Ref.			EAN
5118458	018H9L	645/925 mm	12	4719131008897

BYPASS LOPPERS



With long aluminium handles

Code	Ref.			EAN
5118459	020AJRH9	760 mm	12	4719131008903

BYPASS LOPPERS (TELESCOPIC)



Aluminium extendable handles

Code	Ref.		EAN
5118460	020AJRH9L	675/1.020 mm	12 4719131008910
5118743	020AJRH9-1	spare blade	4719131012566

TREE PRUNER WITH PRUNING SAW



Dimensions:
Blade: 75 mm
Saw: 360 mm

Code	Ref.		EAN
5118469	M4B1		12 4719131001225

WAVY BLADE HEDGE SHEARS



With long aluminium handles

Code	Ref.		EAN
5118463	036WH9	blade 228 mm 590 mm	12 471913100

TREE PRUNER WITH PRUNING SAW



Aluminium extendable pole
Dimensions:
Blade: 75 mm / Saw: 360 mm

Code	Ref.		EAN
5112692	M4B8T2A1	cabo telescópico	6 4719131009467

WAVY BLADE HEDGE SHEARS (TELESCOPIC)



Aluminium extendable handles
Dimensions:
Extended: 855 mm
Normal: 660 mm

Code	Ref.		EAN
5118464	036WH9L	lâmina 228 mm	12 4719131008958

TREE PRUNER WITH TELESCOPIC POLE



Aluminium telescopic handle
6 adjustment positions
Trigger with brake

Code	Ref.		EAN
5118468	F2AFCN3M	1.27 met. 2 met.	610 4719131008989

TELESCOPIC METALLIC POLE



Normal: 1,30 m
Extended: 2,40 m

Code	Ref.		EAN
5118472	M4T2S	20	4719131008149

CURVED PRUNING SAW



Code	Ref.		EAN
5114767	DS4799	330 mm	5602482047990

MULTI-FUNCTION SCISSORS



Code	Ref.		EAN
5117609	ZK210	220 mm	4719131011286

PRUNING SAW



Code	Ref.		EAN
5117606	F2AD2LNA	210 mm 8"	4719131008972

DRYWALL SAW



For cutting wooden boards, plasterboard,
plaster, small tree branches, etc.

Code	Ref.		EAN
5118477	F2AK02	165 mm	4719131002154

MULTI-FUNCTION KNIFE



Para cortar galhos, erva, linóleo e carpetes,
para abrir embalagens, etc.

Para cortar ramitas, hierba, linóleo y alfombras,
para abrir paquetes, etc.

Code	Ref.		EAN
5117607	F2AK02A	80 mm	4719131012863

LEAF RAKE



Supplied with a wood handle

Code	Ref.		EAN
5113574	22 dentes dientes		5602482045033

GALVANISED LINE WIRE



Code	Ref.		EAN
5118474	X4E 50 met.	 12	4719131003199

ADJUSTABLE LEAF RAKE



Metal handle with rubber grip

Code	Ref.		EAN
5118465	R4 1.250 mm	 12	5602482028036

PLASTIC COATED LINE WIRE



Code	Ref.		EAN
5118475	X4EC 50 met.	 30	4719131003205

FRUIT PICKER



Code	Ref.		EAN
5118479	M6A Ø 13 mm	 10	4719131001607

TWIST TIES ROLL



Code	Ref.		EAN
5118473	X4A 20 met.	 48	4719131003168

ADJUSTABLE HOSE NOZZLE

MAX
12 l/min
4 barligação
FÁCIL

Its small dimensions make it a very manageable element that does not require great effort, even when exerting strong pressure.

Code	Ref.		EAN
5511712	DS5304	ABS / PP	140 5602482053045

ADJUSTABLE HOSE NOZZLE

MAX
12 l/min
4 barligação
FÁCIL

Its small dimensions make it a very manageable element that does not require great effort, even when exerting strong pressure.

Code	Ref.		EAN
5511713	DS5303	plastic	240 5602482053038

WATERING KIT | 4 APPLICATIONS

ligação
FÁCIL

- 1 adjustable nozzle
- 1 universal hose connector 1/2"-5/8"
- 1 universal hose connector with waterstop 1/2"-5/8"
- 1 tap adaptor 1/2"-3/4"

Code	Ref.		EAN
5511726	DS5318	ABS / PP	48 5602482053182

ADJUSTABLE PLASTIC SPRAY GUN

MAX
15 l/min
4 barligação
FÁCIL

Plastic spray gun with rubber handle.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511736	DS5329		48 5602482053298

ADJUSTABLE METAL SPRAY GUN

MAX
15 l/min
4 barligação
FÁCIL

Metallic spray gun with rubber handle.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511737	DS5328		48 5602482053281

ADJUSTABLE METAL SPRAY GUN



Metal spray gun with rubber grip.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511738	DS5330	48	5602482053304

8 PATTERN METAL SPRAY GUN CHROME PLATED



Rubber coated metal spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511740	DS5332	8 different jet	5602482053328

8 PATTERN METAL SPRAY GUN



Rubber coated metal spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511739	DS5331	8 different jet	5602482053311

8 PATTERN PLASTIC SPRAY GUN



Rubber-coated plastic spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511741	DS5333	8 different jet	5602482053335

3 ARM SPRINKLER WITH PLASTIC SPIKE



Rotating sprinkler ideal for watering small/medium surfaces. Adjustable nozzles.

Code	Ref.		EAN
5511717	DS5308	3 braços	5602482053083

PLASTIC IMPULSE SPRINKLER WITH SPIKE



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511719	DS5310	espeto plástico	5602482053106

METAL IMPULSE SPRINKLER WITH ZINC SPIKE



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511718	DS5309	zinc spike	5602482053090

SPIKE



Code	Ref.		EAN
5511724	DS5316	zinc spike	5602482053168
5511725	DS5317	plastic spike	5602482053175

METAL IMPULSE SPRINKLER



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511715	DS5306	metal	48 5602482053069

3 WAY BASE SPRINKLER



Round sprinkler ideal for watering small and medium-sized areas. Adjustable nozzles to optimize watering according to the type of plants.

Code	Ref.		EAN
5511714	DS5305	plastic	20 5602482053052

PLASTIC IMPULSE SPRINKLER



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511716	DS5307	plastic	48 5602482053076

PORTABLE HOSE CART



Code	Ref.		EAN
5511723	DS5315	plastic/metal	5 5602482053151

TWO WAY COUPLING WITH SWIVEL



Code	Ref.		EAN
5511707	DS5299	3/4" - 1"	5602482052994

TAP ADAPTOR



Code	Ref.		EAN
5511733	DS5325	3/4"	5602482053250

TAP ADAPTOR



Code	Ref.		EAN
5511710	DS5301	3/4" 19 mm	5602482053014
5511708	DS5311	1" 25 mm	5602482053113

TWO WAY HOSE COUPLING



Code	Ref.		EAN
5511734	DS5326		5602482053267

TAP ADAPTOR



Code	Ref.		EAN
5511709	DS5300	1/2" - 3/4"	5602482053007
5511711	DS5302	3/4" - 1"	5602482053021

THREE WAY HOSE COUPLING



Code	Ref.		EAN
5511735	DS5327		5602482053274

HOSE REPAIR CONNECTOR



Code	Ref.		EAN
5511742	DS5334	1/2" - 3/4"	5602482053342

HOSE CONECTOR



Code	Ref.		EAN
5511745	DS5337	universal	5602482053373

HOSE REPAIR CONNECTOR



Code	Ref.		EAN
5511743	DS5335	universal	5602482053359

TAP ADAPTOR



Code	Ref.		EAN
5511720	DS5312	1" - 3/4"	5602482053120

HOSE CONECTOR



Code	Ref.		EAN
5511744	DS5336	1/2" - 3/4"	5602482053366

ADJUSTABLE HOSE NOZZLE



Code	Ref.		EAN
5511721	DS533		5602482053137

HOSE CONECTOR



Code	Ref.		EAN
5511722	DS5314 1"	120	5602482053144

ADJUSTABLE BRASS HOSE NOZZLE



Code	Ref.		EAN
5511730	DS5322L	48	5602482053229

BRASS TAP ADAPTOR



Code	Ref.		EAN
5511728	DS5320L 3/4" 19 mm	48	5602482053205
5511727	DS5321L 1" 25 mm	48	5602482053212

TWO WAY BRASS HOSE COUPLING



Code	Ref.		EAN
5511731	DS5323L	48	5602482053236

BRASS TAP ADAPTOR



Code	Ref.		EAN
5511729	DS5321L 3/4" - 1"	48	5602482053212

THREE WAY BRASS HOSE COUPLING



Code	Ref.		EAN
5511732	DS5324L	48	5602482053243

GARDEN RAKE



Code	Ref.			EAN
5114833	R106-10T	10 teeth	25	5602482050327
5114834	R106-12T	12 teeth	25	5602482050334
5114835	R106-14T	14 teeth	25	5602482050341

MACHETE



Code	Ref.			EAN
5114832	DS5043	16" 405 mm	48	5602482050433

HOE



Code	Ref.			EAN
5114836	DS5044	2 lib. 195x190 mm	12	5602482050440
5114837	DS5045	2,5 li. 210x200	12	5602482050457

SNOW SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114838	ESP-1Y	1300x370x410 mm	6	5602482050419

SNOW SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114839	ESP-1L	1500x370x410 mm	6	5602482050402

ROUND POINT SHOVEL WITH FIBERGLASS SHAFT



Code	Ref.			EAN
5114845	518-13FY	fiberglass handle	6	5602482050358

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5118227	S518-13Y	metallic handle	6	5602482031005

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114842	518-12Y	plastic handle 75 cm	6	5602482050426

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5114840	S518-13L	cabo 1,50 met.	5602482050389

SQUARE MOUTH SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5118228	S519-3Y	metalic handle	5602482031012

ROUND POINT SHOVEL WITH METALLIC SHAFT



Code	Ref.		EAN
5100194	S518-13MY	metalic handle	5602482021310

SQUARE MOUTH SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5114844	S519-13L	cabo 1,50 met.	5602482050396

SQUARE MOUTH SHOVEL WITH METALLIC SHAFT



Code	Ref.		EAN
5114841	S512-4MY	metalic handle	5602482050372

PICKAXE



Code	Ref.		EAN
5100339	P5001-B	2,500 kg	5602482025899

SQUARE MOUTH SHOVEL WITH FIBERGLASS SHAFT



Code	Ref.		EAN
5114843	S519-3FY	fibergalss handle	5602482050365

STEEL LEVER



Code	Ref.		EAN
1108100	CONS1068	Ø 22 mm x 1 m.	5602482044838
1108101	CONS1069	Ø 25 mm x 1,25 m	5602482044845
1107886	CONS1070	Ø 25 mm x 1,50 m	5602482037687
1107887	CONS1071	Ø 25 mm x 1,75 m	5602482037694

GRUBBING MATTOCK



Code	Ref.		EAN
1108228	ALVI0021	No.1 1.120 g	5602482048867

PICKAXE MATTOCK



Code	Ref.		EAN
1107885	ALVI0002	No.2 1.280 g	5602482037700

HOE MATTOCK



Code	Ref.		EAN
1108053	ALVI0080	No.00 1.200 g	5602482041431
1108052	ALVI0081	No.0 1.390 g	5602482041424
1108054	ALVI0082	No.1	5602482041448

GARDEN RAKE



Code	Ref.		EAN
1107926	ANCI0003	8 teeth 850 g	5602482038387
1107927	ANCI0004	10 teeth 690 g	5602482038394
1107928	ANCI0005	12 teeth 800 g	5602482038400
1107929	ANCI0006	14 teeth 950 g	5602482038417

MACHETE



Code	Ref.		EAN
1108002	FACA0070	14" 355 mm	5602482039506
1108063	FACA0071	16" 405 mm	5602482041905
1108003	FACA0073	21" 530 mm	5602482039513

HAND TROWEL



Code	Ref.		EAN
1108055	AGRI	large 300 mm	5602482041455
1108056	AGRI	small 340 mm	5602482041462

SPLITTING WEDGE



Code	Ref.		EAN
1107890	CONS0601	1,50 kg 190 x 51 mm	5602482037724
1107891	CONS0602	2,00 kg 230 x 51 mm	5602482037731
1107892	CONS0603	2,50 kg 225 x 53 mm	5602482037748
1107893	CONS0604	3,00 kg 270 x 53 mm	5602482037755

2 PRONG DIGGING HOE



Code	Ref.		EAN
1107904	ENXA0336	Medium 830 g	5602482037762

HOE



Code	Ref.		EAN
1107905	ENXA0357	No.2,5 900 g	5602482037779

DIGGING HOE



Code	Ref.		EAN
1107894	ENXA0003	No.000 430 g	5602482037809
1107895	ENXA0004	No.00 470 g	5602482037793
1107896	ENXA0005	No.0 540 g	5602482037786
1107897	ENXA0006	No.1 600 g	5602482037816
1107898	ENXA0007	No.1,5 760 g	5602482037823
1107899	ENXA0008	No.2 890 g	5602482037830
1107900	ENXA0009	No.2,5 980 g	5602482037847
1107901	ENXA0010	No.3 1.170 g	5602482037854

DIGGING HOE




Code	Ref.		EAN
1108134	ENXA0300	n° 1 small	5602482046559
1108057	ENXA0301	n° 2 medium	5602482041479
1108135	ENXA0302	n° 3 large	5602482046566

MOULD RELEASE LEVER



Code	Ref.		EAN
1108225	CONS0030	1,50 m	5602482047754
1108226	CONS0031	2,00 m	5602482047761

DIGGING HOE



Code	Ref.		EAN
1107902	ENXA0301	No.1 1.085 g	5602482037861
110903	ENXA0276	No.2 1.315 g	5602482037878

POST HOLE DIGGER



Code	Ref.		EAN
1108067	AGRI0080	1.750 x 150 mm	5602482042261

DIGGING HOE



Code	Ref.		EAN
1107936	ENXA0051	No.00 1.360 g	5602482038097
1107935	ENXA0052	No.0 1.490 g	5602482038103
1107937	ENXA0053	No.1 1.690 g	5602482038110
1107938	ENXA0054	No.2 1.830 g	5602482038127

SHEEP BRANDING IRON



Code	Ref.		EAN
1107939	SORT0034	500 mm 725 g	5602482038134

POST HOLE DIGGER



Code	Ref.		EAN
1107884	AGRI0081	1.230 x 1 75 mm	5602482037885

SICKLE



Code	Ref.		EAN
1107940	FOIC0064	No.2 590 g	5602482038141

SICKLE



Code	Ref.		EAN
1107941	FOIC0128	Large 750 g	5602482038158

SICKLE



Code	Ref.		EAN
1107906	FOIC0162	No.1 590 g	5602482037892

2 EDGE SICKLE



Code	Ref.		EAN
1107942	FOIC0126	No.3 670 g	5602482038448

SICKLE



Code	Ref.		EAN
1107943	FOIC0210	No.0	5602482038165

SICKLE



Code	Ref.		EAN
1107969	MLUA0003	No.3 690 g	5602482039063

CURVED PITCHFORK



Code	Ref.		EAN
1107909	FORQ0011	4 teeth 790 g	5602482037908
1107910	FORQ0012	5 teeth 950 g	5602482037922

MANURE FORK WOOD SHAFT - PVC HANDLE



Total length (with handle): 1,450 mm

Code	Ref.		EAN
1108026	FORQ051	4 teeth 340 x 230 mm	5602482039780
1108081	FORQ052	5 teeth 340 x 240 mm	5602482043282
1108028	FORQ053	6 teeth 340 x 300 mm	5602482039803

MINI CURVED PITCHFORK



Code	Ref.		EAN
1107946	FORQ0076	5 teeth 390 g	5602482038196
1107947	FORQ0078	7 teeth 490 g	5602482038202

MANURE FORK



Code	Ref.		EAN
1107907	FORQ002	4 teeth 835 g	5602482037915
1107908	FORQ003	5 teeth 965 g	5602482037939
1107925	FORQ004	6 teeth 1.120 g	5602482038370

STONE AND GRAVEL FORK WITH WOOD SHAFT



Total length (with handle): 1.20 mm

Code	Ref.		EAN
1107911	FORQ0081	8 teeth 350 x 260 mm	5602482037946

MANURE FORK METAL SHAFT



Total length (with handle): 1,450 mm

Code	Ref.		EAN
1107944	FORQ031	4 teeth 330 x 230 mm	5602482038455
1107945	FORQ032	5 teeth 340 x 270 mm	5602482038462

3 PRONG HOE FORK



Code	Ref.		EAN
1107912	GANC0005	3 teeth 1.250 g	5602482037953

3 PRONG HOE FORK



Code	Ref.		EAN
1108083	GANC0021	No.2 3 teeth 300x230 mm	5602482044388

2 PRONG HOE FORK



Code	Ref.		EAN
1108084	GANC0135	2 teeth 950 g	5602482044210

GRASS SCYTHE - RIGHT HANDED



Code	Ref.		EAN
1108136	FACA0100	right-handed	5602482038219

POINT CHISEL



Code	Ref.			EAN
1108058	CONS010	120 mm 490 g	12	5602482041486
1108059	CONS012	180 mm 790 g	12	5602482041493

COLD CHISEL



Code	Ref.			EAN
1108060	CONS015	120 mm 490 g	12	5602482041509
1108061	CONS017	180 mm 790 g	12	5602482041516

AXE WITH WEDGE



Code	Ref.		EAN
1107965	MACH0007		5602482038479

HATCHET



Code	Ref.		EAN
1107914	MACH0020	570 g	5602482037960

HATCHET WITH HAMMER



Code	Ref.		EAN
1107890	MACH0021	825 g	5602482041349



12

HATCHET



Code	Ref.		EAN
1107949	MACH0032	No.0 525 g	5602482038486
1107950	MACH0033	No.1 620 g	5602482038240
1107951	MACH0034	No.2 750 g	5602482038257
1107952	MACH0035	No.3 1.000 g	5602482038493



12

HATCHET



Code	Ref.		EAN
1107948	MACH0015	280 g	5602482038233



12

AXE (WITHOUT HANDLE)



Code	Ref.		EAN
1107913	MACH0002	No.1 1.420 g	5602482037977



6

HATCHET WOOD SHAFT



Code	Ref.		EAN
1108072	MACH0039	No.0 shaft 60 cm	5602482042605
1108073	MACH0043	No.1 shaft 60 cm	5602482042612
1108074	MACH0044	No.2 shaft 70 cm	5602482042629
1108075	MACH0045	No.3 shaft 100 cm	5602482042636



AXE WOOD HANDLE



Code	Ref.		EAN
1107922	MACH0003	No.2 shaft 90 cm	5602482038363
1108137	MAC1004	No.3 shaft 90 cm	5602482046573



SQUARE Mallet



Code	Ref.		EAN
1107960	CONS0160	No.1 930 g	5602482038509
1107962	CONS0162	No.2 2,000 kg	5602482038516
1107963	CONS0164	No.3 2.600 kg	5602482038523
1107964	CONS0166	No.4 3.600 kg	5602482038530
1108044	CONS0167	No.5 4.100 kg	5602482041318
1108045	CONS0168	No.6 5.200 kg	5602482041325
1108046	CONS0169	No.8 8.250 kg	5602482041332

Masons Hammer



Code	Ref.		EAN
1108039	CONS0103	925 g	5602482040267

Pavers Hammer



Code	Ref.		EAN
1108141	CONS0063	Nº 0 640 g	5602482046740
1107888	CONS0061	Nº 1 740 g	5602482037717

Digging Spade



Code	Ref.		EAN
1108031	PAAG007	320x140x1.113 mm	5602482040069

Bricklayers Hammer



Code	Ref.		EAN
1108095	CONS0100	No.1 415 g	5602482044463

Digging Spade



Code	Ref.		EAN
1108032	PAAG0009	260x160x1.006 mm	5602482040076

ROUND POINT SHOVEL WITH FIBERGLASS SHAFT



* Cable length: 1.030 mm

Code	Ref.		EAN
1108029	209-A	335x285 mm* 2.000 gr.	5602482039827

PICKAXE



Code	Ref.		EAN
1108030	CONS0081	350 g	5602482040052

SQUARE MOUTH SHOVEL WITH FIBERGLASS SHAFT



* Cable length: 1.030 mm

Code	Ref.		EAN
1108038	219-A	335x270 mm* 2.000 gr.	5602482040199

DOUBLE POINT MORTAR PICK WITH SHAFT



Code	Ref.		EAN
1107953	CONS0091	675 g	5602482038264

WELDING CHIPPING HAMMER



Code	Ref.		EAN
1107889	cons0086	350 g	5602482037984

DOUBLE POINT MORTAR PICK



Code	Ref.		EAN
1108043	cons0094	Nº 3 2.650 g	5602482041295

DOUBLE POINT MORTAR PICK



Code	Ref.		EAN
1108042	CONS0096	1.600 g	5602482041301

2 EDGE SICKLE



Code	Ref.		EAN
1107954	PODA0050	No.2 460 g	5602482038288

SQUARE MALLET



Code	Ref.		EAN
1108097	CONS0672	1.250 g	5602482044647

2 EDGE SICKLE



Code	Ref.		EAN
1107956	PODA0086	No.2 420 g	5602482038301

SICKLE



Code	Ref.		EAN
1107955	PODA0044	No.2 420 g	5602482038295

SQUEEGEE WITH TUBULAR HANDLE



Code	Ref.		EAN
1108062	SORT0083	380x150 mm handle 1.460 mm	5602482041523

HOE



Code	Ref.		EAN
1108231	SACH0501		5602482049925
1108232	SACH0502		5602482049932
1108233	SACH0503		5602482049949

DOUBLE HEADED HOE & FORK WITH HANDLE



Code	Ref.		EAN
1107918	SACH0013	375 g	5602482037991

DOUBLE HEADED HOE & FORK WITH HANDLE



Code	Ref.		EAN
1107919	SACH0014	380 g	5602482038004

1 POINT HOE WITH HANDLE



Code	Ref.		EAN
1107916	SAC0011	360 g	5602482038011

POINTED GARDEN HOE WITH HANDLE



Code	Ref.		EAN
1108070	AGRI0042	290 g	5602482042599

DOUBLE HEADED HOE WITH HANDLE



Code	Ref.		EAN
1107917	SACH0012	340 g	5602482038028

DOUBLE HEADED HOE



Code	Ref.		12	EAN
1108066	SACH0165	No.0 364 g		5602482042285

DOUBLE HEADED HOE & FORK



Code	Ref.		12	EAN
1107958	SACH0231	No.00 365 g		5602482038349

1 POINT HOE



Code	Ref.		12	EAN
1107915	SACH0002	260 g		5602482038035

HOE



Code	Ref.		12	EAN
1107957	SACH0201	No.00 316 g		5602482038332
1107966	SACH0200	No.0 385 g		5602482038783
1107967	SACH0199	No.1 357 g		5602482038790

HOE



Code	Ref.		12	EAN
1108216	SACH0366	150X75 mm 260 g		5602482046818

DOUBLE HEADED HOE



Code	Ref.		12	EAN
1107959	SACH0221	No.00 396 g		5602482038356
1108068	SACH0220	No.0 455 g		5602482041561
1108069	SACH0219	No.1 520 g		5602482041554

COAL TONGS



Code	Ref.		EAN
1108065	SORT1002	No.2 335 g	5602482044227

WOOD HANDLE (FOR HOES)



Code	Ref.		EAN
1108235	CAB0080	1,20 mt. - enxadas azadas	5602482042407

GARDEN FORK WITH WOOD HANDLE



Code	Ref.		EAN
1108118	GANC0102		5602482045798

HAND AUGER



Code	Ref.		EAN
1108119	AGRI0152	Ø 150 mm	5602482045804

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107579	2425525436	255 x 1,5 x 25,4 mm / 36T		5602482019034
5107580	2425525440	255 x 1,5 x 25,4 mm / 40T		5602482019041

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118661	TF-1111	255 x 2,5 x 25,4 mm / 20T		5602482040274

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118699	27225024	255 x 2,0 x 25,4 mm / 24T		5602482040311
5118700	27225036	255 x 2,0 x 25,4 mm / 36T		5602482040328
5118701	27225040	255 x 2,0 x 25,4 mm / 40T		5602482040335

BRUSHCUTTER BLADE - 2 TEETH



Blades for cutting weeds, lawns, thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107581	253052542	300 x 3,0 x 25,4 mm / 2T		5602482022836

BRUSHCUTTER BLADE - 3 TEETH



Blades for cutting weeds, lawns, thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107582		300 x 3,0 x 25,4 / 3T		5602482026049

SUBMERSIBLE WATER PUMP (CLEAN WATER)


Features	QSB-JH-350	QSB-JH-750
Power	350 W	750 W
Maximum flow rate	100 l/min	200 l/min
Maximum height	7 m	8,5 m
Depth	5 m	8 m
Particle diameter (max)	Ø 5 mm	Ø 5 mm
Fluid temperature	0°C / +35°C	0°C / +35°C
Weight	3,5 kg	5 kg

Model	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
QSB-JH	l/min	25	50	75	100	125	150	175	200
350	hgt./m	6,4	5,5	3,6	1,2				
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump suitable for draining, general transfer of water and small irrigation. Ideal for pumping clean water containing solid particles up to 5 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110291	QSB-JH-350	350 W	5602482027282
5110292	QSB-JH-750	750 W	5602482027299

STAINLESS STEEL SUBMERSIBLE WATER PUMP (CLEAN WATER)


Features	
Power	750 W
Maximum flow rate	185 l/min
Maximum height	8,5 m
Depth	8 m
Particle diameter (max)	Ø 8 mm
Fluid temperature	0°C / +35°C
Weight	5 kg

Model	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
QSB-JH	l/min	25	50	75	100	125	150	175	200
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump with a stainless steel housing, for draining, general transfer of water and small irrigation. Ideal for pumping clean water containing solid particles up to 5 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110295	QSB-2JH-750	750 W	5602482027329

SUBMERSIBLE WATER PUMP (DIRTY WATER)



Features	QSB-JH-400B	QSB-JH-750B
Power	450 W	750 W
Maximum flow rate	133 l/min	216 l/min
Maximum height	5 m	8 m
Depth	5 m	5 m
Particle diameter (max)	Ø 30 mm	Ø 30 mm
Fluid temperature	0°C / +35°C	0°C / +35°C
Weight	3,5 kg	5 kg

Model QSB-JH	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
	l/min	25	50	75	100	125	150	175	200
350	hgt./m	6,4	5,5	3,6	1,2				
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump suitable for draining, general transfer of water and small irrigation. Ideal for pumping dirty water containing solid particles up to 30 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110293	QSB-JH-400B	450 W	5602482027305
5110294	QSB-JH-750B	750 W	5602482027312

STAINLESS STEEL SUBMERSIBLE WATER PUMP (DIRTY WATER)



Features	
Power	900 W
Maximum flow rate	230 l/min
Maximum height	9 m
Depth	5 m
Particle diameter (max)	Ø 30 mm
Fluid temperature	0°C / +35°C
Weight	5 kg

Model QSB-JH	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
	l/min	25	50	75	100	125	150	175	200
750	hgt./m	9	8,4	7,8	7,2	6,6	5,5	4,2	2,4

Multi-purpose submersible pump with a stainless steel housing, for draining, general transfer of water and small irrigation. Ideal for pumping dirty water containing solid particles up to 30 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110296	QSB-JH-900B	900 W	5602482027336

PETROL EARTH AUGER



Features	
Power	1.45 kW - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2800/2500 rpm
Máx. speed	8.500 rpm
Fuel tank capacity	1.2 litros
Drill Ø 30mm	100/150/200 mm
Max. drilling speed	240 min ⁻¹
Fuel-oil ratio	40:1
Weight	8,5 kgs.

Earth auger with 2-stroke combustion engine, 1.9HP, 1.45kW, and 52cc displacement, maximum engine speed 8500rpm, maximum drill speed 240rpm.

Composition: 3 drills (100/150 and 200mm) with Ø 30mm

Code	Ref.			EAN
5118834	DS5453-52	52 c.c. 1.9 HP	1	5602482054530

PETROL HEDGE TRIMMER



Features	
Power	0.75 kW - 1.0 HP
Engine	2 stroke - 25 c.c.
Idling speed	2800-3200 rpm
Máx. speed	8.500 rpm
Length scissors	600 mm
Distance teeth	28 mm
Fuel-oil ratio	1:40
Fuel tank capacity	230 ml
Weight	7 kgs.

Hedge trimmer with 2-stroke combustion engine and 25 cc cylinder capacity. Excellent performance due to its power, blade length, the type of teeth and hand protection.

Code	Ref.			EAN
5118835	DS5454-26	25.4 c.c. 1.0 HP	1	5602482054547

PETROL WATER PUMP



Features

Power	1.45 kW - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2800-3200 rpm
Máx. speed	7.500 rpm
Saída/entrada água	38 mm 1,5"
Max. suction depth	7-8 metres
Maximum delivery	22 metres
Max. conveyed volume	14 m³/hora
Fuel tank capacity	1,5 litros
Weight	8,5 kgs.

Compact and portable petrol motor pump with 1.9 HP, maximum lift of 22m and a maximum suction of 8m. 1.5" water inlet/outlet pipe, ideal for small irrigation operations

Code	Ref.			EAN
5118836	DS5455-52	52 c.c. 1.9 HP	1	5602482054554

PRUNING CHAINSAW



Features

Power	0.75 kW - 1.0 HP
Engine	2 stroke - 25 c.c.
Idling speed	3000±200 rpm
Máx. speed	8.500 rpm
Bar size	12" 300 mm
Chain pitch	3/8"
Fuel-oil ratio	1:40
Fuel tank capacity	230 ml
Oil tank capacity	210 ml
Weight	kgs.

25cc pruning chain saw ideal for pruning work, branch removal, among others. OREGON blade of 300mm (12").

Code	Ref.			EAN
5118825	DS5444-25	25 c.c. 1.0 HP	1	5602482054448

CHAINSAW

Chainsaws for tree cutting and general woodworking, with handles, Oregon blade and Walbro carburetor pump.



Features	DS5445-45	DS5446-52	DS5447-58
Power	1.7 kW-2.3 HP	1.9 kW-2.5HP	2.2 Kw-2.9 HP
Engine	2 stroke - 45 c.c.		
Idling speed	3000±200 rpm		
Máx. speed	8.000 rpm		
Bar size	16" 400 mm	18" 460 mm	20" 510 mm
Chain pitch	0.325" (8,25mm)		
Gauge of chain	0.063" (1,60mm)		
Fuel-oil ratio	1:40		
Fuel tank capacity	550 ml		
Oil tank capacity	260 ml		
Weight	6 kgs.		

Code	Ref.			EAN
5118826	DS5445-45	45 c.c. 2.3 HP	1	5602482054455
5118827	DS5446-52	52 c.c. 2.5 HP	1	5602482054462
5118828	DS5447-58	58 c.c. 2.9 HP	1	5602482054479

MULTI-FUNCTION 4 IN 1 BRUSH CUTTER



Features	
Power	1,45 kw - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,2 litros
Shaft diameter	Ø 26 mm
Bar size	10" 250 mm
Sound power level	105 dB (A)
Weight	8 kgs.

Composition:

- Telescopic pruning head
- Hedge trimmer head
- Brushcutter (disc) / trimmer (reel) head

Code	Ref.			EAN
5118829	DS5448-52	52 c.c. 1.9 HP	1	5602482054486

PETROL BRUSH CUTTER



Features

Power	1,45 kw - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,2 litros
Shaft dimension	1.600 x Ø 28 mm
Sound power level	112 dB (A)
Weight	8 kgs.

- 1-cylinder, air-cooled 2-stroke engine.
- 2 hand grip.
- Supplied with:
 - 1 metal disc with 3 teeth;
 - 1 nylon thread reel.

Code

Ref.



EAN

5118830

DS5449-52

52 c.c. | 1.9 HP

5602482054493

PETROL BACKPACK BRUSH CUTTER



Features

Power	1,45 kw - 1.9 HP
Engine	2 stroke - 43 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	8.000 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,25 litros
Shaft dimension	1.600 x Ø 26 mm
Sound power level	111 dB (A)
Weight	8 kgs.

- One-cylinder, air-cooled, 2-stroke, 43cc engine, ideal for brushcutting and mowing in densely planted areas.
- Supplied with:
 - 1 metal disc with 3 teeth;
 - 1 nylon thread reel.

Code

Ref.



EAN

5118831

DS5450-43

43 c.c. | 1.9 HP

1

5602482054509

PETROL BLOWER | VACUUM | SHREDDER



Features	
Power	0.75 kw - 1.0 HP
Engine	2 stroke - 25.4 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	450 ml
Air speed	245 km/h
Air volume speed	348 m³/h
Collection bag capacity	35 litros
Sound power level	113 dB (A)
Weight	8 kgs.

Blower/cacuum/shreder with a 1.0HP and 25.4cc, 2-stroke engine, maximum speed of 7500rpm. Easy to transport blower/aspirator, high power and high quality performance.

Code	Ref.		EAN
5118832	DS5451-26	25.4 c.c. 1.0 HP	5602482054516

PETROL BACKPACK BLOWER



Features	
Power	1.2 kw - 1.6 HP
Engine	2 stroke - 43 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed máxima	7.000 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,3 litros
Air speed	81 m/s
Air volume speed	750 m³/h
Sound power level	116 dB (A)
Peso	9 kgs.

Backpack blower with a 1.6HP and 43cc, 2-stroke engine, maximum speed of 7000rpm. Backpack blower with comfortable carrying handles for convenience.

Code	Ref.		EAN
5118833	DS5452-43	43 c.c. 1.6 HP	5602482054523

CORDLESS BRUSH CUTTER



18V 2.4A

18V 4Ah

18V 4Ah

model DS5442-PLY

Features

Voltage	18V 4Ah
Motor	40 volts
No load speed	6.000 rpm min ⁻¹
Cutting width:	255 mm (brush cutter) 340 mm (grass trimmer)
Shaft size	1.500 x Ø 26 mm
Vibration	1.35 m/s, K=1.5 m/s ²
Noise level	96 dB (A)
Weight	kgs.

- Brush cutter
- 2-handed handle.
- Supplied with:
 - 1 3-tooth metal disc;
 - 1 nylon line spool.

BRUSHLESS

CORDLESS

Code	Ref.			EAN
5118805	DS5442-PLY	2 bat.+charger	1	5602482054424
5118806	DS5443-PL	WITHOUT BATTERIE	1	5602482054431

BRUSH CUTTER



Features

Power	1,4 kW
Motor	2 stroke - 43 c.c.
No load speed	2.800~3.200 rpm
Maximum speed	8.000 rpm min ⁻¹
Fuel (mixture)	25:1
Fuel tank capacity	1,2 litres
Shaft size	1.500 x Ø 26 mm
Noise level	114 dB (A)
Weight	7,4 kg

- 1 cylinder, 2-stroke engine, air-cooled.
- Two-handed handle.
- Supplied with:
 - 1 3-tooth blade.
 - 1 nylon line spool.

Code	Ref.			EAN
5111785	CG-KW-430	43 c.c.		5602482041615

TESOURA PODA | 4V 2.0Ah

TIJERA PODA | 4V 2.0Ah

NOVO

**Características**

Potência	4V
Capacidade bateria	Li-Ion 2.0 Ah
Velocidade em vazio	60 corte / min.
Capacidade máx. corte	12 mm
Peso	600 gramas

Tesoura de poda leve e confortável, ideal para pequenos trabalhos de poda e para floristas. Interruptor de gatilho com botão de bloqueio e luz indicadora do estado da bateria.

Equipamento standard:

Carregador USB, chave, pedra afiar, óleo lubrificante

Tijeras de podas ligeras y cómodas, ideales para pequeños trabajos de poda e para floristas. Interruptor de disparo con botón de bloqueo y luz indicadora del estado de la batería.

Equipo estandar:

Cargador USB, llave, piedra afilar, aceite lubricante.

CORDLESS

Código	Ref.		EAN
5116405	DS5816PLJ	4V 2Ah	1 5602482058163

TESOURA DE PODA - 18V 2.0Ah

TIJERA PODA - 18V 2.0Ah



NOVO

2x
18V-2Ah**Características**

Potência	18V
Capacidade bateria	Li-Ion 2.0 Ah
Tempo carga	1 hora
Velocidade em vazio	30 corte / min.
Capacidade máx. corte	25 mm
Peso	1.890 gramas

Tesoura de poda para poda de vinhas, arbustos e pequenas árvores. Lâmina em aço SK5 para melhor precisão de corte. Fornecida com haste, extensível até 2 metros, com cabeça rotativa com 7 posições de ajuste

Equipamento standard:

Carregador, 2 baterias, caixa plástica

Tijera de poda para podar viñas, arbustos y árboles pequeños. Hoja de acero SK5 para una mayor precisión de corte. Se suministra con vástago, extensible hasta 2 metros, con cabezal giratorio con 7 posiciones de ajuste.

Equipo estandar:

Cargado, 2 baterias, estuche de plástico

BRUSHLESS
CORDLESS

Código	Ref.		EAN
5116420	DS55989	Tesoura + Haste	5602482059894
5116406	DS5817PLY	Tesoura	5602482058170

PETROL LAWNMOWER



Features

Power	4.2 kW - 5.5 HP
Motor	4 stroke - 224 cc
Neutral speed	2.800 rpm
Cutting width	530 mm 21"
Cutting height	8 stages 30~80 mm
Fuel	Unleaded petrol
Fuel tank capacity	2 litres
Oil sump	600 ml
Starting system	Manual
Grass box capacity	60 litres
Sound level	98 dB (A)
Weight	35 kg

- Lawnmower with a petrol spark-ignition engine.
- OHV 4-stroke engine, air-cooled.
- Rear-wheel drive.
- Cutting area: 1.500 m2

Code	Ref.		1	EAN
5114613	WR65828ABK	224 c.c. 5.5 HP		5602482048478

PETROL LAWNMOWER

MOTOR:



Features

Power	4.8 kW - 6.5 HP
Motor	4 stroke - 161 cc
Neutral speed	2.800 rpm
Cutting width	560 mm 22"
Cutting height	8 stages 30~80 mm
Fuel	Unleaded petrol
Fuel tank capacity	1 litre
Oil sump	500 ml
Starting system	Manual
Grass box capacity	62 litres
Sound level	98 dB (A)
Weight	37 kg

- Lawnmower with a petrol spark-ignition engine.
- OHV 4-stroke engine, air-cooled.
- Rear-wheel drive.
- Cutting area: 1.500 m2

Code	Ref.		1	EAN
5114640	HG56SMH	161 c.c. 6.5 HP		5602482048874

ELECTRIC LAWNMOWER 1.400 W



brushless

Features	
Power	1.400 watt
No load speed	2.900 rpm
Cutting width	400 mm
Cutting height adjustment	25 a 70 mm (5)
Grass box capacity	50 litres
Maximum cutting area	500 m ²
Vibration	4.45m/s ²
Sound level	90dB(A)
Protection level	IPX4
Weight	17 kg

Code	Ref.			EAN
5110361	DYM1164	1.400 watt	1	5602482027633

ELECTRIC GRASS TRIMMER 400 W



Features	
Power	400 watt
No load speed	12.000 rpm
Cutting width	250 mm
Cutting system	2 lines / tap and go
Coil diameter	Ø 0,65 mm
Height adjustment	980 a 1220 mm
Vibration	2,69 m/s ²
Sound level	96dB(A)
Weight	2,2 kg

Lawn trimmer with adjustable handle for more comfortable working (up to a maximum of 1.20 metres). 400 Watt motor for high quality cutting. Head with adjustable cutting angle.

Code	Ref.			EAN
5114625	DYM2127	400 watt		5602482044111

LEAF BLOWER 2600W



Features

Power	3000W
No load speed	15000 min ⁻¹
Max air speed	270 km/h
Max air volum	13,2 m ³ / min.
Munching rate	10:1
Bag capacity	35 lit.
Weight	kg

3-in-1 garden tool: blower, hoover and shredder.

The ideal solution for cleaning and leaf collection during spring and autumn. The powerful blower function moves even the dampest leaves effortlessly, with a blowing speed of up to 270 km/h, suction 13.2 m³/min and shredding ratio of 10:1 reducing the volume of debris to speed up composting.

Code

Ref.



EAN

5118804

DS5441-QT

3.000W

1

5602482054417



NYLON SPOOL LINE FOR TRIMMERS




Code	Ref.		EAN
5118226	Ø 75 mm DYM2165		5602482039285
5114628	90000141901 Ø 65 mm DYM2127		5602482035362

LAWNMOWER BLADE




Code	Ref.		EAN
5110414	6300122	DYM1162 - 310 mm	Elétrica
5114627	2105200021C	DYM1164 - 410 mm	Elétrica
5114614	650340802	WR65828ABK - 530 mm	Explosão
5114641		HG56SMH-BS675EX	Explosão

HEAD STRING SET FOR BRUSH CUTTERS



Code	Ref.		EAN
5114746	DS4868	aperto rápido	560248204868

HEAD STRING SET FOR BRUSH CUTTERS




Code	Ref.		EAN
5118526	DS3905	55 x Ø 45 mm	5602482039056
5114929	DS5178	APERTO LATERAL	5602482051782

NYLON SPOOL LINE FOR BRUSH CUTTERS



Code	Ref.		EAN
3008132	Ø 2 mm bobine 150 mm		

NYLON LINE FOR BRUSH CUTTERS



Code	Ref.		EAN
5118660	Ø 3 x 300 mm	50	5602482040250

TRIMMER LINE | DUO SQUARE TWIST LINE



Code	Ref.		EAN
5114923	DS5101	Ø 2.4 mm x 15 metres	5602482051010
5114924	DS5103	Ø 3.0 mm x 15 metres	5602482051034
5114925	DS5105	Ø 4.0 mm x 15 metres	5602482051058

TRIMMER LINE | SQUARE



Code	Ref.		EAN
5114728	DS4850	Ø 2.4 mm x 15 metres	5602482048508
5114729	DS4851	Ø 3.0 mm x 15 metres	5602482048515
5114918	DS5107	Ø 3.3 mm x 21 metres	5602482051072
5114730	DS4852	Ø 4.0 mm x 15 metres	5602482048522

TRIMMER LINE | DUO SQUARE TWIST LINE



Code	Ref.		EAN
5114926	DS5102	Ø 2.4 mm x 100 metres	5602482051027
5114927	DS5104	Ø 3.0 mm x 65 metres	5602482051041
5114928	DS5106	Ø 4.0 mm x 42 metres	5602482051065

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114731	DS4853	Ø 2.4 mm x 82 metres	5602482048539
5114734	DS4856	Ø 2.4 mm x 236 metres	5602482048550
5114732	DS4854	Ø 3.0 mm x 52 metres	5602482048546
5114735	DS4857	Ø 3.0 mm x 152 metres	5602482048577
5114919	DS5108	Ø 3.3 mm x 43 metres	5602482051089
5114920	DS5109	Ø 3.3 mm x 125 metres	5602482051096
5114733	DS4855	Ø 4.0 mm x 28 metres	5602482048553
5114736	DS4858	Ø 4.0 mm x 85 metres	5602482048584

TRIMMER LINE | SQUARE



Code	Ref.		EAN
5114726	DS4848	Ø 3.0 mm x 30 cm (50 pcs)	5602482048485
5114727	DS4849	Ø 4.0 mm x 30 cm (25 pcs)	5602482048492

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114921	DS5110	Ø 1.3 mm x 15 metres	5602482051102
5114922	DS5111	Ø 1.65 mm x 15 metres	5602482051119

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114740	DS4862	Ø 2.4 mm x 87 metres	5602482048621
5114743	DS4865	Ø 2.4 mm x 259 metres	5602482048652
5114141	DS4863	Ø 3.0 mm x 56 metres	5602482048638
5114744	DS4866	Ø 3.0 mm x 167 metres	5602482048669
5114742	DS4864	Ø 4.0 mm x 31 metres	5602482048645
5114745	DS4867	Ø 4.0 mm x 93 metres	5602482048676

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114737	DS4859	Ø 2.4 mm x 15 metres	5602482048591
5114738	DS4860	Ø 3.0 mm x 15 metres	5602482048607
5114739	DS4861	Ø 4.0 mm x 15 metres	5602482048614

BRUSH CUTTER HARNESS



Code	Ref.	EAN
5117671	DS5734	5602482057340

LOG SPLITTER | 7 TON.



Features

Power supply	230V~50Hz
Electric motor performance	2.200W S3 40%
Revolutions	2.820 rpm
Splitting force	7 ton. (70kN)
Hidraulic pressure	180 bar (18Mpa)
Log length	150 - 520 mm
Log diameter	50 - 250 mm
Piston rod diameter	30 mm
Dimensions (LxWxH)	550 x 1.030 x 220 mm
Weight	78 kg

Horizontal log splitter for effortless cutting of logs. With a cutting force of 7 tons, cutting logs up to 0.5 meters in length and 300 mm in diameter, this wood chipper is the ideal tool for intensive use.

Code	Ref.		EAN
5114859	LS7000/520C	7 toneladas	1 5602482042643

LOG SPLITTER | 7 TON.



Features

Power supply	230V~50Hz
Electric motor performance	2.200W S3 40%
Revolutions	2.820 rpm
Splitting force	7 ton. (70kN)
Hidraulic pressure	180 bar (18Mpa)
Log length	150 - 520 mm
Log diameter	50 - 250 mm
Piston rod diameter	30 mm
Dimensions (LxWxH)	1.070 x 1.030 x 220 mm
Weight	81 kg

Horizontal log splitter for effortless cutting of logs. With a cutting force of 7 tons, cutting logs up to 0.5 meters in length and 300 mm in diameter, this wood chipper is the ideal tool for intensive use. Possibility of adapting legs with wheels in order to make work more comfortable.

Code	Ref.		EAN
5114860	LS7000/520C-S	7 toneladas	1 5602482042650

VERTICAL LOG SPLITTER | 8 TON.



Features	
Power supply	230V~50Hz
Electric motor	3.500W
Revolutions	2.820 rpm
Max. splitting lift	Aprox. 500 mm
Splitting force	8 ton. (80kN)
Hidraulic pressure	260 bar (26Mpa)
Log length	máximo 520 mm
Log diameter	120 - 350 mm
Feed speed	Aprox. 0,04 mt./seg.
Return speed	Aprox. 0,15 mt./seg.
Dimensions (LxWxH)	1.510 x 770 x 490 mm
Weight	Aprox. 105 kg

Vertical log splitter for effortless cutting of logs.. With a cutting force of 8 tons, cutting logs up to 1 meter high and 350 mm in diameter, this wood splitter is the ideal tool for intensive and professional use. Supplied with wheels which makes it easier to transport the splitter.

Code	Ref.			Ref.
5114861	LS8000A	8 toneladas	1	5602482042667

LOG CUTTING SAW | 1.800W



Features	
Power supply	230V~50Hz
Electric motor performance	1.800W S6 40%
Motor power	2.820 rpm
Saw blade dia. x hole diam.	400 x 30 mm
Saw blade thickness	3,0 mm
Workpiece diameter	50 - 120 mm
Workpiece length	500 - 1300 mm
Saw blade brake	Eléctrico
Protection type	IP 54
Measured sound power level	115 dB (A)
Dimensions (LxWxH)	800 x 860 x 990 mm
Weight	43 kg

Professional log cutting saw for easier and faster cutting. This machine can be used with a disc up to 400 mm in diameter, which allows cutting logs up to a maximum diameter of 120 mm and with a length of up to one meter.

Code	Ref.			Ref.
5114862	LCS400	1.800w	1	5602482042674

BATTERY SPRAYER



16 lit.

12V
8Ah

4h
Autonomia

4.5 bar

Code	Ref.		EAN
5511700	DS5293-16H	16 liters Li-Ion battery	5602482052932
5511701	DS5353-16L	16 liters gel battery	5602482053533

ELECTRIC/MANUAL SPRAYER



16 lit.

12V
8Ah

4h
Autonomia

4.5 bar

Code	Ref.		EAN
5511702	DS5294-16A	16 liters Li-Ion battery	5602482052949
5511703	DS5354-16L	16 liters gel battery	5602482053540

HANDCART SPRAYER



Code	Ref.		EAN
5511699	DS5296-16L	16 liters	2 5602482052956

PRESSURE SPRAYER



5511695	Ref.		EAN
5511695	DS3704-5K	5 liters	6 5602482037045
5511696	DS3705-8K	8 liters	6 5602482037052

SPRAYERS



Code	Ref.		EAN
5511691	DS5296-05	500 ml	5602482052963
5511692	DS5297-1	1 liter	5602482052970

SPRAYER



Code	Ref.		EAN
5511963	DS5298-15	1,5 liters	5602482052987

SPRAYER



Code	Ref.		EAN
5511964	DS3708-20	2 liters	5602482037083

REPAIR KIT | SPRAYERS



Code	Ref.		EAN
5511704	DS4893-12/16	12 and 16 liters	5602482049833

PLASTIC LANCE WITH NOZZLE



Code	Ref.		EAN
5511706	DS4984-5/8	5 e 8 liters	5602482049840
5511705	DS4985-12/16	12 e 16 liters	5602482049857

KNAPSACK SPRAYER



Code	Ref.		EAN
5505014	NS 12	12 litres	5602482037069

KNAPSACK SPRAYER



Code	Ref.		EAN
5505013	NS 16	16 litres	5602482037076



GARDEN HOSE PIPE



Features

Ø interior	5/8" (15 mm)	3/4" (19 mm)	1" (25 mm)
Thickness	2,0 mm	2,5 mm	3 mm
Weight	0,180 kg/m	0,280 kg/m	0,400 kg/m
Work pressure	8 bar	8 bar	8 bar
Break pressure	20 bar	20 bar	20 bar

Features: Combines the knit fabric with appealing design materials, with 3 layers of UV resistant coating.

Application: Especially in the garden, but also different uses at home and water transportation in general.

Display: Colour: clear blue (with metallic effect)

Code	Ref.		EAN
1501018	Ø 5/8" (15mm) x 25 met.		5602482042223
1501024	Ø 3/4" (19mm) x 25 met.		5602482042513
1501019	Ø 5/8" (15mm) x 50 met.		5602482042230
1501021	Ø 3/4" (19mm) x 50 met.		5602482042216
1501022	Ø 1" (25mm) x 50 met.		5602482042209

GARDEN HOSE PIPE



Features

Ø interior	5/8" (15 mm)	3/4" (19 mm)	1" (25 mm)
Thickness	2,0 mm	2,5 mm	3 mm
Weight	0,180 kg/m	0,260 kg/m	0,380 kg/m
Work pressure	10 bar	10 bar	10 bar
Break pressure	25 bar	25 bar	25 bar

Features: Light hoses for medium pressure, with an opaque yellow outer layer.

Application: Especially in the garden, but also different uses at home and water transportation in general.

Display: Colour: Yellow with two green longitudinal stripes

Code	Ref.		EAN
1501013	Ø 5/8" x 25 m		5602482042186
1501052	Ø 3/4" x 25 m		5602482043572
1501014	Ø 5/8" x 50 m		5602482042193
1501016	Ø 3/4" x 50 m		5602482042179
1501017	Ø 1" x 50 m		5602482042162

Fittings: 1 nozzle, 1 water stop hose connector, 5/8", 1 hose connector 5/8", 1 1/2" 3/4" and 1" universal tap connector.

Code	Ref.		EAN
1501029	Ø 5/8" x 15 m		5602482042575
1501029	Ø 5/8" x 25 m		5602482042582

CRYSTAL GARDEN HOSE



Features: PVC flexible pipe

Application: Suitable for garden and water transportation.

Temperature range: -10°C to +50°C.

Display: Colour: transparent.

Code	Ref.		EAN
1501114	8 x 11 mm 100 metres		5602482046900
1501115	10 x 13 mm 100 metres		5602482046917
1501116	12 x 16 mm 50 metres		5602482046924
1501117	15 x 20 mm 50 metres		5602482046931
1501118	19 x 24 mm 50 metres		5602482046948
1501119	25 x 30 mm 50 metres		5602482046955

AIR LINE HOSE

**Features**

Ø intérieur	8 mm
Thickness	2,5 mm
Work pressure	17 bar
Break pressure	54 bar

Features: THose flexible reinforced with polyester yarns for medium pressure


Applications: Multiple industry applications, mainly compressed air and water.

Presentation: Cor: transparente..

Working temperature: -10°C a +60°C

Code	Ref.		EAN
1501113	8 x 14 mm 50 metres		5602482042575

HOSE HOLDER - STAINLESS STEEL



Code	Ref.		EAN
1501067	n° 1 pequeno		5602482044739
1501068	n° 2 grande		5602482044746

Notes





Diógenes & Santos, S.A.

**Rua Albino Moreira, 360
4485-767 Vilar VCD - PORTUGAL**

**Tel.: 226 076 310
email: geral@diosan.com**

www.sady.pt