

SADY®



CATALOGUE
 **2023**



SADY®

hand tools



power tools



safety/protection



miscellaneous



garden tools



hardware



cutlery



HAND TOOLS



METALLIC BLOWTORCH - HURRICANE



Burner: Ø 20 mm
Consumption: 111 g./h
Power: 2,1 kW



Code	Ref.		EAN
5110153	100P	w/lighter	6934589405526

PLASTIC BLOWTORCH - TYPHOON

Burner: Ø 28 mm
Consumption: 127 g./h
Power: 1,76 kW



Code	Ref.		EAN
5104940	120P	w/lighter	6934589405618

METALLIC BLOWTORCH - TYPHOON

Burner: Ø 20 mm
Consumption: 127 g./h
Power: 1,76 kW



Code	Ref.		EAN
5105270	100P	w/lighter	6934589405519

PLASTIC BLOWTORCH - TYPHOON

Burner: Ø 28 mm
Consumption: 127 g./h
Power: 1,76 kW



Code	Ref.		EAN
5104939	120	w/o lighter	6934589405601

METALLIC BLOWTORCH - TYPHOON

Burner: Ø 20 mm
Consumption: 127 g./h
Power: 1,76 kW



Code	Ref.		EAN
5105271	100	w/o lighter	6934589405502

BUTANE GAS (ILL)



Code	Ref.		EAN
5511050	190 g cartridge	36	5602482042278

GAS TORCH WITH 3 BURNERS



Code	Ref.	burners consumption		EAN
5106021	I008L	Ø 25 mm 250 g/h Ø 35 mm 450 g/h Ø 50 mm 2.000 g/h	6	6934589410353

GAS TORCH



Consumption: 2.500 g/h
Power: 35 kW
Total length: 430 mm

Code	Ref.		EAN
5104969	I048L Ø 60 mm	6	6934589411152

GAS TORCH



Consumption: 450 g/h
Power: 6.3 kW
Total length: 360 mm

Code	Ref.		EAN
5104935	I044L Ø 35 mm	6	6934589410957

GAS TORCH



Consumption: 3.850 g/h
Power: 54 kW
Total length: 580 mm

Code	Ref.		EAN
5104937	I066L Ø 76 mm	6	6934589411503

GAS TORCH



Consumption: 1.400 g/h
Power: 19.5 kW
Total length: 400 mm

Code	Ref.		EAN
5104936	I046L Ø 45 mm	6	6934589411053

BURNERS FOR GAS TORCHES



Code	Ref.		EAN
5104941	I335 Ø 35 mm 450 g/l 6,3 kW	30	6934589414450
5104942	I336 Ø 45 mm 1.400 g/l 19,5 kW	60	6934589414467
5108462	I338 Ø 60 mm 2.500 g/l 35 kW	24	6934589414481
5104943	I339 Ø 76 mm 3.850 g/l 54 kW	24	6934589414498

GAS WELDING TORCH



Consumption: 140 g/h
Power: 1,4 kW
Total length: 310 mm

Code	Ref.		EAN
5104933	I001 17 mm	6	6934589410001

GAS WELDING TORCH PIN



Code	Ref.		EAN
5105507	I440 copper 200 g		6934589413804

GAS WELDING TORCH



Consumption: 140 g/h
Power: 2,1 kW
Total length: 410 mm
These torches are suitable for the welding of copper pipes.

Code	Ref.		EAN
5104934	I010L Ø 22 mm	6	6934589410407

FLAT NOZZLE



Consumption: 140 g/h
Power: 2,8 kW

Code	Ref.		EAN
5105824	I325 Ø 40 mm		6934589413422

GAS BLOWTORCH



Consumption: 127 g/h
Power: 1,76 kW
1 rubber tubing (1 m)/ 3 burners (Ø 20/24/40 mm), 1 welding nozzle

Code	Ref.		EAN
5118016	SET 2 w/o lighter		6934589405816

CAMPING GAS STOVE



Consumption: 97,5 g/h
Power: 1,3 kW

Code	Ref.		EAN
5105509	COOK100P w/lighter	6	6934589406417
5108704	COOK100 w/o lighter	6	6934589406400

METALIC LANTERN



Consumption: 82,5 g/h
Power: 1,1 kW

Code	Ref.		EAN
5105508	FLY100P w/lighter	6	6934589407414
5110476	FLY100 w/o lighter	6	6934589407407

CHROME PLATED GAS STOVE



Consumption: 78 g/h
Power: 1,35 kW

Code	Ref.		EAN
5106801	COOK200C campingas	6	6934589408022
5118166	COOK100F flaga	6	6934589408053

LAMP MANTLE



Code	Ref.		EAN
5108463	I310 100 W (3) (FLY 100/100P)	24	6934589413255
5108018	I312 500 W (3) (FLY 500C)	24	6934589413262

REPLACEMENT GLASS FOR LANTERNS



Code	Ref.		EAN
5105131	I300 Ø 81 mm (FLY 100/100P)	12	6934589413255
5108018	I312 Ø 120 mm (FLY 500C)		6934589413262

ENAMELLED GAS STOVE



Consumption: 69/98 g/h
Power: 2,6 kW
Size:
Height: 80 mm / Width: 480 mm
Depth: 290 mm

Code	Ref.		EAN
5109248	MULTIFIRE2 2 burners		6934589409302

PROFESSIONAL GAS STOVE



Consumption: 544 g/h
Power: 7,5 kW
Size:
Height: 180 mm / Width: 390 mm
Depth: 390 mm

Code	Ref.		EAN
5109247	POWERFIRE4		6934589409104

ENAMELLED GAS STOVE



Consumption: 47/69/98 g/h
Power: 4,1 kW
Size:
Height: 80 mm / Width: 560 mm
Depth: 290 mm

Code	Ref.		EAN
5109249	MULTIFIRE3 3 burners		6934589409401

PUTTY KNIFE - BI-MATERIAL HANDLE



Code	Ref.		EAN
5110486	2189SS 20 mm	12	5602482027688
5110487	2190SS 30 mm	12	5602482027695
5110492	2195SS 80 mm	12	5602482027749

GAUGING TROWEL - BI-MATERIAL HANDLE



Code	Ref.		EAN
5118754	DS4191 6" 150 mm	12	5602482041912

PUTTY KNIFE - BI-MATERIAL HANDLE



Code	Ref.		EAN
5114815	DS5008 25 mm	6	5602482050082
5114816	DS5009 40 mm	6	5602482050099
5114817	DS5010 50 mm	6	5602482050105
5114818	DS5011 65 mm	6	5602482050112
5114819	DS5012 75 mm	6	5602482050129
5114820	DS5013 100 mm	6	5602482050136
5114821	DS5014 125 mm	6	5602482050143

GAUGING TROWEL - BI-MATERIAL HANDLE



Code	Ref.		EAN
5118751	DS5430 8" 200 mm	12	5602482054301
5118752	DS4192 8.1/2" 215 mm	12	5602482041929
5118753	DS5431 9" 230 mm	12	5602482054318

GAUGING TROWEL - BI-MATERIAL HANDLE



Code	Ref.		EAN
5118747	DS4194 6" 150 mm	12	5602482054301
5118748	DS5432 8" 200 mm	12	5602482054325
5118749	DS5433 8.1/2" 215 mm	12	5602482054332
5118750	DS4196 9" 230 mm	12	5602482041967

WOOD CHISEL



Code	Ref.		EAN
5109709	XS4022 6 mm	10	5602482014152
5109710	XS4022 8 mm	10	5602482014459
5109711	XS4022 10 mm	10	5602482014589
5109712	XS4022 12 mm	10	5602482014596
5109713	XS4022 15 mm	10	5602482014756
5109714	XS4022 18 mm	10	5602482014763
5109715	XS4022 20 mm	10	5602482014848
5109716	XS4022 22 mm	10	5602482015111
5106717	XS4022 25 mm	10	5602482015722
5109718	XS4022 28 mm	10	5602482016545
5109719	XS4022 30 mm	10	5602482016798
5109720	XS4022 35 mm	10	5602482016859
5109721	XS4022 38 mm	10	5602482017108

FLAT NOSE PLIERS



Code	Ref.		EAN
5101169	6" 150 mm	6	5602482023321

WIRE STRIPPER



Code	Ref.		EAN
5101189	6" 150 mm	6	5602482023437

HEAVY DUTY DIAGONAL PLIERS



Code	Ref.		EAN
5101171	6" 150 mm	6	5602482023345

LONG NOSE PLIERS



Code	Ref.		EAN
5101172	8" 200 mm	6	5602482023352

HEAVY DUTY DIAGONAL PLIERS



Code	Ref.		EAN
5101184	7" 180 mm	6	5602482023413
5101185	8" 200 mm	6	5602482023420

LONG NOSE PLIERS



Code	Ref.		EAN
5101173	6" 150 mm	6	5602482023369
5101174	8" 200 mm	6	5602482023376

FRONT CUTTING PLIERS



Code	Ref.		EAN
5101191	6" 150 mm	6	5602482023451
5101192	8" 200 mm	6	5602482023468

COMBINATION PLIERS



Code	Ref.		EAN
5101180	6" 150 mm	6	5602482023383
5101181	7" 180 mm	6	5602482023390
5101182	8" 200 mm	6	5602482023406

FLAT NOSE PLIERS



Code	Ref.		EAN
5106184	ENP6 6" 150mm	6	5602482017832

FRONT CUTTING PLIERS



Code	Ref.		EAN
5106829	ENP6 6" 150 mm	6	5602482017863
5106830	ENP8 8" 200 mm	6	5602482017870

LONG NOSE PLIERS



Code	Ref.		EAN
5106186	LNP6 6" 150 mm	6	5602482017917
5106187	LNP8 8" 200 mm	6	5602482017924

INSULATED WATER PUMP PLIERS



Code	Ref.		EAN
5114571	D2GL250 10" 250 mm	6	5602482047242

WATER PUMP PLIERS



Code	Ref.		EAN
5101190	DS2344 10" 250 mm	6	5602482023444

WATER PUMP PLIERS



Code	Ref.		EAN
5109644	10" 250 mm	6	5602482012691
5109645	12" 300 mm	6	5602482012752

WIRE STRIPPER



Code	Ref.		EAN
5114758	DS4880 160 mm		5602482048805

ELECTRODE HOLDER



Code	Ref.		EAN
5102783	300 A	50	5602482026520
5102784	500 A	50	5602482026537

SELF GRIP PLIERS



Code	Ref.		EAN
5109639	5" 125 mm	6	5602482021839
5106913	7" 180 mm	6	5602482010543
5106914	10" 250 mm	6	5602482010550
5110547	12" 300 mm	6	5602482028456

FLAT WELDING LOCKING PLIERS



Code	Ref.	Medida Abertura		EAN
5114750	DS4872	8R 200 mm 78 mm		5602482048720

SELF GRIP PLIERS



Code	Ref.	Medida Abertura		EAN
5114747	DS4869	10CR 250 mm 48 mm		5602482048690

C TYPE WELDING LOCKING PLIERS



Code	Ref.	Medida Abertura		EAN
5114752	DS4874	11R 275 mm 102 mm		5602482048744

SELF GRIP PLIERS



Code	Ref.	Medida Abertura		EAN
5114748	DS4870	7R 175 mm 38 mm		5602482048706
5114749	DS4871	10R 250 mm 48 mm		5602482048713

C TYPE WELDING LOCKING PLIERS WITH SWIVEL PAD



Code	Ref.	Medida Abertura		EAN
5114751	DS4873	11SP 275 mm 102 mm		5602482048737

RIVETER



For rivets: 2.4 mm / 3.2 mm / 4.0 mm / 4.8 mm

Code	Ref.			EAN
5104497	DPM0063	300 mm	 6	5602482000063

LONG HANDLE RIVETER



For rivets: 2.4 mm / 3.2 mm / 4.0 mm / 4.8 mm / 6.4 mm

Code	Ref.			EAN
5114578	DS-4723	400 mm	 20	5602482047235

RIVETER



Code	Ref.			EAN
5114579	DS-4721	260 mm	 10	5602482047211

LAZY TONGUE RIVETER



For rivets: 2.4 mm / 3.2 mm / 4.0 mm / 4.8 mm / 6.4 mm

Code	Ref.			EAN
5114576	DS-4722	300 mm 800 mm	 12	5602482047228

RIVETER



For rivets: 2.4 mm / 3.2 mm / 4.0 mm / 4.8 mm

Code	Ref.			EAN
5114577	DS-4720	260 mm	 6	5602482047204

DIAGONAL CUTTING PLIERS



Code	Ref.			EAN
5106608	WD-01	8" 200 mm	 6	5602482008489

FLAT NOSE PLIERS (MINI)



Code	Ref.		EAN
5108839	CB1341 150 mm	6	5602482013414

BENT LONG NOSE PLIERS (MINI)



Code	Ref.		EAN
5101168	CB2328 150 mm	6	5602482023284

FRONT CUTTING PLIERS (MINI)



Code	Ref.		EAN
5108841	CB1340 150 mm	6	5602482013407

WATER PUMP PLIERS SWEDISH TYPE 45°



Code	Ref.		EAN
5106622	1" 25 mm	6	5602482021693
5106623	1.1/2" 38 mm	4	5602482021709
5106624	2" 50 mm	2	5602482021716

WATER PUMP PLIERS SWEDISH TYPE 90°



Code	Ref.		EAN
5106619	1" 25 mm	6	5602482021723
5106620	1.1/2" 38 mm	4	5602482021730
5106621	2" 50 mm	2	5602482021747

ADJUSTABLE WRENCH



Code	Ref.		EAN
5106614	6" 152 mm	6	5602482009424
5106615	8" 200 mm	6	5602482013612
5106616	10" 255 mm	6	5602482013629
5106617	12" 300 mm	6	5602482013636
5106618	15" 380 mm	2	5602482013643
5109301	18" 460 mm	1	5602482010567
5114383	24" 600 mm	1	5602482046757

CROSS WRENCH (GALVANISED)




Code	Ref.		EAN
5108439	13 / 17 / 19 / 21 mm	20	5602482005754

STILLSON TYPE PIPE WRENCH (ALUMINIUM)



Code	Ref.		EAN
5110734	10" 255 mm	6	5602482030473
5110735	12" 300 mm	6	5602482030480
5106921	14" 355 mm	6	5602482021808
5106922	18" 460 mm	12	5602482021815
5106923	24" 609 mm	6	5602482021822
5109859	36" 915 mm	4	5602482029330
5114384	48" 1.220 mm	1	5602482046764

STILLSON TYPE PIPE WRENCH (RIDGID)



Code	Ref.		EAN
5109565	8" 152 mm		5602482029347
5106915	10" 255 mm	30	5602482004009
5106916	12" 300 mm	24	5602482004016
5106917	14" 355 mm	18	5602482004023
5106918	18" 460 mm	12	5602482004030
5106919	24" 609 mm	6	5602482004047
5106920	36" 915 mm	4	5602482018013
5114385	48" 1.220 mm	1	5602482046771

STILLSON TYPE PIPE WRENCH (EXTRA)



Code	Ref.		EAN
5109860	10" 255 mm		5602482021754
5109861	12" 300 mm		5602482021761
5109862	14" 355 mm		5602482021778
5109863	18" 460 mm		5602482021785
5109864	24" 609 mm		5602482021792
5109865	36" 915 mm		5602482015937

BOLT CUTTERS



Code	Ref.		EAN
5106609	WD-05 14" 355 mm	24	5602482013773
5106610	WD-05 18" 460 mm	12	5602482013148
5106611	WD-05 24" 609 mm	12	5602482018488
5106612	WD-05 30" 762 mm	6	5602482018495
5106613	WD-05 36" 915 mm	4	5602482018501

RATCHET



Code	Ref.		EAN
5114753	DS4875 1/4" (155 mm)	6	5602482048751
5114754	DS4876 3/8" (200 mm)	6	5602482048768
5114755	DS4877 1/2" (250 mm)	6	5602482048775

BOLT CUTTER REPLACEMENT BLADE



Code	Ref.		EAN
5108040	WD-05 14" 355 mm	24	5602482016262
5108041	WD-05 18" 460 mm	12	5602482016293
5108042	WD-05 24" 609 mm	12	5602482016804
5108043	WD-05 30" 762 mm	6	5602482017962
5108044	WD-05 36" 915 mm	4	5602482017979

WRECKING BAR



Code	Ref.		EAN
5114759	DS4881	500 x 18 mm	5602482048812
5114760	DS4882	600 x 18 mm	5602482048829
5114761	DS4883	700 x 18 mm	5602482048836
5114762	DS4884	800 x 18 mm	5602482048843
5114763	DS4885	1.000 x 20 mm	5602482048850

BOW SAW



Code	Ref.		EAN
5114653	DS4782	305 mm	5602482047822

BOW SAW



Code	Ref.		EAN
5114692	DS4801	300 mm	5602482048010

BOW SAW



Code	Ref.		EAN
5114691	DS4800	300 mm	5602482048003

HANDSAW



Code	Ref.		EAN
5114648	PSW14/14	350 mm 14"	5602482047778
5114649	PSW14/16	400 mm 16"	5602482047785
5114650	PSW14/18	450 mm 18"	5602482047792
5114651	PSW14/20	500 mm 20"	5602482047808
5114652	PSW14/22	550 mm 22"	5602482047815

TUBE CUTTER



Code	Ref.		EAN
5114757	DS4879	3 - 30 mm	5602482048799

PVC PIPE CUTTER



Code	Ref.		EAN
5114756	DS4878	42 mm	5602482048782

AVIATION SNIPS - RIGHT CUT



Code	Ref.			EAN
5114575	DS-4698	250 mm green	 6	5602482046986

AVIATION SNIPS - LEFT CUT



Code	Ref.			EAN
5114574	DS-4697	250 mm red	 6	5602482046979

AVIATION SNIPS - STRAIGHT CUT



Code	Ref.			EAN
5114573	DS-4699	250 mm yellow	 6	5602482046993

CARPENTER PINCERS



Code	Ref.			EAN
5109643		9" 225 mm	 6	5602482012868
5114572		10" 255 mm	 6	5602482047259

BUCKET TROWEL - WOOD HANDLE



Code	Ref.			EAN
5113570	404.197	200 mm	6	5602482045255

GAUGING TROWEL - WOOD HANDLE



Code	Ref.			EAN
5113572	409.009	9" 225 mm	6	5602482045248

RUBBER MALLET (BLACK)



Code	Ref.			EAN
5110510	316	40 mm	6	5602482011717

RUBBER MALLET (WHITE)



Code	Ref.			EAN
5113567	317.040	40 mm	6	5602482045040

BALL PEIN HAMMER



Code	Ref.			EAN
5105592	305-E	200 grs.	6	5602482008144
5105593	305-E	300 grs.	6	5602482008151
5105594	305-E	500 grs.	6	5602482008809

CLAW HAMMER (POLISHED FACE)



Code	Ref.			EAN
5105588	127	23 mm	6	5602482009004

PLASTERING TROWEL - PLASTIC HANDLE



Code	Ref.			EAN
5106584	185-2	130 x 280 mm	12	5602482019072

GARDEN SHEARS



Code	Ref.			EAN
5113573	470.012	12" 300 mm	6	5602482045125

SANDING BLOCK (RUBBER)



Code	Ref.		EAN
5105251	DPM 2615	120 x 65 mm	5602482026155



30

OIL FILTER STRAP WRENCH



Code	Ref.		EAN
5105252	DPM2616		5602482026162



50

SANDING BLOCK



Code	Ref.		EAN
5105250	DPM2613	160 x 85 mm	5602482026131
5105249	DPM2614	210 x 105 mm	5602482026148



25

50

BASIN WRENCH




Code	Ref.		EAN
5106129	DPM2617		5602482026179



40

MIXING PADDLE



Code	Ref.		EAN
5106809	DPM2590	70 x 400 mm	5602482025905
5101333	DPM2591	100 x 600 mm	5602482025912
5106951	DPM2592	120 x 600 mm	5602482015929



30

12

6

PIPE CLEANING SPIRAL



Code	Ref.		EAN
5106126	040122-1N	3 metres	5602482021501
5106127	040123N	5 metres	5602482004054
5108269	040124N	10 metres	5602482003750



30

10

5

SCORING WHEEL FOR TILE CUTTER



Code	Ref.		EAN
5105246	599211-0501	10 mm	5602482016392
5105247	599111-501	18 mm	5602482016408

CROSS SHAPED TILE SPACERS



PLASTIC TILE WEDGES



Code	Ref.		EAN
5118012	DPM3128	30 x 6 x 5 mm (100 un.)	5602482031289

Code	Ref.		EAN
5118719	DPM4093	1 mm (250 un.)	5602482040939
5105055	DPM2594	2 mm (250 un.)	5602482025943
5105056	DPM2595	3 mm (200 un.)	5602482025950
5105057	DPM2596	4 mm (200 un.)	5602482025967
5105058	DPM2597	5 mm (200 un.)	5602482025974
5110827	DPM3127	6 mm (200 un.)	5602482031272
5106130	DPM2598	8 mm (100 un.)	5602482025981
5109152	DPM2599	10 mm (100 un.)	5602482025998

OIL FEED GLASS CUTTER




KNEE PADS (RUBBER)



Code	Ref.		EAN
5105523	DPM2600		5602482026001

Code	Ref.		EAN
5105059	DPM2620		5602482026208

SEALING TAPE



Code	Ref.		EAN
5500733		12 mm x 10 metres	5602482032064
5500734		25 mm x 50 metres	5602482004085

GLASS AND TILE SUCTION CUP



Code	Ref.		EAN
5106807	DPM2601	Ø 110 mm	5602482026018



10

SHARPENING STONE - DOUBLE SIDED



Code	Ref.		EAN
5102091	709	150 x 50 x 25 mm	5602482005150
5102092	709	200 x 50 x 25 mm	5602482005167



50

DIAMOND HOLE SAW DRILL BIT



Code	Ref.		EAN
5110816	560110	10 mm	5602482029989
5110817	560112	12 mm	5602482029996



10

SCYTHE STONE



Code	Ref.		EAN
5104597		225 x 35 x 15 mm	5602482020351



100

GROUTERS FLOAT (RUBBER)



Code	Ref.		EAN
5109546	DPM2621	4" x 9" 100 x 230 mm	5602482026216
5109547	DPM2622	4" x 12" 100 x 300 mm	5602482026223



5

HOLE SAW ARBOR



Code	Ref.		EAN
5105860	10103001	1/4" 6 mm	5602482028067

HOLE SAW ARBOR



Code	Ref.		EAN
5105861	10103008	7/16" 11 mm	5602482028074

PILOT DRILL



Code	Ref.		EAN
5106177	10104008	for 1/4" and 7/16" arbours	5602482028050

SDS MAX EXTENSION | FOR SDS HOLE SAWS



Code	Ref.		EAN
5114378	268000350	350 mm	5602482046726
5114379	268000450	450 mm	5602482046733

CARBIDE HOLE SAW DRILL



Code	Ref.		EAN
5111809	26900030	30 mm	5602482041707
5111810	26900035	35 mm	5602482041714
5111811	26900040	40 mm	5602482041721
5111812	26900045	45 mm	5602482041738
5111813	26900050	50 mm	5602482041745
5111814	26900055	55 mm	5602482041752
5111815	26900060	60 mm	5602482041769
5111816	26900065	65 mm	5602482041776
5111817	26900070	70 mm	5602482041783
5111818	26900075	75 mm	5602482041790
5111819	26900080	80 mm	5602482041806
5111820	26900085	85 mm	5602482041813
5111821	26900090	90 mm	5602482041820
5111822	26900095	95 mm	5602482041837
5111823	26900100	100 mm	5602482041844
5111824	26900105	105 mm	5602482041851
5111825	26900110	110 mm	5602482041868
5111826	26900120	120 mm	5602482041875
5114380	26900130	130 mm	5602482046689
5114381	26900150	150 mm	5602482046696

SDS PLUS EXTENSION | FOR SDS HOLE SAWS



Code	Ref.		EAN
5114376	267000350	350 mm	5602482046702
5114377	267000450	450 mm	5602482046719

SDS MAX FLAT CHISEL



Code	Ref.		EAN
5118579	451205	Ø 18 x 25 x 300 mm	5602482047266
5118580	451260	Ø 18 x 25 x 400 mm	5602482047273
5118520	451207	Ø 18 x 25 x 600 mm	5602482047280
5118581	451206	Ø 18 x 50 x 400 mm	5602482047297

SDS PLUS FLAT CHISEL



Code	Ref.		EAN
5118574	451242	Ø 14 x 20 x 250 mm	5602482047303
5118575	451221	Ø 18 x 40 x 250 mm	5602482047310

SDS MAX POINTED CHISEL



Code	Ref.		EAN
5118576	451201	Ø 18 x 250 mm	5602482047327
5118577	451258	Ø 18 x 400 mm	5602482047334
5118578	451202	Ø 18 x 600 mm	5602482047341

BURIN POINTU SDS PLUS




Code	Ref.		EAN
5119573	451240	Ø 14 x 250 mm	5602482047358

SDS PLUS ADAPTOR



Code	Ref.		EAN
5112902	26714001	1/2" x 20 UNF	5602482043107

HSS STEP DRILL BIT



Drills perfect holes into steel, copper, brass, aluminium, wood and plastic.

Size:

9 holes: 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 mm

14 holes: 4 - 6 - 8 - 10 - 12 - 15 - 18 - 21 - 24 - 27 - 30 - 33 - 36 - 39 mm

Code	Ref.			EAN
5114606	13009082	Ø 4 to 20 mm 9 holes	4	5602482047389
5110760	13014000	Ø 4 to 39 mm 14 holes	4	5602482029729

SHEET METAL PUNCH



Code	Ref.			EAN
5110807	21600032	32 mm	10	5602482047365
5110806	21600035	35 mm	10	5602482047372

COUNTERSINK DRILL BIT



Size:
6,3/ 8,3/ 10,4/ 12,4/ 16,5/ 20,5 mm

Code	Ref.		EAN
5112878	13500006	6 pieces	5602482042865

COUNTERSINK DRILL BIT



DIN 335
Perfect for milling different types of materials,
such as iron, steel, plastic or wood.

Code	Ref.		EAN
5112876	13600124	12,4 mm 8 mm shank	5602482042841
5112877	13600190	19 mm 10 mm shank	5602482042858

BORING DRILL BIT



Made of carbon steel for precision finishing. For
drilling into hardwood, pressed cardboard and
plastic.

Code	Ref.		EAN
5112879	48030526	26 x 50 mm 8 mm shank	5602482042872
5112880	48030530	30 x 50 mm 8 mm shank	5602482042889
5112881	48030535	35 x 50 mm 8 mm shank	5602482042896

HSS TAP



Code	Ref.		EAN
5112882	18600030	M 3 (set 3 pieces)	5602482042902
5112883	18600040	M 4 (set 3 pieces)	5602482042919
5112884	18600050	M 5 (set 3 pieces)	5602482042926
5112885	18600060	M 6 (set 3 pieces)	5602482042933
5112886	18600070	M 7 (set 3 pieces)	5602482042940
5112887	18600080	M 8 (set 3 pieces)	5602482042957
5112888	18600100	M10 (set 3 pieces)	5602482042964
5112889	18600120	M12 (set 3 pieces)	5602482042971
5112890	18600140	M14 (set 3 pieces)	5602482042988
5112891	18600160	M16 (set 3 pieces)	5602482042995
5112892	18600180	M18 (set 3 pieces)	5602482043008
5112893	18600200	M20 (set 3 pieces)	5602482043015

RATCHET TYPE TAP WRENCH



Code	Ref.		EAN
5112870	19600001	No.1 M3 to M10	5602482042780
5112871	19600002	No.2 M5 to M12	5602482042797

TRADITIONAL TAP WRENCH



Code	Ref.		EAN
5112782	19700010	No.0 M1 to M8	5602482042803
5112873	19700020	No.1 M3 to M10	5602482042810
5112874	19700040	No.2 M4 to M12	5602482042827
5112875	19700050	No.3 M5 to M20	5602482042834

BI-METAL HOLESAWS



Code	Ref.		EAN
5105826	10101014	14 mm	5602482029163
5105827	16101016	16 mm	5602482028852
5105828	10101019	19 mm	5602482028340
5105829	10101022	22 mm	5602482028098
5105830	10101025	25 mm	5602482028104
5105831	10101028	28 mm	5602482028111
5105832	10101032	32 mm	5602482028128
5105833	10101035	35 mm	5602482028135
5105834	10101038	38 mm	5602482028142
5105835	10101041	41 mm	5602482029170
5105836	10101044	44 mm	5602482028159
5105837	10101048	48 mm	5602482028166
5105838	10101051	51 mm	5602482028746
5105839	10101054	54 mm	5602482028173
5105840	10101057	57 mm	5602482029187
5105841	10101060	60 mm	5602482028869
5105842	10101064	64 mm	5602482028180
5105843	10101067	67 mm	5602482028197
5105844	10101070	70 mm	5602482028876
5105845	10101073	73 mm	5602482028203
5105846	10101086	76 mm	5602482028883
5105847	10101079	79 mm	5602482028210
5105848	10101083	83 mm	5602482028227
5105849	10101086	86 mm	5602482029194
5105850	10101089	89 mm	5602482029200
5105851	10101092	92 mm	5602482029217
5105852	10101095	95 mm	5602482029224
5105853	10101098	98 mm	5602482029231
5105854	10101102	102 mm	5602482028234
5105855	10101108	108 mm	5602482028845
5105856	10101114	114 mm	5602482028890
5105857	10101121	121 mm	5602482028241
5105858	10101127	127 mm	5602482028258

WOOD HOLE SAW SET



Contents:
8 hole saws (19 to 64 mm) / arbours
/ 1 flat drill bit (25 mm) / 1 hexagon key

Code	Ref.		EAN
5112894	56100013	13 pieces 19 to 64 mm	5602482043022

WOOD HOLE SAW SET



Contents:
12 hole saws (19 to 127 mm) / arbours / 1 hexagon key

Code	Ref.		EAN
5114982	56100016	16 pcs. 19 a 127 mm	5602482050648

BI-METAL HOLESAWS



Contents:
11 hole saws (19 to 76 mm)
2 hole saw arbours (1/4" and 7/16")
1 adaptor

Code	Ref.		EAN
5105859	10105012	14 pieces 19 to 76 mm	5602482028081

HOLE SAW



Size:
25, 32, 38, 45, 50, 56 et 62 mm

Code	Ref.		EAN
5110639	56100007	25 mm (7 blades)	5602482030428
5110640	56101007	50 mm (7 blades)	5602482030435

RATCHET THREADER SET



Code	Ref.		EAN
5104868	1/2" to 1.1/4"	4	5602482015531

TUNGSTEN CARBIDE GRIT HOLE SAW

Contents:
8 hole saws (33 to 103 mm)
1 pilot drill + holder



Code	Ref.		EAN
5110857	9 pieces 33 to 103 mm		5602482030442

RATCHET THREADER DIE HEADS



Code	Ref.		EAN
5104870	3/4"		5602482024564
5104869	1/2"		5602482024557
5104871	1"		5602482024540
5104872	1.1/4"		5602482024533

WOOL POLISHING BONNET



Code	Ref.		EAN
5114981	61202102	Ø 125 mm	5602482050464
	61202104	Ø 180 mm	5602482052538

DOEWE PIN



Code	Ref.		EAN
5114904	29050000	Ø 6 x 30 mm 100 unid.	5602482050594
5114905	29070000	Ø 8 x 40 mm 100 unid.	5602482050600
5114906	29090000	Ø 10x40 mm 100 unid.	5602482050617

GLASS AND CERAMIC DRILL



Code	Ref.		EAN
5114965	26400108	3 x 60mm	5602482050471
5114966	26400532	4 x 60 mm	5602482050488
5114967	26400316	5 x 60 mm	5602482050495
5114968	26400104	6 x 70 mm	5602482050501
5114969	26400516	8 x 80 mm	5602482050518
5114970	26400308	10 x 85 mm	5602482050525
5114971	26401532	12 x100 mm	5602482050532

MOUNTED STONE SET



Code	Ref.		EAN
5114907	19500005	shank 6 mm 5 pcs.	5602482050730

MOUNTED STONE SET



Code	Ref.		EAN
5114908	19500010	shank 6 mm 10 pcs.	5602482050747

SDS PLUS DRILL



10 drill: 5 e 6x110mm; 8, 10 e 12x160mm: 10 e 12x210mm; 10, 12 e 16x450mm
Point chisel: 250 mm
Flat chisel: 20x250mm

Code	Ref.		EAN
5116058	26000012	12 pcs	5602482050549

PUNCH SET



Punch:
9.5x2x150mm / 9.5x3x150mm /
9.5x4x150mm / 9.5x5x150mm /
12x6x150mm / 12x8x150mm

Code	Ref.		EAN
5114972	50100006	6 pcs.	5602482050324

CHISEL AND PUNCH SET



Flat chisel: 12x130mm; 15x150mm;
Cap chisel: 3x120mm
Drift chisel: 3x120mm, 4x150mm
Centre punch: 4x130mm

Code	Ref.		EAN
5114973	50110007	6 pcs.	5602482050631

SPADE WOOD DRILL



Code	Ref.		EAN
5115028	8 mm		5602482056374
5117867	10 mm		5602482026544
5117868	12 mm		5602482026551
5117869	14 mm		5602482026568
5117870	16 mm		5602482026575
5117871	18 mm		5602482026582
5117872	20 mm		5602482026599
5117873	22 mm		5602482026605
5117874	24 mm		5602482026612
5117875	25 mm		5602482026629
5115029	26 mm		5602482056619
5117876	28 mm		5602482026636
5117877	30 mm		5602482026643
5117878	32 mm		5602482026650
5117879	35 mm		5602482026667
5117880	38 mm		5602482026674

SPADE WOOD DRILL



Code	Ref.		EAN
5110791	6 pcs.		5602482030275

HOLLOW PUNCHES

NEW



Code	Ref.		EAN
5116240	2 mm 44 gr.	6	5602482059214
5116241	3 mm 47 gr.	6	5602482059221
5116242	4 mm 48 gr.	6	5602482059238
5116243	5 mm 67 gr.	6	5602482059245
5116244	6 mm 69 gr.	6	5602482059252
5116245	8 mm 94 mm	6	5602482059269
5116246	10 mm 126 gr.	6	5602482059276
5116247	11 mm 126 gr.	6	5602482059283
5116248	12 mm 128 gr.	6	5602482059290
5116249	13 mm 170 gr.	6	5602482059306
5116250	14 mm 175 gr.	6	5602482059313
5116251	15 mm 177 gr.	6	5602482059320
5116252	16 mm 181 gr.	6	5602482059337
5116253	17 mm 229 gr.	6	5602482059344
5116254	18 mm 230 gr.	6	5602482059351
5116255	19 mm 237 gr.	6	5602482059368
5116256	20 mm 303 gr.	6	5602482059375
5116257	21 mm 308 gr.	6	5602482059382
5116258	22 mm 311 gr.	6	5602482059399
5116259	23 mm 364 gr.	6	5602482059405
5116260	24 mm 369 gr.	6	5602482059412
5116261	25 mm 370 gr.	6	5602482059429
5116262	26 mm 371 gr.	6	5602482059436
5116263	27 mm 464 gr.	6	5602482059443
5116264	30 mm 591 gr.	3	5602482059450

HOLLOW PUNCHES


NEW



10 DIN 7200 hollow punches in special steel, lacquered, in the following sizes:
• 2; 4; 6; 8; 10; 12; 14; 16; 18 e 20 mm

Code	Ref.		EAN
5116265	10 pcs		5602482059467

HYDRAULIC BOTTLE JACKS



Reference	DS90204X	DS90304X	TH90504S	DS90804X	DS91004X	TH91204	DS91504X	DS92004X	TH93204	TH95004
Code	5116205	5116206	5105903	5116208	5116209	5105906	5116211	5116212	5107826	5107827
Capacity	2 ton.	3 ton.	5 ton.	8 ton.	10 ton.	12 ton.	15 ton.	20 ton.	30 ton.	50 ton.
A	168 mm	188 mm	207 mm	222 mm	222 mm	230 mm	230 mm	240 mm	260 mm	280 mm
B	108 mm	115 mm	125 mm	145 mm	145 mm	150 mm	150 mm	150 mm	160 mm	170 mm
C	48 mm	60 mm	70 mm	80 mm	80 mm	80 mm	80 mm	60 mm	-	-
D	316 mm	363 mm	42 mm	447 mm	450 mm	460 mm	460 mm	450 mm	420 mm	450 mm
E x F (mm)	94.5 x 78	108.5 x 87	117 x 97	124 x 106	124 x 106	134.5 x 115	141 x 118	160 x 140	185 x 165	207 x 185
Pack	6	6	4	4	4	3	2	2	1	1
EAN	5602482054561	5602482054578	6922539896302	5602482054592	5602482054608	6922539896234	5602482054622	5602482054639	6922539896272	6922539896289

HYDRAULIC TROLLEY JACK- LOW PROFILE



Features

Capacity	2,5 ton
Min. height	87 mm
Max. height	455 mm
Weight	33 kg
Dimensions	640 x 342 x 175 mm

Code	Ref.		EAN
5114857	TZ830018	2,5 tons	6922539883180

HYDRAULIC TROLLEY JACK



Features

Capacity	2 ton
Min. height	130 mm
Max. height	350 mm
Weight	10,5 kg
Dimensions	500 x 200 x 125 mm

Code	Ref.		EAN
5105919	T82004S	2 tons	6922539882244

HYDRAULIC TROLLEY JACK



Features

Capacity	2.1/4" ton
Min. height	145 mm
Max. height	520 mm
Weight	36,5 kg
Dimensions	695 x 344 x 180 mm

Code	Ref.			EAN
5105909	T82257	2.1/4" tons	1	5602482018037

HYDRAULIC TROLLEY JACK - EXTENDED HEIGHT



Features

Capacity	2,5 / 3 ton
Min. height	150 mm
Max. height	530 mm
Weight	19 kg / 21 kg
Dimensions	640 x 230 x 220 mm

Code	Ref.			EAN
5114858	T83006B	2,5 tons	1	6922539882138
5106607	T83006B	3 tons	1	5602482029149

HYDRAULIC TROLLEY JACK - QUICK LIFT



Features

Capacity	3 ton
Min. height	145 mm
Max. height	500 mm
Weight	38 kg
Dimensions	685 x 346 x 180 mm

Hydraulic trolley jack with an instant lift foot pedal.

Code	Ref.			EAN
5106170	T83502	3 tons	1	5602482018044

JACK STANDS

2 tons
Minimum height:
290mm
Maximum height:
375mm



Code	Ref.		EAN
5117622	DS5687HM2T 2 ton.		5602482056879

HYDRAULIC BODY REPAIR KIT



Code	Ref.		EAN
5105918	T71001S 10 toneladas		5602482009233

CAVALETE AUTO | PROFISSIONAL
 BORRIQUETA DE CREMALLERA

3 tons
Minimum height:
290mm
Maximum height:
420mm



Code	Ref.		EAN
5117624	DS2623HM3T 3 toneladas		5602482026230

PANEL BEATING SET



Code	Ref.		EAN
5106783	7 pcs.		5602482018709

FOLDING ENGINE CRANE



Features		
Capacity	1 tone	2 tons
Lifting	25 ~2.040 mm	25 - 2240 mm
Length	1.510 mm	1.550 mm
Width	1.015 mm	1.450 mm
Height	1.545 mm	2.200 mm
Nominal Load	250/500/ 750/1.000 kg	500/1.000/ 1.500/2.000 kg
Length of jib	1.250/1.160/ 1.070/980 mm	
Minimum height	178 mm	
Weight	65 kg	

This product has been specially designed to lift, lower and transport engines, differentials, transmissions and other heavy loads with minimum effort.

- Adjustable lift arm.
- Tubular frame made of thick steel.
- Foldable for easy storage.

Code	Ref.			EAN
5114237	T31002X-GS 1 tonE		1	5602482029132
5109556	DS1492HM 2 tonel		1	5602482014923

HAND PALLET TRUCK



Features	
Capacity	2.200 kg
Lift height	200 mm
Fork length	1.150 mm
Fork width	525 mm
Steering wheel size	200 x 45 mm
Load wheel size	82 x6 0 mm
Weight	63 kg

Hydraulic system. Spherical connection between the shaft and the pump piston. Easy to manoeuvre within to 210-degree turning radius. Special lowering valve to control the rate of descent and overload valve that makes it more resistant and durable. Lift per one manual stroke: 12mm

Code	Ref.			EAN
5114498	GS25S4 2,5 tons		1	5602482029125

HAND CHAIN HOIST



Features	HSZ-0,5T	HSZ-1T	HSZ-2T
Capacity	0,5 toneladas	1 tonelada	2 toneladas
Standard lifting height	2,5 m	2,5 m	2,5 m
Load test (max.)	0,75 ton.	1,5 ton.	3 ton.
Minimum height (hook to hook)	270 mm	270 mm	444 mm
Stress (N)	225	309	314
Chain length	3 m	3 m	3 m
Chain diameter	6 mm	6 mm	6 mm
Number of chain turns	1	1	2
Net weight	9,5 kg	10 kg	14 kg

Code	Ref.		EAN
5105916	HSZ-0,5T	0,5 ton.	5602482021174
5105917	HSZ-1T	1 ton.	5602482021181
5101052	HSZ-02T	2 ton.	5602482017788

ROTARY PUMP



Code	Ref.		EAN
5105910	TR8020	2 ton cable: 4 m x Ø 5 mm	5602482006102
5105911	TR8041	4 ton cable: 4 m x Ø 5 mm	5602482008205

CABLE RATCHET PULLER



Suction tube: 980 mm

Code	Ref.		EAN
5106795		flow rate: 30 litres/minute	5602482013605

TOOL TROLLEY



Dimensions

Table: 737x383x663 mm
Trays: 735x380x85 mm

Code	Ref.		Code	Ref.	load capacity: 136 kg	1	5602482020962
5105915	TC302						

FLOOR STANDING PARTS WASHER



Pump for part washer:

Maximum height: 1,8 metres
Maximum flow rate: 1.000 litres/hour
Max. water temperature: 35°C

Code	Ref.		Code	Ref.		Code	Ref.		EAN
3004069	DS5470-CP	pump	1	5602482054707					
3008331	DS5469-BH	brush with hose	1	5602482054691					

FLOOR STANDING PARTS WASHER | 5 GALLON



Features:

Washing tank: 430x340x220 mm
Capacity: 19 Liters
Solvent capacity: 13 Liters
Pump flow: 2.7/3.3 lit./min.
Dimensions: 470x360x250 mm
Weight: 6,5 kg

Code	Ref.		Code	Ref.	capacity: 5 gal. 19 lit.	1	5602482054684
5118824	DS5468G5						

FLOOR STANDING PARTS WASHER | 20 GALLON



Features:

Washing tank: 760x520x300 mm
Capacity: 75 Liters
Solvent capacity: 45 Liters
Pump flow: 2.7/3.3 lit./min.
Dimensions: 790x550x320 mm
Weight: 28 kg

Code	Ref.		Code	Ref.	capacity: 20 gal. 75 lit.	1	5602482035331
5101271	DS3533G20						

DRYWALL LIFT



Features

Maximum capacity	70 kg
Maximum height	3.300 mm
Dimension gypsum plasterboards	1.1200 x 4.800 mm
Largura da base	1.550 mm
Base width	1.450 mm
Pe Weight so	38 kg

Manual plasterboard lifter for installing plasterboard at various angles, both on ceilings and walls. Stable 3-support base with wheels. 360° swivel wheel with brake for better control and direction of the plasterboard.

Code	Ref.		EAN
5117623	DS5636HM	Placas 1.20 x 4.80 mt. 1	5602482056367



OIL CAN | FLEXIBLE SPOUT



Steel oil can, with the seamless body designed from tin coated sheet metal with a premium powder coated finish. Steel pump.

Code	Ref.		EAN
5116159	DS5689GZ	125 ml Spout 125 mm	5602482056893
5116160	DS5690GZ	180 ml Spout 125 mm	5602482056909

OIL CAN | RIGID SPOUT



Steel oil can, with the seamless body designed from tin coated sheet metal with a premium powder coated finish. Steel pump.

Code	Ref.		EAN
5116164	DS5694GZ	125 ml Spout 100 mm	5602482056947
5116165	DS5695GZ	180 ml Spout 100 mm	5602482056954

OIL CAN | FLEXIBLE SPOUT



Steel oil can, with the seamless body designed from tin coated sheet metal with a premium powder coated finish. Steel pump.

Code	Ref.		EAN
5116161	DS5691GZ	300 ml Spout 150 mm	5602482056916
5116162	DS5692GZ	400 ml Spout 175 mm	5602482056923
5116163	DS5663GZ	500 ml Spout 175 mm	5602482056930

OIL CAN | RIGID SPOUT



Steel oil can, with the seamless body designed from tin coated sheet metal with a premium powder coated finish. Steel pump.

Code	Ref.		EAN
5116166	DS5696GZ	300 ml Spout 125 mm	5602482056961
5116167	DS5697GZ	400 ml Spout 150 mm	5602482056978
5116168	DS5668GZ	500 ml Spout 150 mm	5602482056985

FLEXIBLE SPOUT



Code	Ref.		EAN
5116173	DS5703GZ	125 mm	5602482057036
5116174	DS5704GZ	175 mm	5602482057043

RIGID SPOUT



Code	Ref.		EAN
5116175	DS5705GZ	100 mm	5602482057050
5116176	DS5706GZ	150 mm	5602482057067

SQUEEZE BOTTLE OIL CAN



Low density polyethylene body is unbreakable, lightweight and corrosion resistant. Made of translucent white material.

Recommended use: Water, water-based liquids, alcohol, soaps, plants, nutrient solution, light and heavy oils.

Code	Ref.		EAN
5116169	DS5699GZ	125 ml	5602482056992
5116170	DS5700GZ	250 ml	5602482057005
5116171	DS5701GZ	500 ml	5602482057012
5116172	DS5702GZ	1 Liter	5602482057012

CONICAL PLASTIC FUNNEL



Material: Polypropylene

For industry and workshop use with diesel, petrol, paraffin, urea, oils, antifreeze and other water-based media.

Do not use with:

Acids and at temperatures above 60°C

Code	Ref.		EAN
5116184	DS5714GZ	650 ml Ø 146 mm	5602482057142

FUEL AND OIL FUNNEL



Material: Polipropileno de alta densidade

Utilização recomendada:

Diesel, gasolina, querosene, ureia, água e anticongelantes.

Code	Ref.		EAN
5116185	DS5715GZ	4,5 lit. 280x190 mm	5602482057159

PLASTIC FUNNEL SET



Material: Polypropylene

Optimal The high rim acts as an effective splash guard.

Recommended Use: Diesel fuel, gasoline, paraffin, urea, oils, antifreeze and other water based media.

Do not use with: Acids and at temperatures above 60°C

Code	Ref.		EAN
5116183	DS5713GZ	50; 75; 100 e 125 ml	5602482057135

MEASURING JUG



Practical measuring jugs suitable for industrial and automotive applications

Material: Transparent polypropylene

Temperature ranges:

-10° C to max +120° C

Compatibility:

Resistant to oil and acids (strong and concentrated), bases and chemicals. Food industry compatible.

Code	Ref.		EAN
5116186	DS5716GZ	600 ml	5602482057166
5116187	DS5717GZ	1 Liter	5602482057173
5116188	DS5718GZ	2 Liters	5602482057180
5116189	DS5719GZ	5 Liters	5602482057197

FLEXIBLE SPOUT MEASURE



Material: High density polyurethane

Temperature ranges:
-10° C to max +120° C

Features:
Used to transfer the measured quantity of fluids. The 8 litre measure is especially useful for transferring oils to the engine / transmission system of trucks and heavy vehicles.

Code	Ref.		EAN
5116190	DS5720GZ	1 Liter	5602482057203
5116191	DS5721GZ	2 Liters	5602482057210
5116192	DS5722GZ	3 Liters	5602482057227
5116193	DS5723GZ	5 Liters	5602482057234

MINI PISTOL GREASE GUN



The choice of materials (stainless steel/ aluminium) makes this gun ideal for use in marine work.



Code	Ref.		EAN
5116178	DS5708GZ	85 grams	5602482057081

PUSH TYPE GREASE GUN



- Bomba de grassar metálica e compacta.
- Ideal para lubrificar chaves de impacto, máquinas de relva, motosserras, reboque, automóveis e camiões.

Mecanismo do tipo "push" para utilização apenas com massa lubrificante a granel.

- Bomba de grasa metálica compacta.
- Ideal para lubrificar llaves de impacto, máquinas cortacésped, motosierras, vehículos de remolque, coches y camiones.

Mecanismo de empuje para uso exclusivo con grasa a granel.

Code	Ref.		EAN
5116177	DS5707GZ	200 grams 125cm³	5602482057074

PISTOL GREASE GUN



Grease pump designed for use in confined spaces where access to the grease Spout is restricted

- Heavy duty construction
- Pump body with 1,2 mm wall thickness
- High tolerance head
- Super strong pistol grip



Code	Ref.		EAN
5116179	DS5709GZ	500cm³ 400 grams	5602482057098

LEVER GREASE GUN



Die-cast aluminium head equipped with automatic air bleed valve. Black powder-coated finish. Ergonomic rubber grip.

Code	Ref.		EAN
5116180	DS5710GZ	500cm ³ 400 grams	5602482057104

BOMBA LUBRIFICAR PNEUMÁTICA

BOMBA ENGRASE AIRE COMPRIMIDO



Ideal para utilização na manutenção de fábricas, explorações agrícolas, serviço de frotas ou para utilização em camiões ligados a compressores de travões a ar. Cabeça em alumínio fundido de alta resistência com furo interno de precisão aperfeiçoado para uma acção rápida. Equipada com válvula de carga. Pistola ergonómica com ângulo da cabeça para maior facilidade de operação, especialmente em espaços estreitos

Pressão de ar: 3 - 8 BAR | 40 - 120 PSI
Entrada ar: 1/4" (F)
Volume curso: 0,026 m³ @ 6 bar
Fornecido com: extensão metálica 150 mm (6") e agrafe 4 garras

Ideal para su uso en el mantenimiento de fábricas, explotaciones agrícolas, servicio de flotas o para su uso en camiones conectados a compresores de frenos de aire. Cabeza de fundición de aluminio de alta resistencia con orificio de precisión optimizado para una acción rápida. Equipado con una válvula de carga. Pistola ergonómica con cabezal en ángulo para facilitar el manejo, especialmente en espacios reducidos

Presión de aire: 3 - 8 BAR | 40 - 120 PSI
Entrada de aire: 1/4" (F)
Volumen de carrera: 0,026 m³ @ 6 bar
Se suministra completo con: 150 mm (6") y 4 grapas de sujeción

Code	Ref.		EAN
5116181	DS5711GZ	500cm ³ 400 grams	5602482057111

ROTARY PUMP



Recommended use:

Heating oil, engine oil, self-lubricating and non-aggressive materials, petroleum, diesel, paraffin, etc.

Telescopic steel suction tube for use in 50 and 200 Liters drums.

Components:

Steel, cast iron and NBR (nitrile rubber).


Not to be used with:

Antifreeze, acids, petrol, etc.

Inlet: 1".

Outlet: 3/4"

Code	Ref.		EAN
5116182	DS5712GZ	Flow: 30 lit./min.	5602482057128



HYDRAULIC COUPLER | 4 JAWS



Measures: Ø 15 x 37 mm

Code	Ref.		EAN
5116158	DS5688GZ	1/8" Ø 15mm	5602482056886

GREASE GUN HOSE



Thermoplastic hose material

Code	Ref.		EAN
5116194	DS5724GZ	1/8" Ø 8,5x300 mm	5602482057241

GREASE GUN HOSE



Polyamide hose coated with polyurethane

Code	Ref.		EAN
5116195	DS5725GZ	1/8" Ø 11x300 mm	5602482057258
5116196	DS5726GZ	1/8" Ø 11x500 mm	5602482057265

GREASE GUN STEEL EXTENSION



Galvanised steel extension

Code	Ref.		EAN
5116197	DS5727GZ	1/8" Ø 10x150 mm	5602482057272

SUCTION GUN



Usable for draining and filling non-corrosive liquids and emptying tanks on vehicles and machines such as gearboxes, axles, etc.

Code	Ref.		EAN
5116198	DS5728GZ	500 ml	5602482057289

SUCTION GUN



Usable for draining and filling non-corrosive liquids and emptying tanks on vehicles and machines such as gearboxes, axles, etc.

Code	Ref.		EAN
5116199	DS5729GZ	1.000 ml	5602482057296

TRANSFER GUN



Usable for draining and filling non-corrosive liquids and emptying tanks on vehicles and machines such as gearboxes, axles, etc.

Code	Ref.		EAN
5116200	DS5730GZ	500 ml	5602482057302

HALF ROUND WOOD RASP - RUBBER HANDLE



Code	Ref.		EAN
5110646	DS2985-1	6" 150 mm BASTARD	6 5602482029859
5110647	DS2986-1	8" 200 mm BASTARD	6 5602482029866
5110648	DS2987-1	10" 255 mm BASTARD	6 5602482029873
5110649	DS2988-1	12" 300 mm BASTARD	6 5602482029880

FLAT FILE - RUBBER HANDLE



For smoothing flat surfaces and sharp edges.

Code	Ref.		EAN
5101065	DS2231-1	6" 150 mm BASTARD	6 5602482022317
5101066	DS2232-1	8" 200 mm BASTARD	6 5602482022324
5114253	DS4645-1	10" 250 mm BASTARD	6 5602482046450
5101319	DS4646-3	6" 150 mm SMOOTH	6 5602482046467
5101320	DS2235-3	8" 200 mm SMOOTH	6 5602482022355
5101321	DS2236-3	10" 250 mm SMOOTH	6 5602482022362

HALF ROUND FILE - RUBBER HANDLE



For smoothing hollow surfaces and large holes.

Code	Ref.		EAN
5101056	DS2222-1	6" 150 mm BASTARD	6 5602482022225
5101057	DS2223-1	8" 200 mm BASTARD	6 5602482022232
5101058	DS2224-1	10" 250 mm BASTARD	6 5602482022249
5114246	DS4637-3	6" 150 mm SMOOTH	6 5602482046375
5114247	DS4638-3	8" 200 mm SMOOTH	6 5602482046382
5114248	DS2639-3	10" 250 mm SMOOTH	6 5602482046399

EXTRA SLIM TRIANGULAR FILE - RUBBER HANDLE



For smoothing hollow surfaces and large holes in wood, plastic ...

Code	Ref.		EAN
5114254	DS4647-2	4" 100 mm	6 5602482046474

FLAT FILE - RUBBER HANDLE



For smoothing flat surfaces and sharp edges, more effective in hard to reach areas.

Code	Ref.		EAN
5114249	DS4640-1	6" 150 mm BASTARD	6 5602482046405
5101060	DS4641-1	8" 200 mm BASTARD	6 5602482046412
5114250	DS4642-1	10" 250 mm BASTARD	6 5602482046429
5114251	DS4643-3	6" 150 mm SMOOTH	6 5602482046436
5101315	DS2229-3	8" 200 mm SMOOTH	6 5602482022294
5114252	DS4644-3	10" 250 mm SMOOTH	6 5602482046443

SLIM TRIANGULAR FILE - RUBBER HANDLE



For the sharpening of saws with oblique teeth (60°).

Code	Ref.		EAN
5101072	DS2238-2	4" 100 mm	6 5602482022386
5101073	DS2239-2	5" 125 mm	6 5602482022393

TRIANGULAR FILE - RUBBER HANDLE



For the sharpening of saws with oblique teeth (60°).

Code	Ref.		EAN
5101074	DS4648-2	4" 100 x 9 mm	6 5602482046481
5114255	DS4649-2	5" 125 mm	6 5602482046498
5101076	DS2243-2	6" 150 mm	6 5602482022430
5101077	DS2244-2	7" 175 mm	6 5602482022447
5101078	DS2245-2	8" 200 mm	6 5602482022454

NEEDLE FILES



Code	Ref.		EAN
5101082	DS4650-1	6" 150 mm BASTARD	6 5602482046504
5101083	DS2250-1	8" 200 mm BASTARD	6 5602482022508
5101084	DS2251-1	10" 250 mm BASTARD	6 5602482022515
5101322	DS2246-3	6" 150 mm SMOOTH	6 5602482022461
5101323	DS2247-3	8" 200 mm SMOOTH	6 5602482022478
5114256	DS4651-3	10" 250 mm SMOOTH	6 5602482046511

ROUND FILE



Code	Ref.		EAN
5110731	DS2989	12 pieces 160 mm	6 5602482029897

FOOT PUMP



Code	Ref.		EAN
5112980	801E	with manometer	5602482042773

AUTOMOTIVE CIRCUIT TESTER



Cable Features:
100 amp / Ø 9 mm / Length 2,20 m

Code	Ref.		EAN
5106964	100 amp	20	5602482001831
5106965	400 amp	10	5602482012899
5114230	600 amp	5	5602482046344

DOUBLE CYLINDER FOOT PUMP



Code	Ref.		EAN
5105262	903B	with manometer	5602482010307

SOLDERING IRON



Code	Ref.		EAN
5106970	CDD-D30	30 watt	5602482015258
5106971	CDD-D45	45 watt	5602482008267
5106972	CDD-D60	60 watt	5602482009226
5106973	CDD-D80	80 watt	5602482018518
5114472	CDD-D100	100 watt	5602482046788

SOLDERING GUN



The gun is equipped with an interchangeable stainless steel tip with to heating time of 3 ~ 8 seconds. Designed for intermittent use of 12 seconds per minute, in accordance with international standards (12s / 48s T25E).

Features:
Voltage: 230 V
Frequency: 50 Hz
Degree of insulation: II

Code	Ref.		EAN
5106969	KL-818	100 watt	5602482008779

GLUE GUN



Glue gun for many purposes, such as artificial flower collage, decorating, modelling, carpentry, carpet application, ... Heating time of 3 to 5 seconds with to glue flow of 25 to 35 g/ min.

Code	Ref.		EAN
5112863	FL-288	180 watt	5602482008861

GLUE GUN



Glue gun for many purposes, such as artificial flower collage, decorating, modelling, carpentry, carpet application, ...

Code	Ref.		EAN
5114127	FL-158	40 watt	5602482005495

PROFESSIONAL GLUE GUN



Glue gun with temperature adjustment and display. Supplied with gun stand, two nozzles, glue sticks and to plastic carrying case. Perfect for DIY and gluing jobs in general.

Code	Ref.		EAN
5112864	FL-277	125 watt	5602482042681

GLUE STICKS



Code	Ref.		EAN
5104312	DPM2609 6 units	40	5602482026094
5104313	dpm2610 12 units	40	5602482026100

GLUE STICKS



Code	Ref.		EAN
5500584	GS130MD		5602482029255

CHALK LINE



Metallic chalk line reel with 30 metres of string and to 50 g blue chalk refill bottle.

Code	Ref.		EAN
5109559		10	5602482005648

FLOODLIGHT



Floodlight with metallic support, plastic diffuser and 2 fluorescent lamps.

Features:

Lamp type: 2 G10
Electrical cable: H05RN-F 3x0,75 mm²
Cable length: 1,5 metres
Insulation class: IP44

Code	Ref.		EAN
5110840	KM0501318 2 x 27 watt		5602482030237

VOLTAGE AND CONTINUITY TESTER



Code	Ref.		EAN
5108917	6895B 10 in 1	20	5602482006409

EARTH CLAMP



Code	Ref.		EAN
5108469	200 amp	50	5602482021556

EARTH CLAMP



Code	Ref.		EAN
5108470	350 amp	50	5602482021563

BATTERY CLIPS



Code	Ref.		EAN
5108471	(-) black	100	5602482022003
5108476	(+) red	100	5602482022638

DRILL STAND



Code	Ref.		EAN
5112896	80900043	height: 430 mm course: 50 mm	5602482043046

ANGLE GRINDER STAND



Code	Ref.		EAN
5112897	96214	for 115 125 150 mm	5602482043053
5112898	96216	for 180 and 230	5602482043060

DOUBLE OPEN-ENDED SPANNER (CHROME VANADIUM)



Code	Ref.		EAN
5108989	6 pieces 6x7 to 16x17 mm	5	5602482022683
5106205	8 pieces 6x7 to 20x22 mm	5	5602482021570
5108990	10 pieces 6x7 to 24x27 mm	4	5602482022690
5106206	12 pieces 6x7 to 30x32 mm	4	5602482021587

RING SPANNER (CHROME VANADIUM)



Code	Ref.		EAN
5108991	6 pieces 6x7 to 16x17 mm	5	5602482022706
5106207	8 pieces 6x7 to 20x22 mm	5	5602482021594
5108992	10 pieces 6x7 to 24x27 mm	5	5602482022713
5106208	12 pieces 6x7 to 30x32 mm	4	5602482021600

DOUBLE OPEN-ENDED SPANNER (CHROME VANADIUM)



Code	Ref.		EAN
5108967	6 x 7 mm	25	5602482007635
5108968	8 x 9 mm	25	5602482006485
5108969	10 x 11 mm	25	5602482006492
5108970	12 x 13 mm	20	5602482006508
5108971	14 x 15 mm	10	5602482006515
5108972	16 x 17 mm	10	5602482006522
5108973	18 x 19 mm	10	5602482006539
5108974	20 x 22 mm	10	5602482006546
5108975	21 x 23 mm	10	5602482006553
5108993	24 x 26 mm	10	5602482006560
5108973	25 x 28 mm	10	5602482006577
5108977	30 x 32 mm	10	5602482006591

RING SPANNER (CHROME VANADIUM)



Code	Ref.		EAN
5108978	6 x 7 mm	25	5602482006607
5108979	8 x 9 mm	25	5602482006614
5108980	10 x 11 mm	20	5602482006621
5108981	12 x 13 mm	20	5602482006638
5108982	14 x 15 mm	20	5602482006645
5108983	16 x 17 mm	20	5602482006652
5108984	18 x 19 mm	10	5602482006669
5108985	20 x 22 mm	10	5602482006676
5108986	21 x 23 mm	10	5602482006683
5108987	24 x 26 mm	10	5602482006690
5108988	25 x 28 mm	5	5602482006642
5108995	27 x 32 mm	5	5602482006659
5113313	30 x 32 mm		5602482044753

COMBINATION SPANNER (CHROME VANADIUM)

COMBINATION SPANNER (CHROME VANADIUM)



Code	Ref.	EAN
5110650	8 pieces 8 to 19 mm	5 5602482029736
5110645	17 pieces 6 to 22 mm	4 5602482029743
5110644	25 pieces 6 32 mm	2 5602482029750

Code	Ref.	EAN
5101203	6 mm	10 5602482017610
5101204	7 mm	10 5602482017627
5101205	8 mm	10 5602482017634
5101206	9 mm	10 5602482017641
5101207	10 mm	10 5602482017658
5101208	11 mm	10 5602482017665
5101209	12 mm	10 5602482017672
5101210	13 mm	10 5602482017689
5101211	14 mm	10 5602482017696
5101212	15 mm	10 5602482017702
5101213	16 mm	10 5602482017719
5101214	17 mm	10 5602482017726
5101217	18 mm	10 5602482017733
5101220	19 mm	10 5602482017740
5101221	20 mm	10 5602482023475
5101222	21 mm	10 5602482023482
5101223	22 mm	10 5602482023499
5101225	23 mm	10 5602482023505
5101226	24 mm	10 5602482023512
5101227	25 mm	10 5602482023529
5101228	26 mm	10 5602482023536
5101231	27 mm	5 5602482023543
5101232	28 mm	5 5602482023550
5101233	29 mm	5 5602482023567
5101234	30 mm	5 5602482023574
5101235	32 mm	5 5602482023598



TUBULAR BOX SPANNER



Code	Ref.		EAN
5118498	8 pieces 6x7 to 20x22 mm	4	5602482038813

CLÉ TUBULAIRE (CHROME VANADIUM)



Code	Ref.		EAN
5113309	14 x 15 mm	25	5602482044548
5113310	16 x 17 mm	20	5602482044555
5113311	18 x 19 mm	20	5602482044562
5113312	20 x 22 mm	10	5602482044579

TUBULAR BOX SPANNER



Code	Ref.		EAN
5118485	6 x 7 mm	20	5602482038820
5118486	8 x 9 mm	20	5602482038837
5118487	10 x 11 mm	25	5602482038844
5118488	12 x 13 mm	25	5602482038851
5118489	14 x 15 mm	25	5602482038868
5118490	16 x 17 mm	15	5602482038875
5118491	18 x 19 mm	10	5602482038882
5118492	20 x 22 mm	10	5602482038899
5118492	21 x 23 mm	10	5602482038905
5118494	24 x 26 mm	10	5602482038912
5118495	25 x 28 mm	10	5602482038929
5118496	27 x 32 mm	10	5602482038936
5118497	30 x 32 mm	10	5602482038943

NAIL PULLER




Code	Ref.			EAN
5114694	DS4324	300 x ø 12 mm	5 - 50	5602482043244
5114695	DS4325	300 x ø 14 mm	5 - 50	5602482043251

LEATHER TOOLS



Code	Ref.			EAN
5114698	DS1176	2 pockets	50	5602482011762

BREAST DRILL



Code	Ref.			EAN
5106209	DS3316	10 mm 3/8"	1 - 10	5602482033160
5106210	DS2042	13 mm 1/2"	1 - 10	5602482020429

LEATHER TOOLS



Code	Ref.			EAN
5114697	DS1177	5 pockets	50	5602482011779

LEATHER TOOLS




Code	Ref.			EAN
5114696	DS1175	11 pockets	25	5602482011755

MESIN PEG



Code	Ref.			EAN
5106602	DS2028	250 mm	5 - 100	5602482020283

LOCKING PIPE VICE




Code	Ref.		EAN
5108618	DS2090	2" 50 mm	1 - 4 5602482020290

CHAIN PIPE VICE



Code	Ref.		EAN
5104590	2" 50 mm	6	5602482011502

JACK PLANE



Code	Ref.		EAN
5104585	DS1097	N° 3 200 mm	1 - 10 5602482010970
5104586	DS1098	N° 4 225 mm	1 - 10 5602482010987
5104587	DS1099	N° 5 350 mm	1 - 6 5602482010994

BLOCK PLANE



Code	Ref.		EAN
5104588	DS1095	140 mm	1 - 20 5602482010956
5104589	DS1096	175 mm	1 - 20 5602482010963

BEARING PULLER 2 LEGS



Code	Ref.		EAN
5103407	DS0884	3" 75 mm	5 - 20 5602482008847
5103408	DS0358	4" 100 mm	5 - 20 5602482003583
5103409	DS0359	6" 150 mm	5 - 20 5602482003590
5103410	DS0810	8" 200 mm	1 - 10 5602482008106

BEARING PULLER 3 LEGS



Code	Ref.		EAN
5103411	DS0885	3" 75 mm	1 - 20 5602482008854
5103412	DS0360	4" 100 mm	1 - 20 5602482003606
5103413	DS0357	6" 150 mm	1 - 20 5602482003576
5103414	DS1038	8" 200 mm	1 - 10 5602482010383

BEVEL SQUARE



Code	Ref.			EAN
5104910	DS2255	300 mm	4 - 40	5602482022553

HAMMER HOLDER



Code	Ref.			EAN
5106211	DS2301	fixe	10 - 50	5602482023017

HAMMER HOLDER



Code	Ref.			EAN
5106212	DS2254	swivel	10-100	5602482022546

BABY VICE



Code	Ref.			EAN
5104591	DS1100	2" 50mm	1 - 10	5602482011007
5104592	DS1101	2.1/2" 60 mm	1 - 10	5602482011014

CARPENTER PINCERS



Code	Ref.			EAN
5106199	DS1151	9" 225 mm	5 - 50	5602482011519

COLD CHISEL



Code	Ref.			EAN
5110442	1063	250 x 16 mm	 6	5602482027787
5110443	1064	300 x 16 mm	 6	5602482027794
5110444	1065	350 x 16 mm	 6	5602482027800

POINT CHISEL WITH HAND GUARD



Code	Ref.			EAN
5110454	1103/43	250 x 16 mm	 6	5602482027909
5110455	1104/43	300 x 16 mm	 6	5602482027916
5110456	1105/43	350 x 16 mm	 6	5602482027923

COLD CHISEL WITH HAND GUARD



Code	Ref.			EAN
5110450	1063/43	250 x 16 mm	 6	5602482027824
5110451	1064/43	300 x 16 mm	 6	5602482027831
5110452	1065/43	350 x 16 mm	 6	5602482027848

POINT CHISEL



Code	Ref.			EAN
5110446	1103	250 x 16 mm	 6	5602482027862
5110447	1104	300 x 16 mm	 6	5602482027879
5110448	1105	350 x 16 mm	 6	5602482027886

SCREW CLAMP



Code	Ref.			EAN
5109055	F1002	50 x 100 mm	 50	5602482009912
5109056	F1002	50 x 150 mm	 50	5602482009929
5109057	F1002	50 x 200 mm	 50	5602482009936
5109058	F1002	50 x 250 mm	 50	5602482009943
5109059	F1002	80 x 200 mm	 30	5602482009950
5109060	F1002	80 x 250 mm	 30	5602482009967
5109061	F1002	120 x 300 mm	 10	5602482009974
5109062	F1002	120 x 400 mm	 10	5602482009981
5109063	F1002	120 x 500 mm	 10	5602482009998
5109064	F1002	120 x 600 mm	 10	5602482010000
5109065	F1002	120 x 800 mm	 6	5602482010017
5109066	F1002	120 x 1000 mm	 6	5602482010024
5110549	F1002	120 x 1200 mm	 6	5602482010057

BRICK HAMMER - FIBRE HANDLE



Code	Ref.		EAN
5117854	85608	600 g	5602482018983

MASON'S MALLET - FIBRE HANDLE



Code	Ref.		EAN
5114609	84910	1.000 g	5602482047167

HATCHET - FIBRE HANDLE



Code	Ref.		EAN
5109084	74606	600 g	5602482009813

RUBBER MALLET - FIBRE HANDLE



Code	Ref.		EAN
5109049	65712	12 ounces 360 g	5602482009851
5109050	65716	16 ounces 480 g	5602482009868

AXE - FIBRE HANDLE



Code	Ref.		EAN
5109052	74616	1,600 g	5602482009820

RUBBER MALLET - FIBRE HANDLE



Code	Ref.		EAN
5114607	65812	12 ounces 360 g	5602482047143
5114608	65816	16 ounces 480 g	5602482047150

DEAD BLOW HAMMER - NON REBOUND

NEW



Code	Ref.			EAN
5118801	64565	Ø 65 mm 1.350 gr.	6	5602482052437
5118802	64575	Ø 75 mm 2 kg.	6	5602482052444

BALL PEIN HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109068	24112	12 ounces 360 g	6	5602482007680
5109069	25116	16 ounces 480 g	6	5602482007697
5109070	25124	24 ounces 720 g	6	5602482007703
5109071	25132	32 ounces 960 g	6	5602482007710
5109072	25148	48 ounces 1,450 gr	6	5602482007727

SLEDGE HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109080	45208	800 g	12	560248009776
5109081	45210	1,000 g	12	560248009783
5109082	45212	1,250 g	12	560248009790
5109083	44712	1,500 g	12	560248009806

RIP CLAW HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5117853	15370	700 g	6	5602482018976

SLEDGEHAMMER - FIBRE HANDLE



Code	Ref.			EAN
5117849	45130	3,00 kg	6	560248010208
5117850	45140	4,00 kg	4	560248012233
5117851	45150	5,00 kg	4	560248014183
5117852	451605	6,00 kg	2	560248018969

RIP CLAW HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109051	65306	600 g	6	5602482009745

CROSS PEIN HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109075	65216	16 mm	6	5602482007734
5109076	65218	18 mm	6	5602482008069
5109077	65220	20 mm	6	5602482008076
5109078	65222	22 mm	6	5602482009721
5109079	65225	25 mm	6	5602482009738

HATCHET/DIGGER PICKAXE - FIBRE HANDLE



Code	Ref.			EAN
5114930	85160	600 gr. 38 cm	6	5602482050051

FRENCH SHAPE JOINERS HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109073	35322	22 mm	6	5602482009752
5109074	35325	25 mm	6	5602482009769

HAMMER/DIGGER PICKAXE - FIBRE HANDLE



Code	Ref.			EAN
5114931	85260	600 gr. 38 cm	6	5602482050068

CLAW HAMMER - FIBRE HANDLE



Code	Ref.			EAN
5109041	15123	23 mm 510 gr.	6	5602482007123
5109042	15125	25 mm 645 gr.	6	5602482007130
5109043	15127	27 mm 730 gr.	6	5602482007147
5109044	15129	29 mm 840 gr.	6	5602482007666

PICKAXE - FIBRE HANDLE



Code	Ref.			EAN
5118803	85360	600 gr. 38 cm	6	5602482050075

PICKAXE - FIBRE HANDLE



Code	Ref.			EAN
5109053	85225	2,50 kg	6	5602482009837
5114469	84615H	2,50 kg oval	6	
5109054	85230	3,00 kg	6	5602482009844

FIBRE HANDLE (FOR HOES)



Code	Ref.			EAN
5110849	97712H	1.200 mm round	20	5602482029676

FIBRE SHAFT (FOR SLEDGEHAMMERS)



Code	Ref.			EAN
5110743	29-5	280 mm eye Ø 40x28 oval	100	5602482029774

FIBRE SHAFT (FOR SLEDGEHAMMERS)



Code	Ref.			EAN
5110747	45130H	900 mm eye Ø 48x37 oval	20	5602482029781

FIBRE HANDLE (FOR HAMMERS)



Code	Ref.			EAN
5110746	85150H	300 mm eye Ø 36x26 oval	100	5602482029798

FIBRE HANDLE (FOR HAMMERS)



Code	Ref.			EAN
5110744	15550H	330 mm eye Ø 30 round	100	5602482029804
5110745	95355H	370 mm eye Ø 30 round	100	5602482029811

FIBRE HANDLE (FOR PICKAXES)



Code	Ref.			EAN
5110748	85125H	900 mm eye Ø 47 round	20	5602482029828

BRICK HAMMER - WOOD HANDLE



Code	Ref.		EAN
5117843	600 g	4	5602482008137

RUBBER MALLET - WOOD HANDLE



Code	Ref.		EAN
5110112	16 oz. 4860 gr.	6	5602482025585
5110113	24 oz. 720 gr.	6	5602482025592
5110114	32 oz. 960 gr.	6	5602482025608

MASON'S MALLET - WOOD HANDLE



Code	Ref.		EAN
5110108	1.000 g	6	5602482025820

SLEDGE HAMMER - WOOD HANDLE



Code	Ref.		EAN
5109045	40108 800 gr.	12	560248009875
5109046	40110 1,000 gr.	12	560248009882
5109047	40125 1,250 gr.	12	560248009899
5109048	40115 1,500 gr.	12	560248009905

RUBBER MALLET - WOOD HANDLE



Code	Ref.		EAN
5110109	12 oz. 360 gr.	6	5602482025554
5110110	16 oz. 480 gr.	6	5602482025561

BALL-PEEN HAMMER - WOOD HANDLE



Code	Ref.		EAN
5118766	12 oz. 360 gr.	6	5602482025622
5118767	16 oz. 480 gr.	6	5602482025639
5118768	24 oz. 720 gr.	6	5602482025646
5118769	32 oz. 960 gr.	6	5602482025653
5118770	40 oz. 1.200 gr.	6	5602482025660

RIP CLAW HAMMER - WOOD HANDLE



Code	Ref.		EAN
5118771	700 gr.	6	5602482018976

CROSS PEIN HAMMER - WOOD HANDLE



Code	Ref.		EAN
5110093	16 mm	6	5602482025677
5110094	18 mm	6	5602482025684
5110095	20 mm	6	5602482025691
5110096	22 mm	6	5602482025707
5110097	25 mm	6	5602482025714

CLAW HAMMER - WOOD HANDLE



Code	Ref.		EAN
5110087	18 mm	6	5602482025721
5110088	21 mm	6	5602482025738
5110089	23 mm	6	5602482025745
5110090	25 mm	6	5602482025752
5110091	27 mm	6	5602482025769
5110092	29 mm	6	5602482025776

SLOTTED BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116338	DS5737F25	4 mm	20	5602482057371
5116339	DS5738F25	5 mm	20	5602482057388
5116340	DS5739F25	6 mm	20	5602482057395

HEXAGONAL BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116344	DS5743H25	H 3	20	5602482057432
5116345	DS5744H25	H 4	20	5602482057449
5116346	DS5745H25	H 5	20	5602482057456
5116347	DS5746H25	H 6	20	5602482057463

PHILIPS BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116352	DS5751PH25	PH 0	20	5602482057517
5116353	DS5752PH25	PH 1	20	5602482057524
5116354	DS5753PH25	PH 2	20	5602482057531
5116355	DS5754PH25	PH 3	20	5602482057548

POZIDRIV BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116360	DS5759PZ25	PZ 0	20	5602482057593
5116361	DS5760PZ25	PZ 1	20	5602482057609
5116362	DS5761PZ25	PZ 2	20	5602482057616
5116363	DS5762PZ25	PZ 3	20	5602482057623

SQUARE BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116368	DS5788SQ25	SQ 0	20	5602482057883
5116369	DS5789SQ25	SQ 1	20	5602482057890
5116370	DS5790SQ25	SQ 2	20	5602482057906
5116371	DS5791SQ25	SQ 3	20	5602482057913

TORX BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116376	DS5767T25	T-10	20	5602482057678
5116377	DS5768T25	T-15	20	5602482057685
5116378	DS5768T25	T-20	20	5602482057692
5116379	DS5770T25	T-25	20	5602482057708
5116380	DS5771T25	T-27	20	5602482057715
5115381	DS5772T25	T-30	20	5602482057722
5116382	DS5773T25	T-35	20	5602482057739
5116383	DS5774T25	T-40	20	5602482057746

XZN BITS - 25 mm



S2

Packaging with 20 pcs.

Code	Ref.			EAN
5116392	DS5796XZN25	M 5	20	5602482057968
5116393	DS5797XZN25	M 6	20	5602482057975
5116394	DS5798XZN25	M 8	20	5602482057982

XZN BITS - 30 mm



S2

Code	Ref.			EAN
5116395	DS5799XZN30	M10 30 mm	10	5602482057999
5116396	DS5800XZN30	M12 30 mm	10	5602482058002
5116397	DS5801XZN30	M14 30 mm	10	5602482058019

SLOTTED BITS - 50 mm



Packaging with 10 pcs.

S2

Code	Ref.			EAN
5116341	DS5740F50	4 mm	10	5602482057401
5116342	DS5741F50	5 mm	10	5602482057418
5116343	DS5742F50	6 mm	10	5602482057425

HEXAGONAL BITS - 50 mm



Packaging with 10 pcs.

S2

Code	Ref.			EAN
5116348	DS5747H50	H 3	10	5602482057470
5116349	DS5748H50	H 4	10	5602482057487
5116350	DS5749H50	H 5	10	5602482057494
5116351	DS5750H50	H 6	10	5602482057500

PHILIPS BITS - 50 mm



Packaging with 10 pcs.

S2

Code	Ref.			EAN
5116356	DS5755PH50	PH 0	10	5602482057555
5116357	DS5756PH50	PH 1	10	5602482057562
5116358	DS5757PH50	PH 2	10	5602482057579
5116359	DS5758PH50	PH 3	10	5602482057586

POZIDRIV BITS - 50 mm



Packaging with 10 pcs.

S2

Code	Ref.			EAN
5116364	DS5763PZ50	PZ 0	10	5602482057630
5116365	DS5764PZ50	PZ 1	10	5602482057647
5116366	DS5765PZ50	PZ 2	10	5602482057654
5116367	DS5766PZ50	PZ 3	10	5602482057661

SQUARE BITS - 50 mm



Packaging with 10 pcs.

S2

Code	Ref.			EAN
5116372	DS5792SQ50	SQ 0	10	5602482057920
51163783	DS5793SQ50	SQ 1	10	5602482057937
5116374	DS5794SQ50	SQ 2	10	5602482057944
5116375	DS5795SQ50	SQ 3	10	5602482057951

TORX BITS - 50 mm



Packaging with 20 pcs.

S2

Code	Ref.			EAN
5116384	DS5775T50	T-10	20	5602482057753
5116385	DS5776T50	T-15	20	5602482057760
5116386	DS5777T50	T-20	20	5602482057777
5116387	DS5778T50	T-25	20	5602482057784
5116388	DS5779T50	T-27	20	5602482057791
5116389	DS5780T50	T-30	20	5602482057807
5116390	DS5781T50	T-35	20	5602482057814
5116391	DS5782T50	T-40	20	5602482057821

XZN BITS - 50 mm



Packaging with 10, 5 and 3 pcs.

S2

Code	Ref.			EAN
5116398	DS5802XZN50	M 5	10	5602482058026
5116399	DS5803XZN50	M 6	10	5602482058033
5116400	DS5804XZN50	M 8	10	5602482058040
5116401	DS5805XZN50	M 10	5	5602482058057
5116402	DS5806XZN50	M 12	5	5602482058064
5116403	DS5807XZN50	M14	3	5602482058071

SOCKET ADAPTOR SET




Code	Ref.		EAN
5116409	DS57833	1/4" - 3/8" - 1/2"	5602482057838

EXTRACTOR



Code	Ref.		EAN
5116410	DS5784EXT5	5 pcs	5602482057845

IMPACT EXTRACTOR



Code	Ref.		EAN
5116411	DS5785EXT3	3 pcs	5602482057852

BITS



Composition:

- Slotted: 3; 2x5; 6 mm
- ✚ Phillips: 2xPH1; 4xPH2; 2xPH3
- ✚ Pozidriv: PZ1; PZ2; PZ3
- Hexagonal: H3; 2xH4; 2xH5; H6
- ✚ Torx: T10; T15; T20; T25; T30; T-30; T40
- Square: S1; S2; S3
- Magnetic bit holder 60mm
- Adapter 1/4"

Code	Ref.		EAN
5116404	DS5786	33 pcs.	5602482057869

MAGNETIC BIT HOLDER



Code	Ref.		EAN
5116412	DS5787	60 mm	5602482057876

INSULATED ELECTRICIAN SCREWDRIVER



Code	Ref.			EAN
5114673	3021/11	3,5 x 100 mm	12	5602482027046
5114674	3021/12	5,5 x 125 mm	12	5602482027053
5114675	3021/13	6,5 x 150 mm	12	5602482027060

INSULATED PHILLIPS SCREWDRIVER



Code	Ref.			EAN
5114682	3021/21	0 x 60 mm	12	5602482027145
5114683	3021/22	1 x 80 mm	12	5602482027152
5114684	3021/23	2 x 100 mm	12	5602482027169

LONG REACH FLAT SCREWDRIVER



Code	Ref.			EAN
5114670	3021/8	3,0 x 200 mm	12	5602482027015
5114671	3021/9	4,0 x 250 mm	12	5602482027022
5114672	3021/10	5,5 x 300 mm	12	5602482027039

LONG REACH PHILLIPS SCREWDRIVER



Code	Ref.			EAN
5114680	3021/19	1 x 250 mm	12	5602482027121
5114681	3021/20	2 x 300 mm	12	5602482027138

FLAT HEAD SCREWDRIVER



Code	Ref.			EAN
5114665	3021/1	3,5 x 75 mm	12	5602482026940
5114666	3021/2	5 x 100 mm	12	5602482026957
5114667	3021/3	6 x 125 mm	12	5602482026964
5114668	3021/4	7 x 150 mm	12	5602482026971
5114669	3021/5	8 x 175 mm	12	5602482026988

PHILLIPS SCREWDRIVER



Code	Ref.			EAN
5114676	3021/14	0 x 75 mm	12	5602482027077
5114677	3021/15	1 x 100 mm	12	5602482027084
5114678	3021/16	2 x 125 mm	12	5602482027091
5114679	3021/17	3 x 150 mm	12	5602482027107

POZIDRIV SCREWDRIVER



Code	Ref.		EAN
5114685	3021/24	0 x 100 mm	5602482027176
5114686	3021/25	1 x 80 mm	5602482027183
5114687	3021/26	2 x 100 mm	5602482027190
5114688	3021/27	3 x 150 mm	5602482027206

ELECTRICIAN SCREWDRIVER SET



Contents
4 electrician screwdrivers: 2,5x75 mm | 3,5x100 mm | 5,5x125 mm | 6,5x150 mm
2 phillips screwdrivers: PH1x10 mm | PH2x100 mm
1 mains tester: 140 mm

Code	Ref.		EAN
5114690	DS2721	7 pieces	5602482027213

SCREWDRIVER SET



Contents
4 screwdrivers: 2,5x75 mm | 3,5x100 mm | 5,5x125 mm | 6,5x150 mm
3 phillips screwdrivers: PH0x75 mm | PH1x100 mm | PH2x125 mm

Code	Ref.		EAN
5114689	DS2720	7 pieces	5602482027220

HEXAGON KEY SET



Size: 2,5/ 3/ 4/ 5/ 6/ 8/ 10 mm

Code	Ref.		EAN
5106438	5072F	10	5602482001435

TORX KEY SET



Size: T9/ T10/ T15/ T20/ T25/ T27/ T30/ T40

Code	Ref.		EAN
5106450	5083TF	pierced	5602482020214

PROFESSIONAL STAPLE GUN



Chrome plated stapler with quick release button, ideal for all types of fabrics/textiles or thin wooden profiles. Powerful and high efficiency. Impact power adjustment.

Code	Ref.	for staples		EAN
5116330	DS5810YJ009	4 a 14 mm		5602482058101

4 IN 1 STAPLE GUN



Professional 4 in 1 heavy duty stapler. Suitable for insulation, house cladding, roofing, cabling, carpets, upholstery. Uses heavy duty, light duty and cable staples as well as nails up to 15mm.

Code	Ref.	for staples		EAN
5116332	DS5808YJ120	6 a 14 mm		5602482058088

STAPLE GUN



Metal stapler, painted for medium duty work. Ideal for a wide range of applications, stapler can staple some of the most difficult surfaces. Lightweight, compact and highly efficient. Safety lock.

Code	Ref.	for staples		EAN
5116331	DS5809YJ105	6 a 10 mm		5602482058095

STAPLES



Code	Ref.			EAN
5116333	DS5811YJ	10 mm (box 1.000)		5602482058118
5116334	DS5812YJ	12 mm (box 1.000)		5602482058125
5116335	DS5813YJ	14 mm (box 1.000)		5602482058132

FIXED BLADE TRIMMING KNIFE




Code	Ref.		EAN
5109731	SX-75	19 X 61 mm	5602482012585

BLADE FOR TRIMMING KNIFE




Code	Ref.		EAN
5109732	SX-11N	19 x 61 mm	5602482014435

PLASTIC WINDOW SCRAPER



Code	Ref.		EAN
5109733	SX-53-1	19 x 61 mm	5602482012592

PLASTIC RETRACTABLE KNIFE




Code	Ref.		EAN
5109738	SX-10	18 x 100 mm	5602482013452

METALLIC WINDOW SCRAPER



Code	Ref.		EAN
5110801	SX-802	14 x 100 mm	5602482029910

PLASTIC RETRACTABLE KNIFE



Code	Ref.		EAN
5110803	SX-45	18 x 100 mm	5602482029934

SPARE BLADES FOR SCRAPER




Code	Ref.		EAN
5110802	SX-802T	14 x 100 mm	5602482029927

METALLIC RETRACTABLE KNIFE



Code	Ref.		EAN
5110804	SX-48A	9 x 80 mm	5602482012912

PLASTIC/RUBBER RETRACTABLE KNIFE




Code	Ref.		EAN
5109725	SX-71-1	9 x 80 mm	5602482028463

PLASTIC/RUBBER RETRACTABLE KNIFE



Code	Ref.		EAN
5109724	SX-1800	18 x 100 mm	5602482021631

METALLIC RETRACTABLE KNIFE




Code	Ref.		EAN
5109729	SX-78	18 x 100 mm	5602482012530

PLASTIC/RUBBER RETRACTABLE KNIFE



Code	Ref.		EAN
5109739	SX-2900	25 x 100 mm	5602482025073

METALLIC RETRACTABLE KNIFE



Code	Ref.		EAN
5109730	SX-78-1	9 x 80 mm	5602482012547

SPARE RETRACTABLE KNIFE BLADES



Code	Ref.		EAN
5109736	SX- 9T	9 x 80 mm	5602482013353
5109735	SX-18T	18 x 100 mm	5602482012929
5109737	SX-25T	25 x 100 mm	5602482013421

PLASTIC/RUBBER RETRACTABLE KNIFE



Code	Ref.		EAN
5109723	SX-83	18 x 100 mm	5602482021624

SPARE RETRACTABLE KNIFE BLADES




Code	Ref.		EAN
1108129	9AV	9 x 80 mm (10)	5600358470569
1108128	18AV	18 x 100 mm (10)	5600358470538

METALLIC RETRACTABLE KNIFE




Code	Ref.			EAN
1108185	DS4739	18 x 100 mm	20	5602482047396

PLASTIC RETRACTABLE KNIFE



Code	Ref.			EAN
1108123	K-250	9 x 80 mm	24	8013798000048


PLASTIC RETRACTABLE KNIFE (DISPLAY BOX OF 36)



Contents
 4 K700 knives
 8 K400 knives
 12 K300 knives
 12 K250 knives

Code	Ref.			EAN
1108126	XAT9	9 x 80 mm	36	5602482046320

PLASTIC RETRACTABLE KNIFE



Code	Ref.			EAN
1108125	K-6000	18 x 100 mm	12	5602482046313

PLASTIC RETRACTABLE KNIFE (DISPLAY BOX OF 24)



Contents
 12 K500 knives
 12 K600 knives

Code	Ref.			EAN
1108127	XAT18	18 x 100 mm	24	5602482046337

FOAM GUN



Code	Ref.		EAN
5112251	GH-PU001B	12	5602482041981

CAULKING GUN



Code	Ref.		EAN
5104304	ZP9	40	5602482020504

CAULKING GUN



Code	Ref.		EAN
5104305	20022	24	5602482020511

CAULKING GUN



* with metal rings and plastic nozzles

Code	Ref.		EAN
5110805	GH3036A	12	5602482030466

CAULKING GUN



Code	Ref.		EAN
5104849	3028	12	5602482021648

CAULKING GUN



Code	Ref.		EAN
5110800	GH3042A	12	5602482030459

CRIMPED WIRE WHEEL BRUSHES



Technical Information

They are designed for individual tasks with wide possibilities in dimensions, arbor holes and wires.

Applications

Removal of rust, paint, scale, edges, etc. Cleaning of forged pieces. Tyre recovery. Surface processing in metal, rubber, plastic, wood, glass, etc.

Code	Ref.		EAN
5116040	DS5202	100 mm 6.500 r.p.m.	5602482052024
5116041	DS5203	125 mm 6.500 r.p.m.	5602482052031
5116042	DS5204	150 mm 6.500 r.p.m.	5602482052048
5116043	DS5205	175 mm 6.500 r.p.m.	5602482052055
5116044	DS5206	200 mm 4.500 r.p.m.	5602482052062

CRIMPED WIRE BRUSHES



Technical Information

Special design allowing access to angles and flexible performance on any surface. Specially designed for low weight and high speed mini-grinders.

Applications:

For continuous and frequent brushing processes (ship building, metallic structures, welding, maintenance, etc.).

Code	Ref.		EAN
5116048	DS5201	M14 x 100 mm 13.000 r.p.m.	5602482052017

CRIMPED WIRE CUP BRUSHES



Technical Information:

Specially designed for use on portable machines (angle grinders), electric or pneumatic.

Applications:

Removal of rust, paint or any kind of adherence. Cleaning of castings. Treating metallic surfaces, rubber, plastic, wood or glass. Metallic construction, ship-building, boiler industry, stone and concrete..

Code	Ref.		EAN
5116052	DS5197	M14 x 75 mm 12.500 r.p.m.	5602482051973
5116053	DS5198	M14 x 100 mm 8.500 r.p.m.	5602482051980
5116054	DS5199	M14 x 125 mm 8.500 r.p.m.	5602482051997
5116055	DS5200	M14 x 150 mm 6.000 r.p.m.	5602482052000

UNIVERSAL HAND BRUSH



Technical Information

Special design offering:

- Long working life.
- Maximum removal capacity.
- High wire density for a higher brushing pressure. Narrow face to allow easy access into slots .

Applications

Welding: cleaning and scale removal. Removal of rust, paint and any kind of adherence. Appropriate for household and DIY due to its universal and comfortable use.

Code	Ref.		EAN
5116056	DS5211	Stainless stell	12 5602482052116
5116057	DS5212	Steel	12 5602482052123

CATRABUCHA PINCEL (ARAME ONDULADO)

CEPILLO BROCHA (ALAMBRE ONDULADO)

**Applications:**

Removal of rust, paint and any kind of adherence in gates, balconies, cars, etc.
 Preparing surfaces for painting.
 Polishing of metallic pieces.
 Working on wooden rustic pieces.

Code	Ref.		EAN
5116049	DS5190	25 mm 4.500 r.p.m.	5602482051904

CATRABUCHA T/TAÇA (ARAME ONDULADO)

CEPILLO T/TAZA (ALAMBRE ONDULADO)

**Applications:**

Removal of rust, paint and any kind of adherence in gates, balconies, cars, etc.
 Preparing surfaces for painting.
 Polishing of metallic pieces.
 Working on wooden rustic pieces.

Code	Ref.		EAN
5116050	DS5194	50 mm 4.500 r.p.m.	5602482051942
5116051	DS5195	75 mm 4.500 r.p.m.	5602482051959

CATRABUCHA CIRCULAR (ARAME ONDULADO)

CEPILLO CIRCULAR (ALAMBRE ONDULADO)

**Applications:**

Removal of rust, paint and any kind of adherence in gates, balconies, cars, etc.
 Preparing surfaces for painting.
 Polishing of metallic pieces.
 Working on wooden rustic pieces.

Code	Ref.		EAN
5116045	DS5191	50 mm 4.500 r.p.m.	5602482051911
5116046	DS5192	75 mm 4.500 r.p.m.	5602482051928
5116047	DS5193	100 mm 4.500 r.p.m.	5602482051935

CATRABUCHA CIRCULAR (ARAME ONDULADO)

CEPILLO CIRCULAR (ALAMBRE ONDULADO)

**Applications:**

Removal of rust, paint and any kind of adherence in gates, balconies, cars, etc.
 Preparing surfaces for painting.
 Polishing of metallic pieces.
 Working on wooden rustic pieces.

Code	Ref.		EAN
5116039	DS5196	75 mm 4.500 r.p.m.	5602482051966

WIRE BRUSHES



Knotted cup brush to work with right angle grinders. For heavy removal of rust, paint and other type of adhesives

Applications:

Removal of rust, paint, scales, edges, etc. Cleaning of forged pieces.
Tyre recovery. Surface processing in metal, rubber, plastic, wood, glass, etc.

Code	Ref.		EAN
5116037	DS5209	M14 x 80 mm 8.500 r.p.m.	5602482052093
5116038	DS5210	M14 x 100 mm 8.500 r.p.m.	5602482052109

WIRE BRUSHES




Knotted cup brush to work with right angle grinders. For heavy removal of rust, paint and other type of adhesives

Applications:

Removal of rust, paint, scales, edges, etc. Cleaning of forged pieces.
Tyre recovery. Surface processing in metal, rubber, plastic, wood, glass, etc.

Code	Ref.		EAN
5116035	DS5207	M14 x 65 mm 12.500 r.p.m.	5602482052079
5116036	DS5208	M14 x 100 mm 12.500 r.p.m.	5602482052086



BENCH VICE



Code	Ref.		EAN
5113799	88303	75 mm	5602482045859
5113800	83304	100 mm	5602482045866
5113801	83305	125 mm	5602482045873
5113802	83306	150 mm	5602482045880

QUICK ADJUSTING VICE



Code	Ref.		EAN
5113807	1404	100 mm	5602482045897
5113808	1405	125 mm	5602482045903

BENCH VICE



Code	Ref.		EAN
5113803	83103	75 mm	5602482045811
5113804	83104	100 mm	5602482045828
5113805	83105	125 mm	5602482045835
5113806	83106	150 mm	5602482045842



METAL CUTTING DISC



Abrasive discs reinforced with depressed centre. Appropriate for angle grinders.
Applications: Woodwork, metalwork, metal profiles, pipes ...

Code	Ref.		EAN
5101336	115 x 3,2 x 22,2	25	5602482024786
5101341	125 x 3,2 x 22,2	25	5602482024793
5101334	180 x 3,2 x 22,2	25	5602482024809
5101335	230 x 3,2 x 22,2	25	5602482024816

STAINLESS STEEL CUTTING DISC



Cutting discs.
For special applications.

Code	Ref.		EAN
5101350	115 x 1,0 x 22,2	50	5602482024861
5101351	125 x 1,0 x 22,2	50	5602482024878
5101352	180 x 1,6 x 22,2	25	5602482024885
5100955	230 x 1,9 x 22,2	25	5602482025882

FLAT METAL CUTTING DISC



Cutting discs.
For special applications.

Code	Ref.		EAN
5101353	115 x 1,6 x 22,2	50	5602482024892

METAL GRINDING DISC



Abrasive discs reinforced for the grinding of iron and steel. Appropriate for angle grinders.
Applications: woodwork, metalwork, welding, casting burr ...

Code	Ref.		EAN
5101348	115 x 6,4 x 22,2	10	5602482024915
5101349	125 x 6,4 x 22,2	10	5602482024922
5101346	180 x 6,4 x 22,2	10	5602482024939
5101347	230 x 6,4 x 22,2	10	5602482024946

STONE CUTTING DISC



Stone cutting discs - Abrasive discs, reinforced for cutting marble, stones and building materials. Appropriate for angle grinders.

Code	Ref.		EAN
5101344	115 x 3,2 x 22,2	25	5602482024823
5101343	230 x 3,2 x 22,2	25	5602482024854

FLAT STONE CUTTING DISC



Cutting discs.
For special applications.

Code	Ref.		EAN
5101354	115 x 1,6 x 22,2	50	5602482024908

POLYCARBIDE ABRASIVE DISC (WITH SCREW)



Appropriate for angle grinders. Perfect for removing rust, varnish, welding finish ... Cleans the surfaces without damaging them.

Code	Ref.		EAN
5114585	DS4702	125 x 13 mm	5602482047020

POLYCARBIDE ABRASIVE DISC (FOR ANGLE GRINDERS)



Appropriate for angle grinders. Perfect for removing rust, varnish, welding finish ... Cleans the surfaces without damaging them.

Code	Ref.		EAN
5114586	DS4703	115 x 22,2 mm	5602482047037

RUBBER BACKING PAD



Code	Ref.		EAN
5110130	DPM2678	for 115 mm angle grinders	5602482026780
5110131	DPM2679	for 180 mm angle grinders	5602482026797

DIAMOND CUTTING DISC | CONTINUOUS RIM



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
Segment height: 7 mm
 According to EN 13236

Code	Ref.			EAN
5100964	DS2508	115 x 22,2 mm	100	5602482025080
5110866	DS3051	125 x 22,2 mm	100	5602482030510
5110867	DS3052	180 x 22,2 mm	50	5602482030527
5100975	DS2509	230 x 22,2 mm	25	5602482025097

DIAMOND CUTTING DISC | CONTINUOUS RIM



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
Segment height: 10 mm
 According to EN 13236

Code	Ref.			EAN
5111513	DS4126	115 x 22,2 mm		5602482041264
5111514	DS4127	230 x 22,2 mm		5602482041271

DIAMOND CUTTING DISC | SEGMENTED RIM



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
Segment height: 7 mm
 According to EN 13236

Code	Ref.			EAN
5100962	DS2510	115 x 22,2 mm	100	5602482025103
5110864	DS3049	125 x 22,2 mm	100	5602482030497
5110865	DS3050	180 x 22,2 mm	50	5602482030503
5100963	DS2511	230 x 22,2 mm	25	5602482025110

DIAMOND CUTTING DISC | SEGMENTED RIM



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
Segment height: 10 mm
 According to EN 13236

Code	Ref.			EAN
5111511	DS4124	115 x 22,2 mm		5602482041240
5111512	DS4125	230 x 22,2 mm		5602482041257

DIAMOND DISC - SUPER THIN



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
According to EN 13236

Code	Ref.		EAN
5110854	DS3014	115 x 1,2 x 22,2 mm	5602482030145

DIAMOND DISC - MULTI-PURPOSE



Will cut plastic profiles and pipes, wood (even with nails), fibreglass, concrete, metal, ...

Code	Ref.		EAN
5112899	27500115	115 x 5 x 22,2 mm	5602482043077
5112900	27500230	230 x 5 x 22,2 mm	5602482043084

DIAMOND DISC - MARBLE



Conceived for cutting marble.

Code	Ref.		EAN
5100960	DS2532	115 x 2,2 x 22,2 mm	5602482025325
5100961	DS2533	230 x 2,2 x 22,2 mm	5602482025332

DIAMOND DISC - TURBO MESH



Suitable for cutting ceramic, porcelain, vitrified tile, granite, stoneware, hard tile and so on stone materials.

Code	Ref.		EAN
5114983	30410115	115x1,2x10x22,23 mm	5602482050563
5114984	30410125	125x1,2x10x22,23 mm	5602482050570
5114985	30410230	230x1,2x10x22,23 mm	5602482050587


DIAMOND CUTTING DISC | CONTINUOUS RIM



Cutting of natural and artificial stones, concrete, ceramic materials, building materials.
For Sady tile cutting machine **DS5278-TSW230**

Code	Ref.			EAN
5116090	DS4989	230 x 2,4 x 25,4 mm	25	5602482049895

SWIRLING SEGMENT DIAMOND CUP WHEEL



For the smoothing and levelling of concrete and exposed concrete surfaces, granite, stone, ...
Plaquette: Width: 15 mm | Height: 5 mm

Code	Ref.			EAN
5114986	31000745	115 x 22,23 mm		5602482050679
	31000705	125 x 22,23 mm		5602482050686
5114987	31000707	180 x 11,23 mm		5602482050693

DIAMOND CUP GRINDING WHEEL



For the smoothing and levelling of concrete and exposed concrete surfaces, granite, stone, ...
Plaquette: Width: 8 mm | Height: 5 mm

Code	Ref.			EAN
5112901	31000345	115 x 22,23 mm		5602482043091
5114977	31000305	125 x 22,23 mm		5602482050655
5114978	31000307	180 x 11,23 mm		5602482050662

ARROWED TURBO DIAMOND CUP WHEEL



For the smoothing and levelling of concrete and exposed concrete surfaces, granite, stone, ...
Plaquette: Height: 5 mm

Code	Ref.			EAN
5114989	31000145	115 x 22,23 mm		5602482050709
5114988	31000105	125 x 22,23 mm		5602482050716
	31010107	180 x 11,23 mm		5602482050723

FLAP DISC FOR STAINLESS STEEL



Tipo Z Type Z - Discs with zirconia material for stainless steel, special steel and plastic. Flat contact surface. Support made of nylon fibre.

Code	Ref.		EAN
5101355	grit 40 115 x 22,2	5	5602482024953
5101356	grit 60 115 x 22,2	5	5602482024960
5101357	grit 80 115 x 22,2	5	5602482024977
5100956	grit 100 115 x 22,2	5	5602482025349
5100957	grit 120 115 x 22,2	5	5602482025356

FLAP DISC FOR METAL



Type A - Regular aluminium oxide discs for ferrous metals. Flat contact surface. Support made of nylon fibre.


Code	Ref.		EAN
5101358	grit 40 115 x 22,2	5	5602482024984
5101359	grit 60 115 x 22,2	5	5602482024991
5101360	grit 80 115 x 22,2	5	5602482025004
5100958	grit 100 115 x 22,2	5	5602482025868
5100959	grit 120 115 x 22,2	5	5602482025875

SANDING DISC




Code	Ref.		EAN
5101362	Ø 115 grit 16	25	5602482030725
5101364	Ø 115 grit 24	25	5602482030541
5101366	Ø 115 / grit 36	25	5602482030565
5101367	Ø 115 / grit 40	25	5602482030572
5101368	Ø 115 / grit 50	25	5602482030589
5101372	Ø 115 / grit 60	25	5602482030596
5101373	Ø 115 / grit 80	25	5602482030602
5101374	Ø 115 / grit 100	25	5602482030619
5101375	Ø 115 / grit 120	25	5602482030626
5117992	Ø 125 / grit 16	25	5602482037502
5117993	Ø 125 / grit 20	25	5602482037519
5117994	Ø 125 / grit 24	25	5602482037526
5117996	Ø 125 / grit 36	25	5602482037540
5117997	Ø 125 / grit 40	25	5602482037557
5117999	Ø 125 / grit 60	25	5602482037571
5118000	Ø 125 / grit 80	25	5602482037588
5118001	Ø 125 / grit 100	25	5602482037595
5118002	Ø 125 / grit 120	25	5602482037601
5103694	Ø 180 / grit 20	25	5602482041998
5101377	Ø 180 / grit 30	25	5602482030640
5101378	Ø 180 / grit 36	25	5602482030657
5101379	Ø 180 / grit 40	25	5602482030664
5101381	Ø 180 / grit 60	25	5602482030688
5101382	Ø 180 / grit 80	25	5602482030695
5101383	Ø 180 / grit 100	25	5602482030701
5101384	Ø 180 / grit 120	25	5602482030718

SANDING DISC



Code	Ref.			EAN
5114639	1919	125 mm grit 60	25	5602482048942
5114638	1919	125 mm grit 80	25	5602482048959
5114636	1919	125 mm grit 100	25	5602482048966
5114637	1919	125 mm grit 120	25	5602482048973

CUP WHEEL STONE



Features - Agglomerated product made of silicon carbide and aluminium oxide.
Usage - Grinding, polishing and finishing.
Applications - High performance in marble and construction.

Code	Ref.		EAN
5110120	grit 16 100 x 54 M14	27	5602482026803
5110122	grit 24 100 x 54 M14	27	5602482026827
5110124	grit 36 100 x 54 M14	27	5602482026841
5110125	grit 40 100 x 54 M14	27	5602482026858
5110126	grit 80 100 x 54 M14	27	5602482026865
5110127	grit 60 100 x 54 M14	27	5602482026872
5110128	grit 100 100 x 54 M14	27	5602482026889
5110129	grit 120 100 x 54 M14	27	5602482026896

SANDING DISC FOR DRYWALL SANDER



Code	Ref.		EAN
5114779	DS510	Ø 225 mm Grão 80	25 5602482050297
5114780	DS510	Ø 225 mm Grão 120	25 5602482050303
5114781	DS510	Ø 225 mm Grão 240	25 5602482050310

RUBBER BACKING PAD



Code	Ref.		EAN
5114888	DPM5134	para rebarbadoras 115 mm	5602482051348

VOLTAGE TESTER



Code	Ref.		EAN
5116066	DS5275	140 mm	5602482052758

VOLTAGE TESTER



Code	Ref.		EAN
5116067	DS5276	190 mm	5602482052765

DIGITAL VOLTIMETER



- AC voltage: 2V/ 20V/ 200V/ 600V
- DC voltage: 200mV/ 2V/ 20V/ 200V/ 600V
- DC current: 200µA/ 2000µA/ 20mA/ 200mA/ 2A/ 10A
- Resistance: 200 Ω/ 2kΩ/ 20kΩ/ 200 kΩ/ 2MΩ/ 20MΩ
- Detector NCV

Code	Ref.		EAN
5116069	DS5274		5602482052741

VOLTAGE TESTER



Code	Ref.		EAN
5116068	DS5277	Ø 2 x 115 mm	5602482052772

PVC TAPE



Applications: PVC tape with excellent flexibility and adhesion at low temperatures.

- For insulation of wires and cables, marking, bundling, repairing.

Characteristics:

- Product certified according to DEKRA.
- Safe protection up to 7000V

Code	Ref.	20 met. x 19 mm		EAN
5511673	DS51225	yellow/green	10	5602482051256
5511674	DS51226	yellow	10	5602482051263
5511675	DS51227	blue	10	5602482051270
5511676	DS51228	white	10	5602482051287
5511677	DS51229	brown	10	5602482051294
5511678	DS51230	grey	10	5602482051300
5511679	DS51231	black	10	5602482051317
5511680	DS51232	green	10	5602482051324
5511681	DS51233	red	10	5602482051331

MEASURING TAPE FIBERGLASS

fibreglass



ABS open box with high resistance. Bimaterial handle and ergonomic design.

Code	Ref.		EAN
5118784	DS5338-19B	50 met. x 15 mm	5602482053380

MEASURING TAPE FIBERGLASS | EL

fibreglass



ABS case, rubber coated. Fibreglass strap. Plastic crank.

Code	Ref.		EAN
5118785	DS5339-EL	20 met. x 15 mm	5602482053397
5118786	DS5340-EL	30 met. x 15 mm	5602482053403

MEASURING TAPE FIBERGLASS | HY

fibreglass



Plastic case. Fibreglass strap. Metallic crank.

Code	Ref.		EAN
5118789	DS5343-HY	10 met. x 13 mm	5602482053434
5118790	DS5344-HY	20 met. x 13 mm	5602482053441
5118791	DS5345-HY	30 met. x 16 mm	5602482053458

MEASURING TAPE STEEL | GL

steel



ABS case, rubber coated. White steel band. Plastic crank.

Code	Ref.		EAN
5118787	DS5341-GL	20 met. x 13 mm	5602482053410
5118788	DS5342-GL	30 met. x 13 mm	5602482053427

MEASURING TAPE ABS CASE | RX



Steel strap with nylon coating. ABS case with rubber coating. Locking button and automatic retraction. Metal hook.

Code	Ref.		EAN
5118792	DS5346-RX	3 met. x 16 mm	5602482053465
5118793	DS5347-RX	5 met. x 19 mm	5602482053472
5118794	DS5348-RX	5 met. x 25 mm	5602482053489
5118795	DS5349-RX	8 met. x 25 mm	5602482053496

MEASURING TAPE | XTS



Steel strap with nylon coating. ABS box. Locking button and automatic retraction. Metal hook.

Code	Ref.		EAN
5118796	DS5353-XTS	3 met. x 16 mm	5602482053502
5118797	DS5351-XTS	5 met. x 19 mm	5602482053519

4 IN 1 DIGITAL DETECTOR



Max. detection depth in walls:

- Ferrous metals: 80mm
 - Non-ferrous metals: 50mm
 - Copper conductors: 50mm
 - Wood: 38mm
 - Moisture detection: 8mm
- Moisture/precision test range
- Wood: 5%-50% / $\pm 2\%$
 - Building materials: 1.5%-33% / $\pm 2\%$
 - Power supply: 2x1.5V AAA

It can detect metals (iron and non-ferrous metals), wooden beams and live cables hidden in walls, ceilings and floors. It can be used to determine the moisture content of various types of tree species, wood, bamboo items, paper, plasterboard, cement mortar and lime mortar.

Code	Ref.		EAN
5117613	DS5627MK	4 EM 1	5602482056275

LASER DISTANCE METER 30M



Measuring accuracy: $\pm 5\text{mm}$ (m/in/ft)
 Measuring range (without reflector): 0.03-30m
 Measurement time: 0.3-4 seconds
 Laser type: 620~670nm, <1mw
 Laser shutdown: 15 seconds
 Automatic shutdown: 45 seconds
 Power supply: 2x1.5V AAA
 Dimensions: 90x40x24mm

Used for land survey, bridge erection, ballistic analysis, building survey, interior decoration and other occasions that need to measure distance, length and area.

Code	Ref.		EAN
5117614	DS5628MK	30 metros	5602482056282

LASER DISTANCE METER 60M




Measuring accuracy: $\pm 3\text{mm}$ (m/in/ft)
 Measuring range: 0.03-40/50/60m
 Measurement time: 0.1-4 seconds
 Laser type: 620~690nm, <1mw
 Laser shutdown: 15 seconds
 Auto shutdown: 120 seconds
 Power supply: 2x1.5V AAA
 Dimensions: 120x56x27mm

Used for land survey, bridge erection, ballistic analysis, building survey, interior decoration and other occasions that need to measure distance, length and area.

Code	Ref.		EAN
5117615	DS5629MK	60 metros	5602482056299

CROSS LINE LASER LEVEL



Horizontal accuracy: $\pm 7\text{mm}/10\text{m}$
 Vertical accuracy: $\pm 7\text{mm}/10\text{m}$
 Automatic leveling range: $\pm 3.5^\circ$
 Laser diode calsse 2: 635nm red light
 Amplification time: <6S
 Operating range (beam): 12 meters
 Power supply: 2 x 1.5V AA
 Dimensions: 80x50x86,5mm

Reliable, durable and professional laser levels, compact size, easy to carry. Vertical and horizontal 2-line laser configuration, simple and easy to operate.

Alcance 12m	Precisão $\pm 7\text{mm}/10\text{m}$	Nivelamento Automático $\pm 3.5^\circ$	 2AA*1,5V
----------------	---	--	---


Code	Ref.
5117616	DS5630MK



EAN

5602482056305

CROSS LINE LASER WITH LINE SIDE



Horizontal accuracy: $\pm 7\text{mm}/10\text{m}$
 Vertical accuracy: $\pm 7\text{mm}/10\text{m}$
 Automatic leveling range: $\pm 3.5^\circ$
 Laser diode calsse 2: 635nm red light
 Amplification time: <6S
 Operating range (beam): 12 meters
 Power supply: 2 x 1.5V AA
 Dimensions: 80x50x86,5mm

Reliable, durable and professional laser levels, compact size, easy to carry. Vertical and horizontal 2-line laser configuration, simple and easy to operate.

Alcance 12m	Precisão $\pm 7\text{mm}/10\text{m}$	Nivelamento Automático $\pm 3.5^\circ$	 2AA*1,5V
----------------	---	--	---

Code	Ref.
5117617	DS5631MK



EAN

5602482056312

TRIPOD TELESCOPE



Tripé telescópico em alumínio

- Corpo em alumínio extensível e leve.
 - Sistema de clip para o bloqueio dos pés.
- Altura máxima: 1500 mm
 Altura mínima: 500mm

Code	Ref.
5117618	DS5632MK



EAN

5602482056329

PROFESSIONAL COMPASS WITH WING (STEEL)




Code	Ref.			EAN
5106849	7641	150 mm	5	5602482016460
5106850	7641	200 mm	5	5602482016477
5106851	7641	250 mm	5	5602482016484
5106852	7641	300 mm	5	5602482016191

GRADUATED RULER (STEEL)



Code	Ref.			EAN
5116438	81.21.101	300 x 30 x 1 mm	20	5602482016507
5118188	81.21.102	500 x 30 x 1 mm	20	5602482039261
5118189	81.21.103	1.000 x 30 x 1 mm	20	5602482039278

STAINLESS STEEL RULER



Code	Ref.			EAN
5116415	DS5907-YF	300 x 25 x 0,8 mm	10	5602482059078
5116416	DS5908-YF	500 x 28 x 0,9 mm	10	5602482059085
5116417	DS5909-YF	1.000 x 30 x 1,0 mm	10	5602482059092


STEEL RIGHT ANGLE RULER



NEW

Code	Ref.			EAN
5116414	DS5910-YF	600 x 100 mm	6	5602482059108

SQUARE



Code	Ref.			EAN
5109705	GWS-25D	250 mm	6	5602482020832
5109706	GWS-30D	300 mm	6	5602482020849
5109707	GWS-40D	400 mm	6	5602482020856
5109708	GWS-50D	500 mm	6	5602482020863

STAINLESS STEEL CALIPER



Code	Ref.			EAN
5104225	81101502	150 mm	10	5602482027244

CARPENTER PENCIL



Code	Ref.		EAN
5118045	5518-SS OVAL	100	5602482003361

LEVEL

NEW



Bubble with vertical view. 2 solid acrylic bubbles. Milled surface. Shock-absorbing plastic support. Trapezoidal body in high strength cast aluminium.
Accuracy: <0.5mm/m.

Code	Ref.		EAN
5116337	DS5897-JYC 600 mm	5602482058972	

DEPTH GAUGE PROTRACTOR



Code	Ref.		EAN
5104791	7610 150 mm	5	5602482016552

LEVEL MAGNÉTIC

NEW



Code	Ref.		EAN
5116336	DS5896-JYC 250 mm	5602482058965	

ALUMINIUM RULER WITH LEVEL



Code	Medidas		Precisão	EAN
5118520	1,5 m	100 x 18 mm	0,5mm/M=0.029°	5602482039452
5118521	2 m	100 x 18 mm	0,5mm/M=0.029°	5602482039469
5118522	2,5 m	100 x 18 mm	0,5mm/M=0.029°	5602482039476
5118523	3 m	100 x 18 mm	0,5mm/M=0.029°	5602482039483

ALUMINIUM RULER



Code	Dimensions		EAN
5118136	2 metres	100 x 18 mm	5602482039391
5118137	2,5 metres	100 x 18 mm	5602482039407
5118138	3 metres	100 x 18 mm	5602482039414
5118139	3,5 metres	100 x 18 mm	5602482039421
5118140	4 metres	100 x 18 mm	5602482039438

MEASURING WHEEL



Features

Wheel	318 mm
Working accuracy	+/- 1%
Unit of measurement	m and dm
Counter	5 digits

Code	Ref.	EAN
5118798	DS5352	5602482053526

LEVEL RAPID



Code	Ref.	EAN
5114358	95B 100 cm	5602482006034

WOOD HANDLE



Code	Ref.			EAN
1107857	801	1,20 mt. - rakas	25	5602482031708
1107971	802	1,30 mt. - rakes	25	5602482041233
1107854	303	1,20 mt. - hoes	25	5602482005846
1107867	305	1,30 mt. - hoes	25	5602482031715
1108133	306	1,40 mt. - hoes	25	5602482046962
1107873	702	1,30 mt. - forks	25	5602482030848
1107860	504	1,20 mt. - hoes	25	5602482031753
1107924	505	1,30 mt. - hoes	25	5602482039339

WOOD HANDLE



Code	Ref.			EAN
1107856	401	900 mm - axes	25	5602482031739
1107855	901	900 mm - sledge hammer	25	5602482029279
1107853	201	900 mm - hoes	25	5602482001404

WOOD HANDLE



Code	Ref.			EAN
1107866		240 mm - mason's mallets		5602482031722

WOOD HANDLE



Code	Ref.			EAN
1107881	406	370 mm - machadinhas hacha		5602482030855

WOOD HANDLE



Code	Ref.			EAN
1108139		160 mm barbecue	12	5602482046658
1108140		200 mm barbecue		5602482046665

WOOD HANDLE FOR HAMMERS



Code	Ref.			EAN
1107882	1111	370 mm bevelled		5602482030862
1107864		Nº 1 320 mm - conical		5602482032682
1107865		Nº 2 320 mm - conical		5602482032699
1100750		round		5602482000148
1100751		american type		5602482001343

WOOD HANDLE FOR TOOLS



Code	Ref.			EAN
1100741		Nº 0		5602482032897
1100742		Nº 1		5602482032903
1100743		Nº 2		5602482032910
1100744		Nº 3		5602482032927
1100745		Nº 4		5602482032934
1100746		Nº 5		5602482032941
1100747		Nº 6		5602482032958

WOOD HANDLE FOR FILES



Code	Ref.			EAN
1101267		Nº 0		5602482031746
1101268		Nº 1		5602482024855
1101269		Nº 2		5602482024762
1101270		Nº 3		5602482002203
1101271		Nº 4		5602482024779
1101272		Nº 5		5602482002258
1101273		Nº 6		5602482002340

WOOD HANDLE



Code	Ref.			EAN
1107861	613	shovels	12	5602482032705

IRON WIRE FOLDER



Code	Ref.		EAN
1108025	225 mm		5602482040168

PUNCH



Code	Ref.		EAN
1108230	940 90 mm x Ø 5 mm		5602482049901

"T" BAR CLAMP



Code	Ref.		EAN
1100785	1 m		56024820
1100786	1,25 m		56024820
1100787	1,5 m		56024820
1100788	1,75 m		56024820
1100789	2 m		56024820
1100790	2,25 m		56024820
1100791	2,5 m		56024820

PLUMB BOB LINE



Code	Ref.		EAN
1501023	50 m		5602482042384

ELECTRODES



Code	Ref.		EAN
5100684	2 x 300 mm (5 kg.) 520		5602482025042
5113137	2,5 x 350 mm (5 kg.) 260		5602482025059
5110613	3,25 x 350 mm (5 kg.) 160		5602482025066

MASON'S WIRE PT 1



Code	Ref.		EAN
1501030	ASSORTED COLORS 250gr.		5602482042711
1501180	YELLOW 250gr.		5602482049765
1501181	WHITE 250gr.		5602482049777
1501182	ORANGE 250gr.		5602482049789
1501183	GREEN 250gr.		5602482049796

PLUMB BOB



Code	Ref.		EAN
1107833	Tipo A 900 grams		5602482032491
1107834	Tipo B 1200 grams		5602482032507
1107835	Tipo C 1830 grams		5602482032514
1107836	Tipo D 2350 grams		5602482032521

PLUMB BOB WITH TIP (WITH MAGNET)



Code	Ref.		EAN
1107868	Tipo A 900 grams		5602482032538
1107869	Tipo B 1200 grams		5602482032545
1107870	Tipo C 1830 grams		5602482032552

PLUMB BOB WITH TIP



Code	Ref.		EAN
1107824	Nº 7 1000 grams		5602482023086
1107825	Nº 8 1200 grams		5602482023093

PLUMB BOB



Code	Ref.		EAN
1101048	Nº 3 190 grams		5602482032576
1101049	Nº 4 210 grams		5602482032583
1101050	Nº 5 240 grams		5602482015173
1101051	Nº 6 290 grams		5602482015395
1101052	Nº 7 360 grams		5602482015180
1101053	Nº 8 410 grams		5602482032590

PLUMB BOB



Code	Ref.		EAN
1101041	Nº 3 290 grams		5602482032569
1101042	Nº 4 350 grams		5602482015197
1101043	Nº 5 400 grams		5602482009486
1101044	Nº 6 440 grams		5602482015203
1101045	Nº 7 520 grams		5602482009493
1101046	Nº 8 620 grams		5602482015210

ANGLED PLASTERING TROWEL



Code	Ref.		EAN
1107501	Nº 1	295 x 160 mm	5604745121324

PLÁSTIC TROWEL



Code	Ref.		EAN
1107839	Nº 4	445 x 145 mm	5604745121355

PLÁSTIC TROWEL



Code	Ref.		EAN
1107500	Nº 1	260 x 160 mm	5604745121317
1101062	Nº 2	340 x 220 mm	5604745121331
1107526	Nº 3	415 x 255 mm	5604745121348

PLÁSTIC TROWEL (WITH SAND)



Code	Ref.		EAN
1108112	Nº 1	260 x 160 mm	5602482045002
1108113	Nº 2	340 x 220 mm	5602482045019

PLÁSTIC TROWEL (WHITE)

TALOCHA PLÁSTICA (BLANCA)



Code	Ref.		EAN
1107859	Nº 2	340 x 220 mm	5602482031937

PLÁSTIC TROWEL



Code	Ref.		EAN
1107516	Nº 1	300 x 30 mm	5604745121515
1107517	Nº 2	360 x 50 mm	5604745121522
1107518	Nº 3	380 x 70 mm	5604745121539

PLÁSTIC TROWEL (WITH SPONGE)



Code	Ref.		EAN
1108116	Nº 1	265 x 160 x 30 mm	5604745121379

PLASTIC TRAY



Code	Ref.		EAN
1500891	nº 1	420 x 310 x 95 mm	5604745321311

ANGLED PLASTERING TROWEL (WITH SPONGE)



Code	Ref.		EAN
1108117	Nº 1	300 x 160 x 30 mm	5604745121386

PLASTIC TRAY



Code	Ref.		EAN
1500892	nº 2	495 x 408 x 110 mm	5604745321328

PLASTIC BUCKET



Code	Ref.		EAN
1500920	10 Liters	25	5604745221314
1500923	15 Liters	25	5604745221321

PLASTIC TRAY (35 LITERS)



Code	Ref.		EAN
1500912	nº 3	630 x 470 x 160 mm	5604745321335

WOOD AND PVC BLADE



Cutting discs to be used with angle grinders.
Application: Wood without nails or other metallic objects and PVC.

Code	Ref.	Diam. x Thk. x Hole		EAN
5112213	56115614	115 x 1,4 x 22,2 mm		5602482042001
5112329	56230616	230 x 1,6 x 22,2 mm		5602482042339

HSS SAW BLADE



Blade to be used in metal.

Code	Ref.	Diam. x Thk. x Hole		EAN
5109581	262251932	225 x 1,9 x 32 mm / 180T		5602482028487
5103657	262502032	250 x 2,0 x 32 mm / 200T		5602482013186
5109582	262502532	250 x 2,5 x 32 mm / 200T		5602482028494

CARBIDE TIP BLADE FOR ALUMINIUM



For all types of non-ferrous metals, such as aluminium, brass, copper and lead.

Code	Ref.	Diam. x Thk. x Hole		EAN
5109583	232503232	250 x 3,2 x 32 mm / 80T		5602482025516
5103662	232333282	300 x 3,2 x 32 mm / 72T		5602482028500

CARBIDE TIP BLADE FOR WOOD



Blade for the fast cutting of wood.

Code	Ref.		EAN
5101195	221403020	140 x 20 x 2,2 mm / 30T	5602482028531
5109585	221604820	160 x 20 x 2,2 mm / 48T	5602482028548
5109586	221844830	184 x 30 x 2,4 mm / 48T	5602482025530
5118780	DS5623-24T	185 x 16 x 2,4 mm / 24T	5602482056237
5116419	DS5872-48T	185 x 16 x 2,4 mm / 48T	5602482058729
5114382	221904830	190 x 30 x 2,4 mm / 48T	5602482046672
5103658	56520032	200 x 30 x 2,8 mm / 32T	5602482024212
5109587	222104830	210 x 30 x 2,4 mm / 48T	5602482025547
5101196	222164830	216 x 30 x 2,4 mm / 48T	5602482028470
5109588	222354830	235 x 30 x 2,2 mm / 48T	5602482000971
5103659	56525040	250 x 30 x 2,2 mm / 40T	5602482013070
5103660	56530048	300 x 30 x 3,2 mm / 48T	5602482013391
5105265	56530060	300 x 30 x 3,2 mm / 60T	5602482019058
5104136	56535060	350 x 30 x 3,2 mm / 60T	5602482013100
5118839	DS5621-24T	315 x 30 x 2,0 mm / 24T	5602482056213
5118840	DS5622-48T	315 x 30 x 2,0 mm / 48T	5602482056220

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107579	2425525436	255 x 1,5 x 25,4 mm / 36T		5602482019034
5107580	2425525440	255 x 1,5 x 25,4 mm / 40T		5602482019041

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118661	TF-1111	255 x 2,5 x 25,4 mm / 20T		5602482040274

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118699		255 x 2,0 x 25,4 mm / 24T		5602482040311
5118700	27225036	255 x 2,0 x 25,4 mm / 36T		5602482040328
5118701		255 x 2,0 x 25,4 mm / 40T		5602482040335

BRUSHCUTTER BLADE - 2 TEETH



Blades for cutting weeds, lawns, thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107581	253052542	300 x 3,0 x 25,4 mm / 2T		5602482022836

BRUSHCUTTER BLADE - 3 TEETH



Blades for cutting weeds, lawns, thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107582		300 x 3,0 x 25,4 / 3T		5602482026049

HSS TWIST DRILL BIT



Code	Ref.		EAN
5112903	41306000	6 x 400 mm	5602482043114
5112904	41308000	8 x 400 mm	5602482043121
5112905	41308001	8 x 600 mm	5602482043138
5112906	41310000	10 x 400 mm	5602482043145
5112907	41310001	10 x 600 mm	5602482043152
5112908	41312000	12 x 400 mm	5602482043169
5112909	41312001	12 x 600 mm	5602482043176
5112910	41314001	14 x 600 mm	5602482043183
5112911	41316001	16 x 600 mm	5602482043190

BRAD POINT WOOD DRILL BIT



Recommended for drilling along cavities in wooden or plaster walls, (even if they have nails or other mand al pieces), without damaging the exterior finish.

Code	Ref.		EAN
5116153		6 x 250 mm	5602482056381
5116154		8 x 250 mm	5602482056398
5116155		10 x 250 mm	5602482056404
5116156		12 x 250 mm	5602482056411
5116157		14 x 250 mm	5602482056428
5109572		8 x 600 mm	5602482002975
5109573		10 x 600 mm	5602482002982
5109574		12 x 600 mm	5602482003224
5109575		14 x 600 mm	5602482003231

CONCRETE DRILL BIT




Code	Ref.		EAN
5106472	3 mm	5	5602482031951
5106473	3,5 mm	10	5602482035928
5106474	4 mm	10	5602482014480
5106475	4,5 mm	5	5602482035935
5106476	5 mm	10	5602482014947
5106477	5,5 mm	5	5602482035942
5106478	6 mm	10	5602482018938
5106479	6,5 mm	5	5602482035959
5106480	7 mm	5	5602482019003
5106481	7,5 mm	10	5602482035966
5106482	8 mm	10	5602482019010
5106483	8,5 mm	5	5602482035973
5106484	9 mm	10	5602482031968
5106485	9,5 mm	10	5602482035980
5106486	10 mm	5	5602482019027
5106487	11 mm	10	5602482031975
5106488	12 mm	10	5602482019850
5106489	13 mm	5	5602482020412
5106490	14 mm	10	5602482031982
5106491	15 mm	5	5602482031999
5106492	16 mm	5	5602482032002
5106493	18 mm	5	5602482032019
5106494	20 mm	5	5602482032026
5106495	22 mm	5	5602482032033
5109874	25 mm	2	5602482032040

LONG

5106496	300 x 6 mm	2	5602482012011
5106497	300 x 8 mm	2	5602482002425
5106498	300 x 10 mm	2	5602482002432
5106499	300 x 12 mm	2	5602482002449
5106500	30 x 14 mm	2	5602482002456
6106501	30 x 16 mm	2	5602482002463
5106502	300 x 18 mm	2	5602482002470
5106503	300 x 20 mm	2	5602482002487
5106504	400 x 6 mm	2	5602482012028
5106505	400 x 8 mm	2	5602482002494
5106506	400 x 10 mm	2	5602482002500
5106507	400 x 12 mm	2	5602482002517
5106508	400 x 14 mm	2	5602482002524
5106509	400 x 16 mm	2	5602482002531
5106510	400 x 18 mm	2	5602482002548
5106511	400 x 20 mm	2	5602482002555

CONCRETE DRILL BIT - SUPER



Code	Ref.		EAN
5109473	3 mm	100	5602482020528
5109474	4 mm	100	5602482020535
5104999	5 mm	100	5602482017436
5102466	6 mm	100	5602482017443
5105000	7 mm	100	5602482017450
5102467	8 mm	100	5602482017467
5103422	10 mm	100	5602482017474
5100871	11 mm	50	5602482022669
5102469	12 mm	50	5602482017481
5109478	13 mm	35	5602482020542
5109475	14 mm	35	5602482020559
5109476	15 mm	35	5602482020566
5109477	16 mm	30	5602482020573

CONCRETE DRILL BIT SET




Contents:

- 5 pieces: 4; 5; 6; 8 and 10 mm
- 8 pieces: 3; 4; 5; 6; 7; 8; 9 and 10 mm

Code	Ref.		EAN
5103443	5 drill bits		5602482014633
5105309	8 drill bits		5602482014640

BRAD POINT WOOD DRILL BIT



HSS manufactured drill bits with 5 cutting edges, adjustable. To be used with any type of wood screws: flat, round or oval head. To be used on wood, plastic, soft mand al, ... Compland e with an allen-type key.

Code	Ref.		EAN
5112912	49400030	3 mm	5602482043206
5112913	49400040	4 mm	5602482043213
5112914	49400050	5 mm	5602482043220
5112915	49400060	6 mm	5602482043237

HSS DRILL BIT BOX



Contents:

- 13 pieces: 1,5 to 7,5 mm
- 19 pieces: 1 to 10 mm (spacing of 0,5 mm)
- 25 pieces: 1 to 13 mm (spacing of 0,5 mm)

Code	Ref.		EAN
5102462	13 drill bits metallic box		5602482002753
5100183	19 drill bits metallic box		5602482002777
5102668	25 drill bits metallic box		5602482015340

HSS DRILL BIT



Code	Ref.		EAN
5106691	0,5 mm	10	5602482035997
5106692	0,75 mm	10	5602482036000
5106693	0,8 mm	10	5602482036017
5105768	1 mm	10	5602482036024
5105769	1,25 mm	10	5602482036031
5105770	1,5 mm	10	5602482027350
5105771	1,75 mm	10	5602482036048
5105772	2 mm	10	5602482027367
5105773	2, 25 mm	10	5602482036055
5105774	2,5 mm	10	5602482027374
5105775	2,75 mm	10	5602482036062
5105776	3 mm	10	5602482027381
5105777	3,25 mm	10	5602482036079
5105778	3,5 mm	10	5602482027398
5105779	3,75 mm	10	5602482027404
5105780	4 mm	10	5602482027411
5105781	4,25 mm	10	5602482027428
5105782	4,5 mm	10	5602482027435
5105783	4,75 mm	10	5602482027442
5105784	5 mm	10	5602482027459
5105785	5,25 mm	10	5602482026086
5105786	5,5 mm	10	5602482027466
5105787	5,75 mm	10	5602482036093
5105788	6 mm	10	5602482027473
5105789	6,25 mm	10	5602482036109
5105790	6,5 mm	10	5602482027480
5105791	6,75 mm	10	5602482036116
5105792	7 mm	10	5602482027497
5105793	7,25 mm	10	5602482036123
5105794	7,5 mm	10	5602482027503
5105795	7,75 mm	10	5602482036130
5105796	8 mm	10	5602482027510
5105797	8,25 mm	10	5602482036147
5105798	8,5 mm	10	5602482027527
5105800	9 mm	10	5602482027534
5105801	9,25 mm	10	5602482036154
5105802	9,5 mm	10	5602482027541
5105804	10 mm	10	5602482027558
5105805	10,5 mm	10	5602482036161
5105806	11 mm	10	5602482027565
5105807	11,5 mm	10	5602482027572
5105808	12 mm	5	5602482027589
5105809	12,5 mm	5	5602482036178
5105810	13 mm	5	5602482027596
5105811	13,5 mm	5	5602482036185
5105812	14 mm	5	5602482036192

HSS DRILL BIT REDUCED SHANK

Code	Ref.		EAN
5105813	14,5 mm	5	5602482036208
5105814	15 mm	5	5602482036215
5105815	15,5 mm	5	5602482036222
5105816	16 mm	5	5602482036239
5105825	16,5 mm	4	5602482036246
5105817	17 mm	4	5602482036253
5105818	17,5 mm	5	5602482036260
5105819	18 mm	4	5602482036277
5105820	18,5 mm	5	5602482036284
5105821	19 mm	4	5602482036291
5105822	19,5 mm	5	5602482036307
5105823	20 mm	4	5602482036314



COBALT HSS DRILL BIT (8%)



Code	Ref.		EAN
5108872	1 mm	10	5602482019355
5105573	1,25 mm	10	5602482019362
5108874	1,5 mm	10	5602482019379
5108875	1,75 mm	10	5602482019386
5108876	2, mm	10	5602482019393
5108877	2,25 mm	10	5602482019409
5108878	2,5 mm	10	5602482019416
5108879	2,75 mm	10	5602482019423
5108880	3 mm	10	5602482019430
5108881	3,25 mm	10	5602482019447
5108882	3,5 mm	10	5602482019454
5108883	3,75 mm	10	5602482019461
5108884	4 mm	10	5602482019478
5108885	4,25 mm	10	5602482019485
5108886	4,5 mm	10	5602482019492
5108887	4,75 mm	10	5602482019508
5108888	5 mm	10	5602482019515
5108889	5,25 mm	10	5602482019522
5108890	5,5 mm	10	5602482019535
5108891	5,75 mm	10	5602482019546
5108892	6 mm	10	5602482019553
5108893	6,25 mm	10	5602482019560
5108894	6,5 mm	10	5602482019577
5108895	7 mm	10	5602482019584
5108896	7,5 mm	10	5602482019591
5108897	8 mm	10	5602482019607
5108898	8,5 mm	5	5602482019614
5108899	9 mm	5	5602482019651
5108900	9,5 mm	5	5602482019638
5108901	10 mm	5	5602482019645
5108902	10,5 mm	5	5602482019652
5108903	11 mm	5	5602482019669
5108905	11,5 mm	5	5602482019676
5108905	12 mm	5	5602482019683
5108906	12,5 mm	5	5602482019690
5108907	13 mm	5	5602482019706

RECTIFIED HSS DRILL BIT SET



Contents:

- 19 pieces: 1 to 10 mm (spacing of 0,5 mm)
- 25 pieces: 1 to 13 mm (spacing of 0,5 mm)

Code	Ref.		EAN
5106166	19 drill bits metallic box		5602482015333
5108855	25 drill bits metallic box		5602482014244

COBALT HSS DRILL BIT (8%)



Contents

- 1 to 8 mm: 10 drills each size
- 8,5 to 10 mm: 5 drills each size

Code	Ref.		EAN
5108857	170 drill bits metal box		5602482013582

RECTIFIED HSS DRILL BIT



Code	Ref.		EAN
5106133	1 mm	10	5602482036321
5108111	1,25 mm	10	5602482036338
5106134	1,5 mm	10	5602482036345
5108112	1,75 mm	10	5602482036352
5106135	2 mm	10	5602482036369
5106136	2,25 mm	10	5602482036376
5106137	2,5 mm	10	5602482036383
5106138	2,75 mm	10	5602482036390
5106139	3 mm	10	5602482036406
5106140	3,25 mm	10	5602482036413
5106141	3,5 mm	10	5602482036420
5106142	3,75 mm	10	5602482036437
5106143	4 mm	10	5602482036444
5106144	4,25 mm	10	5602482036451
5106145	4,5 mm	10	5602482036468
5106146	4,75 mm	10	5602482036475
5106147	5 mm	10	5602482036482
5106148	5,25 mm	10	5602482036499
5106149	5,5 mm	10	5602482036505
5106150	5,75 mm	10	5602482036512
5106151	6 mm	10	5602482036529
5108113	6,25 mm	10	5602482036536
5106152	6,5 mm	10	5602482036543
5106153	7 mm	10	5602482036550
5106154	7,5 mm	10	5602482036567
5106155	8 mm	10	5602482036574
5106156	8,5 mm	10	5602482036581
5106157	9 mm	10	5602482036598
5106158	9,5 mm	10	5602482036604
5106159	10 mm	10	5602482036611
5106160	10,5 mm	10	5602482036628
5106161	11 mm	10	5602482036635
5106162	11,5 mm	10	5602482036642
5106163	12 mm	5	5602482036659
5106164	12,5 mm	5	5602482036666
5106165	13 mm	5	5602482036673

RECTIFIED HSS DRILL BIT



Code	Ref.		EAN
5108858	13,5 mm	5	5602482036680
5108859	14 mm	5	5602482036697
5108860	14,5 mm	5	5602482036703
5108861	15 mm	5	5602482036710
5108862	15,5 mm	5	5602482036727
5108863	16 mm	5	5602482036734
5108864	16,5 mm	4	5602482036741
5108865	17 mm	4	5602482036758
5108866	17,5 mm	4	5602482036765
5108867	18 mm	4	5602482036772
5108868	18,5 mm	4	5602482036789
5108869	19 mm	4	5602482036796
5108870	19,5 mm	4	5602482036802
5108871	20 mm	4	5602482036819

RECTIFIED HSS DRILL BIT



Contents

- 1 to 8 mm: 10 drills each size
- 8,5 to 10 mm: 5 drills each size

Code	Ref.		EAN
5108856	170 drill bits metal box		5602482013575

SDS DRILL BIT FOR STONE



Code	Ref.		EAN
5106512	4 x 100 mm		5602482017252
5106513	5 x 110 mm		5602482017269
5109472	5 x 160 mm		5602482015623
5106694	5,5 x 110 mm		5602482017498
5106695	5,5 x 160 mm		5602482017504
5106514	6 x 110 mm		5602482006041
5106515	6 x 160 mm		5602482005877
5106696	6 x 210 mm		5602482017511
5106697	6,5 x 110 mm		5602482017528
6106698	6,5 x 160 mm		5602482017535
5106516	7 x 110 mm		5602482017276
5106517	7 x 160 mm		5602482017283
5106518	8 x 110 mm		5602482005884
5106519	8 x 160 mm		5602482006003
5106520	8 x 210 mm		5602482017290
5106521	10 x 110 mm		5602482017306
5106522	10 x 160 mm		5602482006010
5106523	10 x 210 mm		5602482006805
5106524	10 x 260 mm		5602482009639
5106525	10 x 410 mm		5602482017313
5106526	12 x 160 mm		5602482006027
5106527	12 x 210 mm		5602482009646
5106528	12 x 260 mm		5602482006881
5106529	12 x 410 mm		5602482017320
5106530	14 x 160 mm		5602482006812
5106531	14 x 210 mm		5602482009653
5106532	14 x 260 mm		5602482009660
5106533	14 x 410 mm		5602482017337
5106534	15 x 160 mm		5602482017344
5106700	15 x 210 mm		5602482017351
5100872	15 x 410 mm		5602482022676
5106535	16 x 210 mm		5602482006829
5106536	16 x 260 mm		5602482009677
5106536	16 x 410 mm		5602482017368
5106538	18 x 210 mm		5602482009684
5106539	18 x 260 mm		5602482009691
5106540	18 x 410 mm		5602482017375
5106541	20 x 210 mm		5602482009707
5106542	20 x 260 mm		5602482006836
5106543	20 x 410 mm		5602482017382
5106544	22 x 260 mm		5602482017399
5106545	22 x 410 mm		5602482017405
5106701	25 x 260 mm		5602482017412
5106546	25 x 410 mm		5602482017429

BRAD POINT WOOD DRILL BIT



Code	Ref.		EAN
5109424	3 mm		560248202
5109425	4 mm		560248202
5103398	5 mm		560248202
5103399	6 mm		560248202
5103400	7 mm		560248202
5103401	8 mm		560248202
5103403	10 mm		560248202
5103404	12 mm		560248202
5103405	14 mm		560248202
5103406	16 mm		560248202

BRAD POINT WOOD DRILL BIT SET



Contents:

- 8 pieces: 3; 4; 5; 6; 7; 8; 9 and 10 mm

Code	Ref.		EAN
5102464	8 pieces plastic box		5602482002869

POWER TOOLS



50
ANOS

IMPACT DRILLER - 18V 2.0Ah



BRUSHLESS
CORDLESS

Features	
Voltage	18V
Battery	Li-Ion 2.0 Ah
No load speed	0-2200 rpm
Maximum torque	180 Nm
Impact rate	0-3300 ipm
Chuck capacity	1/4" 6,35 mm
Weight	1110 gr.

Hexagonal chuck 6.35 mm. LED light.

Standard equipment:

18V 2.0Ah battery / charger / belt hook / plastic case

Code	Ref.		EAN
5116092	DS5254	18V 2.0Ah	4 5602482052543

IMPACT DRILLER - 18V 2.0Ah



CORDLESS

Features	
Voltage	12V
Battery	Li-Ion 1.5 Ah
Clutch positions	19+1
No load speed	0-350 / 0-1.200 rpm
Maximum torque	30 Nm
Weight	760 gramas

Robust and durable plastic housing. Quick-exchange bushing 10 mm. LED work light. Luminous indication of battery charge..

Drilling capacity: Wood: 20 mm / Metal: 8 mm

Standard equipment:

Battery 12V 1.5Ah / charger / 6 HSS drills / 6 spikes / magnetic spike holder / plastic ase

Code	Ref.		EAN
5116089	DS5255	12V - 1,5 Ah	4 5602482052550

DRILL 18V 2.0Ah



BRUSHLESS
CORDLESS

Features	
Voltage	18V
Battery	Li-Ion 2 Ah
Clutch positions	19 + 1
No load speed	1: 0-500 rpm 2: 0-1800rpm
Maximum torque	60 Nm
Weight	1250 gr.

Brushless motor that offers more power and autonomy. 19 torque positions for more control when screwdriving. Integrated LED light.

Drilling capacity

Wood: 40 mm / Metal: 13 mm

Standard equipment

18V 2.0Ah battery / Charger / Belt hook / Plastic case

Code	Ref.		EAN
5116096	DS5256	18V - 2.0 Ah	5602482052567

COMPACT SDS ROTARY HAMMER - 18V 4.0Ah



BRUSHLESS
CORDLESS

Features	
Voltage	18V
Battery	Li-Ion 4.0 Ah
Hammer power	1.7 J
SDS holder and 10mm plastic chuck	
No load speed	0-1400rpm
Impact rate	0-4500 ipm
Weight	2020 gr.

Brushless motor that provides greater power and autonomy. Push-button with 4 modes: drilling, tapping and chiselling, electronic speed regulation, LED light. SDS+ adaptor with quick-release plug.

Drilling capacity: Wood: 28 mm / Metal: 13 mm / Concrete: 22 mm

Standard equipment:

18V 4.0Ah battery / Charger / Side handle / Plastic case

Code	Ref.		EAN
5116100	DS5258	18V - 4.0 Ah	5602482052581

ORBITAL SANDER - 18V 2.0Ah



Features

Voltage	18V
Battery	Li-Ion 2.0 Ah
No load speed	10000 opm
Pad size	125 mm
Weight	1020 gr.

Compact design for greater control and convenience. Quick Velcro fastening of the sheets. Bag for dust extraction. Output for connection to hoovers.

Standard equipment:

18 V 2.0Ah battery / Charger / Plastic case

CORDLESS

Code	Ref.			EAN
5116099	DS5257	18V - 2.0 Ah	4	5602482052574

ANGLE GRINDER 125 MM - 18V 4.0Ah



Features

Voltage	18V
Battery	Li-Ion 4.0 Ah
No load speed	8500 rpm
Ø disc	125 mm
Spindler thread	M14
Weight	1535 gr.

High performance motor offering up to 8500 rpm. Ergonomic and compact design. Trigger lock for greater safety. 3-position side handle for greater control and comfort

Standard equipment:

18 V 2.0Ah battery / Wrench / Charger / 1 disc / Plastic case

BRUSHLESS
CORDLESS

Code	Ref.			EAN
5116108	DS5265	18V - 4.0 Ah	4	5602482052659

MULTI-FUNCTION TOOL - 18V 2.0Ah

MULTI-FUNCTION TOOLS
KIT 5 IN 1**18V**
Li-Ion 2.0Ah

CORDLESS

Code	Ref.		EAN
5116107	DS5264	5 in 1 18V - 2.0Ah	5602482052642
5116106	DS5422D	body (665 gramas)	5602482054226
5116101	DS5259D	drill head	5602482052598
5116102	DS5260D	multi function head	5602482052604
5116103	DS5261D	circular saw head	5602482052611
5116104	DS5262D	jig saw head	5602482052628
5116105	DS5263D	router head	5602482052635



Drill head	DS5259D
No load speed	0-350/1200 rpm
Impact power	0-18000 ipm
Max. torque	28 Nm



Multi function head	DS5260D
No load speed	16.000 rpm
Gears	2 mechanic



Circular saw head	DS5261D
No load speed	0-4.000 rpm
Disc	Ø85x15mm 20T



Jig saw head	DS5262D
No load speed	0-2.200 cpm
Stroke length	15 mm



Router head	DS5263D
No load speed	6.000 rpm
Milling cutter	6.35 mm

CIRCULAR SAW - 18v 4.0Ah


Features	
Voltage	18V
Battery	Li-Ion 4.0 Ah
No load speed	0-3650 rpm
Disc	Ø 185x16 mm
Max. cutting 90°	50 mm
Max. cutting 45°	35 mm
Bevel capacity	45°
Weight	2620 gr.

Saw with electronic brake with disc stop for greater safety. LED light to illuminate the cutting line. Output for Hoover connection. Keyless cutting depth adjustment. Maximum cutting capacity up to 65mm.

Standard equipment:
18 V 4.0Ah battery / Charger / Cutting disc / Plastic case.

BRUSHLESS
CORDLESS

REKORD

Code	Ref.			EAN
5116109	DS5266	18V - 4.0Ah	2	5602482052666
5118780	DS5623-24T	185x16x2,4 mm/24T	DISCO	5602482056237

JIG SAW - 18V 2.0Ah


Features	
Voltage	18V
Battery	Li-Ion 2.0 Ah
No load speed	0-3000 cpm
Stroke length	25 mm
Bevel capacity	45°
Weight	1820 gr.

Pendulum action with 3 pendulum settings for cutting various materials and applications. Variable speed. Tool-free blade change for greater speed and convenience. Bevel capacity up to 45° for angled cuts

Cutting capacity: Wood: 80 mm / Metal: 8 mm
Standard equipment:
18 V 2.0Ah battery / Charger / 2 saws / Wrench / Plastic case

BRUSHLESS
CORDLESS

Code	Ref.			EAN
5116110	DS5267	18V - 2.0Ah	4	5602482052673

LI-ION BATTERY - 12V 1.5 Ah

Lithium-ion technology provides optimum performance and uptime. No memory effect and virtually no automatic downloading. Maximum productivity and less downtime.

Code	Ref.			EAN
5116093	DS5268	carga: 60 min. 175 gr.	1	5602482052680

CHARGER 12V - 2.4A

Charges 12V Li-ion batteries with capacities of 1.5Ah. LED indicators of the charging process.

Code	Ref.			EAN
5116097	DS5271	12V - 2.4A	1	5602482052710

LI-ION BATTERY - 18V 2.0 Ah

Lithium-ion technology provides optimum performance and uptime. No memory effect and virtually no automatic downloading. Maximum productivity and less downtime.

Code	Ref.			EAN
5116094	DS5269	carga: 45 min. 400 gr.	1	5602482052697

LI-ION BATTERY - 18V

Lithium-ion technology provides optimum performance and uptime. No memory effect and virtually no automatic downloading. Maximum productivity and less downtime.

Código	Ref.			EAN
5116095	DS5270	4.0 Ah carga: 90 min.	1	5602482052703
5116407	DS5819	5.0 Ah carga: 120 min.	1	5602482058194

CHARGER 18V

Charges 18V Li-ion batteries with capacities of 2.0Ah and 4.0Ah. LED indicators of the charging process.

Código	Ref.			EAN
5116098	DS5272	2.4A	1	5602482052727
5116408	DS5820	3.5A RÁPIDO	1	5602482058200

DRILL 450W



Features	
Rated power	450W
No-load speed	0-3.200 rpm
Drill capacity	8 - 10 mm
Voltage	220V - 50Hz
Weight	1.300 kgs.

Drill capacity:
Wood: 20 mm / Metal: 10 mm

Code	Ref.			EAN
5116025	DS5281	450W	10	5602482052819

IMPACT DRILL 850W | 1 SPEED



Features	
Rated power	850W
No-load speed	0-2.800 rpm
Voltage	220V - 50Hz
Weight	2.500 kgs.

Drill capacity:
Wood: 20 mm / Metal: 10 mm / Concrete: 13 mm
Standard equipment:
Auxiliary handle

Code	Ref.			EAN
5114912	DS5116	850W	5	5602482051164

IMPACT DRILL 850W | 1 SPEED



Features	
Rated power	1050W
No-load speed	0-1.200 / 0-3.000 rpm
Voltage	220V - 50Hz
Weight	4.0 kgs.

Drill capacity:
Wood: 40 mm / Metal: 13 mm / Concrete: 16 mm
Standard equipment:
Auxiliary handle / Depth stop

Code	Ref.			EAN
5114913	DS5117	1.050W	5	5602482051171

ROTARY HAMMER SDS-PLUS 800W - 2.5 JOULES



Features

Rated power	800W
No-load speed	0-1050 rpm
Impact joules	2.5 Joules
Max. impact rates	5.200 ipm
Chuck	SDS PLUS
Weight	2.3 kg

Drilling capacity:

Wood: 30 mm / Metal: 13 mm / Concrete: 16 mm

Standard equipment:

Auxiliary handle / depth stop / 3 drills / 1 pointer / 1 chisel / plastic case



Code

5116085

Ref.

DS5289

800W



EAN

5602482052895

ROTARY HAMMER SDS-PLUS 1.300W - 5.5 JOULES



Features

Rated power	1.300W
No-load speed	0-850 rpm
Impact joules	5.5 Joules
Max. impact rates	4.200 ipm
Chuck	SDS PLUS
Weight	4.9 kg

Drilling capacity:

Wood: 40 mm / Metal: 13 mm / Concrete: 32 mm

Standard equipment:

Auxiliary handle / depth stop / 3 drills / 1 pointer / 1 chisel / plastic case



Code

5116084

Ref.

DS5290

1.300W



EAN

2 5602482052901

ROTARY HAMMER SDS-MAX 1.600W - 9 JOULES



Features

Rated power	1.600W
No-load speed	0-560 rpm
Impact joules	9 Joules
Max. impact rates	3.600 ipm
Chuck	SDS MAX
Weight	10 kg

Suitable for large drills, deep hole drilling or damage operations.

- Ergonomic handle.
- Unique 12 position chisel locking rotation system.
- High torque motor with dustproof design.

Drilling capacity:

Concrete: 40 mm

Standard equipment:

Auxiliary handle / 1 pointer / 1 drill / 1 tube of grease / plastic case



Code	Ref.			EAN
5117619	DS5625	1.600W	2	5602482056251

ROTARY HAMMER SDS-MAX 1.600W - 25 JOULES



Features

Rated power	1.600W
No-load speed	175-350 rpm
Impact joules	25 Joules
Max. impact rates	2.350 ipm
Chuck	SDS MAX
Weight	11.5 kg

Adequado para grandes brocas, furos profundos ou operações de danos. Sistema de rotação único de bloqueio do cinzel em 16 posições. Motor de alto torque: 6 modos de desaceleração para uma entrada de torque suave.

Capacidade de furação:

Betão: 50 mm


Standard equipment:

Auxiliary handle / 1 pointer / 1 drill / 1 tube of grease / plastic case



Code	Ref.			EAN
	DS5625	1.600W	1	5602482056268

DEMOLITION HAMMER SDS-MAX 1.300W - 15 JOULES



Features

Rated power	1.300 W
Impact joules	15 joules
No-load speed	3.900 ipm
Chuck	SDS MAX
Insulation class	II /
Weight	5.3 kg.


Ergonomic handle with locking switch, exclusive rotation system, swivelling auxiliary handle (360°), double anti-vibration frame.

Standard equipment:
Auxiliary handle / 1 pointer / 1 cinzel / 1 tube grease / plastic case



Code	Ref.		EAN
5116086	DS5291	1.300W	2 5602482052918

DEMOLITION HAMMER SDS-MAX 1.700W - 45 JOULES



Features

Rated power	1.700 W
Impact joules	45 joules
No-load speed	2.2000 ipm
Chuck	SDS MAX
Insulation class	II /
Weight	11 kg.

Variable speed switch, swivelling auxiliary handle (360°), double anti-vibration frame.

Standard equipment:
Auxiliary handle / 1 pointer / 1 cinzel / 1 tube grease / plastic case



Code	Ref.		EAN
5116087	DS5292	1.700W	1 5602482052925

DETAIL SANDER 75W



Features	
Rated power	75W
No-load speed	11.000 rpm
Sanding pad size	113x93 mm
Sound pressure level	58 dB (A)
Vibrations	3.15 m/s ²
Weight	750 gr.

Code	Ref.			EAN
5115000	DS5179	75 watt	8	5602482051799

RANDOM ORBITAL SANDER 75W



Features	
Rated power	350W
No-load speed	13.000 rpm
Platten size	Ø 125 mm
N° of speed	5
Weight	1.7 kg.

Code	Ref.			EAN
5114999	DS5180	350 watt	4	5602482051805

LIXADORA VIBRATÓRIA - 150W



Features	
Rated power	150W
No-load speed	12.000 rpm
Platten size	90 x 187 mm
Weight	1.5 kg

Code	Ref.			EAN
5114998	DS181	150 watt	4	5602482051812

DRYWALL SANDER 820W



Features

Rated power	820W
Sandpaper diameter	225 mm
Long (with extension tube)	1,10 - 1.65 met.
No load speed	600-1.1800 rpm
LED light	10W (360°C)
Weight	4,000 kgs.

Ergonomic design with extendable arm up to 1.65 metres long to reach high areas. The switch protected against dust. Precise finishes thanks to the 360° LED light ring that shows surface irregularity. Soft start for greater control.

Standard equipment:

Dust extractor adapter /tube / sanding discs / plastic case.

Code	Ref.		EAN
5116136	DS5288	820 Watt	5602482052888

DRYWALL SANDER 750W



Features

Rated power	750W
Sandpaper diameter	180 mm
No load speed	1500-2700 rpm
LED light	10W (360°C)
Weight	2,400 kgs.

Ergonomic design with soft grip provides comfortable operation. Self-suction, with dust extraction system, no Hoover is needed, making the whole sanding operation extremely convenient. Sanding pad cover is adjustable. LED lighting of the sanding area

Standard equipment:

Dust extraction adapter /tube / sanding discs / plastic case

Code	Ref.		EAN
5116135	DS5287	750 Watt	5602482052871

ELECTRIC MIXER



Características		
Code	DS5282	DS5283
Rated power	1.200W	1.600W
No-load speed		
1ª velocidade	0~680 rpm	140~460 rpm
2ª velocidade		300~750 rpm
Mixture volume	80 litros	120 litros
Mixing padle	M14xØ120 mm	M14xØ140 mm
Weight (whit padle)	2,800 kgs.	3,550 kgs.

Electronic speed regulation, silent start, switch lock in ON position, whisk with M14 connection.

DS5282 - supplied in a cardboard box + 1 metallic beater

DS5283 - supplied in a plastic case + 1 metallic beater

Code	Ref.		EAN
5116133	DS5282	1200 Watt	5602482052826
5116134	DS5283	1600 Watt	5602482052833

MULTI TOOL 300W



Características	
Rated power	300W
No-load speed	15.000-22.000 rpm
Oscillation angle	3°
Weight	kgs.

Variable speed for different applications. Soft handle for better working and power indicator. Supplied with different accessories for sanding, cutting and sawing.



Code	Ref.		EAN
5116139	DS5284	300 Watt	5602482052840

HEAT GUN 2000W



Características

Rated power	2000W
Air flow	I: 300 lit./min. II: 500 lit./min
Temperature	I: 450°C II: 600°C
Peso	690 grs.

2000W heat gun with double protection to prolong the life of the gun.

Code	Ref.		EAN
5116141	DS5182	2000 Watt	5602482051829



HEAT GUN 2000W



Características

Rated power	2000W
Air flow	250/500 lit./min.
Temperature	I: 50°C II: 50-450°C III: 50-600°C
Peso	850 grs.

Semi professional heat gun with variable temperature and air flow regulator for continuous use. Double protection to prolong the life of the gun. Ergonomic handle with rubber cover for maximum comfort.



Code	Ref.		EAN
5116142	DS5183	2000 Watt	5602482051836



PLANER | 750W



Features

Rated power	1.050W
No-load speed	16.000 rpm
Cutting depth	0 - 3 mm
Size	82 mm
Chip thickness	0 - 3 mm
Weight	4.600 kgs.

1050W electric planer for optimum material removal. Depth control for more precise adjustment of cutting depth. Different bevel sizes through slots milled into the machine base

Code	Ref.			EAN
5114916	DS5118	82 mm 1.050W	4	5602482051188

ELECTRIC POLISHER 1200W - 180 MM



Características

Rated power	1200W
No-load speed	0-600/3.300 rpm
Pad size	150/180/230 mm
Spindle thread	M14
Weight	3,000 kg

Speed selector that allows the user to change the speed to perfectly suit the specific applications. Spindle lock for easy removal of the polishing nozzle.

Code	Ref.			EAN
5116137	DS5286	disco 180 mm		5602482052864

ELECTRONIC SOCKET WELDER 1500W



Características

Rated power	1500W
Temperature	0C° - 300°C
Heating spigots	Ø 20, 25, 32, 40,50, 63 mm
Weight	950 grs.

Electronic socket welder with temperature controller for plastic pipes and fittings designed to weld PE, PP, PB and PVDF pipes and fittings, both in the workshop and on site. Supplied with a metallic case for transport and storage.

Code	Ref.			EAN
5116138	DS5285	850 Watt		5602482052857

ANGLE GRINDER 750W | 115 MM



Features

Rated power	750W
No-load speed	11.000 rpm
Diameter	115 mm
Spindle thread	M14
Weight	2.200 kgs

Powerful 750W motor, provides up to 11,000 rpm. Three position side handle for additional control and safety. Restart protection. Quick and easy guard adjustment

Code

Ref.



EAN

5114909

DS5119

115 mm | 750W

6

5602482051195

ANGLE GRINDER 950W | 125 MM



Features

Rated power	950W
No-load speed	12.000 rpm
Diameter	125 mm
Spindle thread	M14
Weight	2.800 kgs.

Powerful 950W motor, provides up to 12,000 rpm. Three position side handle for additional control and safety. Restart protection. Quick and easy guard adjustment

Code

Ref.



EAN

5114910

DS5120

125 mm | 850W

6

5602482051201

ANGLE GRINDER 2350W | 230 MM



Features

Rated power	2.350W
No-load speed	6.300 rpm
Diameter	230 mm
Spindle thread	M14
Weight	6.400 kgs.

Powerful 2,350W motor delivers up to 6,300 rpm. Three position side handle for additional control and safety. Quick and easy disc replacement. Soft start.

Code

Ref.



EAN

5114949

DS5121

230 mm | 2.350W

2

5602482051218

CIRCULAR SAW | 1400W



Features	
Rated power	1.400W
No-load speed	5.500 rpm
Max cutting capacity 90°	65 mm
Max cutting capacity 45°	45 mm
Blade diameter	185 mm
Adjustable base plate	0-45°
Weight	5.000 kgs

1.400 W motor. Secondary handle for more comfortable, safe and precise use. Dust extraction enables easy vac attachment. Dust extraction enables easy vac attachment . Laser cutting guide.

Code	Ref.		2	5602482051225
5114917	DS5122	disco 185 mm		

SCIRCULAR SAW | 2000W

NEW



Features	
Rated power	2.000W
No-load speed	4.500 rpm
Max cutting capacity 90°	85 mm
Max cutting capacity 45°	56 mm
Blade diameter	235 mm
HOLE DIAMETRE	30 mm
Adjustable base plate	0-45°
Weight	5.000 kgs

Powerful 2000W, high efficiency motor delivers up to 4,500 rpm for demanding cuts. Bevel cutting up to 45° with keyless adjustment for angled cuts. Outlet for hoover connection. Cutting depth up to 85mm.

Code	Ref.			5602482057333
5116413	DS5733KC	disc 235x30 mm		

JIGSAW 710W



Features	
Rated power	710W
No-load speed	800 - 3.100 rpm
Stoke	19 mm
Bevel capacity	45°
Weight	2.400 kgs.

710W jigsaw with 4 cutting positions. Replacement of saw blades without tools. Adjustable pendulum action that gives greater cutting capacity and longer life for the saws. Adjustable base for bevel cutting.

Capacidade de corte:

Wood: 65 mm / Metal: 6 mm / Aluminum: 12 mm

Code	Ref.		EAN
5114914	DS5123	710W	5602482051232

JIG SAW 750W



Features	
Rated power	750W
No-load speed	1.000 - 3.000 rpm
Stoke	22 mm
Bevel capacity	45°
Weight	2.900 kgs.

750W jigsaw with 4 cutting positions. Replacement of saw blades without tools. Adjustable pendulum action that gives greater cutting capacity and longer life for the saws. Adjustable base for bevel cutting.

Cutting capacity:

Wood: 80 mm / Metal: 6 mm / Aluminum: 12 mm

Code	Ref.		EAN
5114915	DS5124	750W	5602482051249

TABLE SAW | 2200W


Features	
Rated power	2200W
Height adjustment	a 45° - 50 mm
	a 90° - 83 mm
Ø Saw blade	315 mm
No Load Speed	2800 rpm
Height of bench	850 mm
Size of bench	800 x 550 mm
Size of extended bench	800 x 400 mm
Sound pressure level	83,0 dB (A)
Sound power level	98,7 dB (A)
Weight	44 kg

Code	Ref.		EAN
5115001	DS2409	2200 watt	5602482024090

TILE CUTTER


Características	
Rated input	800W - 230~50Hz
Máx cut	at 45° - 37 mm
	at 90° - 43 mm
Diamond blade size	230 x 25,5 mm
Cutting length	900 mm
No load speed	2950 rpm
Table size	850 mm
Table	1170 x 394 mm
Vibration level	3,4 m/s²
Sound pressure	LpA = 95 dB (A)
Sound power	LwA = 108 dB (A)
Weight	31 kg

Machine for cutting ceramic materials for amateur and professional use, for cutting tiles, brick, stone, marble, granite.

Code	Ref.		EAN
5116088	DS5278-TSW230	800 watt	5602482052789


ELECTRIC STAPLER/NAILER | 1050W



Features

Rated power	5 amp.
Rated firing speed	20 pc/min
Staples (T53)	6 a 14 mm
Nails (Type F)	15 mm
Weight	1.200 kgs.

ABS body with non-slip handle and metal rail. Works with type T53 staples and type F nails. Low profile actuator for ease of use. Safety button. Force selector, for working on various types of materials.



Code

Ref.



EAN

5116140

DS5184

5602482051843

DC INVERTAR MMA WELDER



Features		DS5434-160A	DS5435-180A
Voltage frequency	Volt 50-60Hz (AC)	1 Phx230	1 Phx230
Fuse	Amp.	13.1	13.1
Rated input power	kva	6.6	7.7
No-load voltage	Volt	65	65
Output current range	Amp.	10 - 140	5 - 160
Usable electrode	Ø mm	1,0 - 4,0	1,0 - 5,0
Duty cycle	%	20%	15%
Efficiency	%	85%	85%
Isolation class		F	
Protection class		IP21s	
Measurement	mm	360x230x320	
Weight	=Kg.	6.0	7.0

- IGBT technology, greatly improves the reliability of the machine.
- High duty cycle that increases welder efficiency and increases energy savings.
- Easy arc starting, low spatter.
- Stable welding current despite fluctuating input voltage.

Code

Ref.



EAN

5118837

DS5434-160A

160 Amp.

1

5602482054349

5118838

DS5435-180A

180 Amp.

1

5602482054356



MITER SAW | 1500W

NEW



Features

Rated power	1.500W - 230~50Hz
Height adjustment	a 45° - 35 mm
	a 90° - 70 mm
Ø Saw blade	216 x 30mm
No Load Speed	4500 rpm
Bevelled cut	0 - 45°
Sound pressure level	96,0 dB (A)
Sound power level	106 dB (A)
Weight	10 kg

Miter saw for cutting wood and similar materials, suitable for straight and curved cuts with miter angles up to 45°. up to 45°. Side mounted bevel control for quick and easy left or right bevel adjustments. Supplied with dust bag, cutting disc, spanner, wood clamp, extension bar.

Code	Ref.		EAN
5116440	DS5731ZP	1500 watt	1 5602482057319

TABLE SAW | 1800W

NEW





Features

Rated power	1.800W - 230~50Hz
Height adjustment	a 45° - 65 mm
	a 90° - 85 mm
Ø Saw blade	250 x 30 mm
Comprimento corte	900 mm
No Load Speed	5000 rpm
Size of bench	583 x 563 mm
Size of extended bench	583 x 165 mm
Bevelled cut	0 - 45°
Sound pressure level	LpA = 91 dB (A)
Sound power level	LwA = 104 dB (A)
Weight	22 kg

Table saw with 1800W power and maximum cutting capacity of 85mm. Handle to adjust the depth of cut. Suitable for cutting wood and similar materials and ideal for use on construction sites.


Code	Ref.		EAN
5116441	DS5732ZP	1800 watt	1 5602482057326

STAPLE (T53)



Code	Ref.		EAN
5116143	DS5185	6 mm (5000 unid.)	5602482051850
5116144	DS5186	8 mm (5000 unid.)	5602482051867
5116145	DS5187	10 mm (5000 unid.)	5602482051874
5116146	DS5188	12 mm (5000 unid.)	5602482051881

STAPLE (T53)



Code	Ref.		EAN
5116147	DS5189	15 mm (5000 unid.)	5602482051898

KEILESS HAND DRILL CHUCK



Code	Ref.		EAN
5116059	50100006	Ø 2-13 mm 1/2" x 20 UNF	5602482050556

HEATING SPIGOTS SOCKET WELDER



Code	Ref.		EAN
5118807		20 mm	5602482056657
5118808		25 mm	5602482056666
5118809		32 mm	5602482056671
5115510		40 mm	5602482056688
5118811		50 mm	5602482056698
5118812		63 mm	5602482056701

DISCO LIXA BRANCA COM VELCRO (8 HOLES)



For drywall sander SADY DS5287 (750watt)

Código	Ref.		EAN
5118864	DS5860-8F	Ø 180 mm Grit 80	5602482058606
5118857	DS5861-8F	Ø 180 mm Grit 100	5602482058613
5118858	DS5862-8F	Ø 180 mm Grit 120	5602482058620
5118859	DS5863-8F	Ø 180 mm Grit 150	5602482058637
5118860	DS5864-8F	Ø 180 mm Grit 180	5602482058644
5118870	DS5865-8F	Ø 180 mm Grit 220	5602482058651

DISCO LIXA BRANCA COM VELCRO (6 HOLES)



For drywall sander SADY DS5288 (820watt)

Código	Ref.	EAN
5118865	DS5866-8F	Ø 225 mm Grit 80
5118866	DS5867-8F	Ø 225 mm Grit 100
5118861	DS5868-8F	Ø 225 mm Grit 120
5118862	DS5869-8F	Ø 225 mm Grit 150
5118863	DS5870-8F	Ø 225 mm Grit 180
5118871	DS5871-8F	Ø 225 mm Grit 220

SANDING DISC FOR DRYWALL SANDER

Grit

60


80

120

150

180

240



For drywall sander SADY DS5288 (820watt)

Code	Ref.	EAN
5118814	Ø 230 mm 6 pcs	5602482056640

TRIANGLE SANDING PAPER




For oscillating multitool SADY DS5284 (300watt)

Code	Ref.	EAN
5118813	Grit 60	5602482056526
5118818	Grit 80	5602482056633

TRIANGLE SANDING PAPER | DETAIL SANDER

Triangular sandpaper



Finger sanding

Code	Ref.	EAN
5118842	DS5608 Grit 60	5602482056084
5118843	DS5609 Grit 80	5602482056091
5118844	DS5610 Grit 120	5602482056107
5118841	DS5611 Grit 80 finger sanding	5602482056114

JIG SAW BLADES | FOR WOOD



DS5616F (DOWN CUT)



Compatible with machines

SADY

BOSCH | AEG | MAKITA
BLACK & DECKER
HITACHI | DEWALT
POWER BASE | RYOBI
METABO | McKELLER
STANLEY FATMAX

Carbon steel (HSC) T-shank saws for use on soft materials such as wood, pressed wood and plastics.

NEW

Code	Ref.			EAN
5115030	DS5612G	75 x 8 x 1,2 mm corte: 30-45 mm nº dentes pol.: 6	5	5602482056121
5115031	DS5613F	75 x 8 x 1,2 mm corte: 30-45 mm nº dentes pol.: 6	5	5602482056138
5115032	DS5614M	75 x 8 x 1,2 mm corte: 30-45 mm nº dentes pol.: 8	5	5602482056145
5115033	DS5615F	75 x 8 x 1,45 mm corte: 6-30 mm nº dentes pol.: 10 corte frontal	5	5602482056152
5115034	DS5616F	75 x 8 x 1,45 mm corte: 6-30 mm nº dentes pol.: 10	5	5602482056169
5115035	DS5617G	100 x 8 x 1,2 mm corte: 45-60 mm nº dentes pol.: 6	5	5602482056176

JIG SAW BLADES | FOR METAL



High speed steel (HSS) saws are suitable for working with harder materials, such as metal, copper, aluminium and other non-ferrous metals. The qualities of HSS mean that they are generally stronger and have greater abrasive resistance by cutting faster and have a longer life.

Code	Ref.			EAN
5115036	DS5618G	50 x 8 x 1,0 mm corte: 2,5-6,0 mm nº dentes pol.: 12	5	5602482056183
5115037	DS5619F	50 x 8 x 1,2 mm corte: 1,0-3,0 mm nº dentes pol.: 21	5	5602482056190
5115037	DS5620F	75 x 9,5 x 1,0 mm corte: 1,5-2,0 mm nº dentes pol.: 10-21	5	5602482056206



HIGH PRESSURE CLEANER - AQUA 140


Features	
Pressure	95 bar
Operat. pressure/max	140 bar
Delivery rate	360 lit./hora
Absorbed power	2000 W
Max. pressure input	10 bar
Min. pressure input	1,5 bar
Washing level	+ 60-80 m ²
Max. water inlet temperature	40°C
Sound pressure level (LwA)	90 dB
Weight	13,5 kg

AQUA is a mini range studied for the most demanding customers. Compact and easy to move like entry level products, they hide two powerful induction motors (from 2000 to 2200 Watt) suitable for frequent use and tough cleaning tasks.


brushless

Code	Ref.		EAN
5116022	AQUA 140 140 bar	1	5602482051126

HIGH PRESSURE CLEANER - AQUA 160 PLUS


Features	
Pressure	110 bar
Operat. pressure/max	160 bar
Delivery rate	390 lit./hora
Absorbed power	2200 W
Max. pressure input	10 bar
Min. pressure input	1,5 bar
Washing level	+ >100 m ²
Max. water inlet temperature	40°C
Sound pressure level (LwA)	90 dB
Weight	14,5 kg

AQUA is a mini range studied for the most demanding customers. Compact and easy to move like entry level products, they hide two powerful induction motors (from 2000 to 2200 Watt) suitable for frequent use and tough cleaning tasks..


brushless

Code	Ref.		EAN
5116023	AQUA 160 160 bar	1	5602482051133

HIGH PRESSURE CLEANER - AQUA 200 EXTREME



Features

Pressure	150 bar
Operat. pressure/max	200 bar
Delivery rate	300 lit./hora
Absorbed power	2300 W
Max. pressure input	10 bar
Min. pressure input	1,5 bar
Washing level	+ >100 m ²
Max. water inlet temperature	40°C
Sound pressure level (LwA)	90 dB
Weight	14,5 kg

AQUA is a mini range studied for the most demanding customers. Compact and easy to move like entry level products, they hide two powerful induction motors (from 2000 to 2200 Watt) suitable for frequent use and tough cleaning tasks..



brushless

Code	Ref.		EAN
5116024	AQUA 200 200 bar	1	5602482051140

ASPIRADOR DE CINZAS




Features

Absorbed power	máx. 1000 W
Column depression	16 kPa
Delivery rate	30 lit./seg.
Tank capacity	18 litros
Sound pressure level (LwA)	80dB
Weight	3 kg

- Material: Metal
 - Suction tube diameter: 32mm
 - Washable HEPA filter
 - Blower function
- Caution not to suck hot ashes, glowing embers and liquids

Code	Ref.		EAN
5116202	DS5735-BL 1000 W	1	5602482057357

S6.002.0322	LANCE		
Image	Code	Cód. EAN	For machines
	5114996	5602482054233	AQUA 200

S6.002.0361	LANCE		
Image	Code	Cód. EAN	For machines
	5114991	5602482054240	AQUA 140 AQUA 160

S4.018.0095	8m HIGH PRESSURE HOSE		
Image	Code	Cód. EAN	For machines
	5114992	5602482054257	AQUA 140

S4.018.0102	8m HIGH PRESSURE HOSE		
Image	Code	Cód. EAN	For machines
	511493	5602482054264	AQUA 160

S4.018.0138	8m HIGH PRESSURE HOSE		
Image	Code	Cód. EAN	For machines
	5114995	5602482054271	AQUA 200

S6.001.0116	GUN M22		
Image	Code	Cód. EAN	For machines
	5114994	5602482054288	AQUA 200

S6.001.0076	GUN		
Image	Code	Cód. EAN	For machines
	5114990	5602482054295	AQUA 140 AQUA 160

S6.002.0637	HIGH PRESSURE NOZZLE		
Image	Code	Cód. EAN	For machines
	3005455		AQUA 140 AQUA 160

S6.002.0346	HIGH PRESSURE ROTOX NOZZLE		
Image	Code	Cód. EAN	For machines
	3005454		AQUA 140 AQUA 160

S3.714.0019	HIGH PRESSURE ROTOX NOZZLE		
Image	Code	Cód. EAN	For machines
	3005457		AQUA 200

S3.005.5452	KIT NOZZLE		
Image	Code	Cód. EAN	For machines
	3005452		AQUA 200



SILENT AIR COMPRESSOR | 6 liters



Features	DS5250-OLF06
Power	1 HP
Tank volume	6 lit.
Voltage/Frequency	230 V-50Hz
Speed	1.4500 rpm
Suction rate	128 lit./min.
Operating pressure	8 bar
Máx. pressure	12 bar
Sound power level	≤ 78 dB
Protection type	IP20
Weight	15 kgs

High-quality and oil-free unit with engine protection and tarnish relief. Portable: easy transport, and the vibration-damping base ensures quiet work.

Code	Ref.		EAN
5116031	DS5250-OLF06	1,5HP 6 lit.	5602482052505

SILENT AIR COMPRESSOR | 6 liters



Features	DS5251-OLF24	DS5252-OLF50
Power	1 HP	1 HP
Tank volume	24 lit.	50 lit.
Voltage/Frequency	230 V-50Hz	230 V-50Hz
Speed	1.4500 rpm	1.4500 rpm
Suction rate	128 lit./min.	128 lit./min.
Operating pressure	8 bar	8 bar
Máx. pressure	12 bar	12 bar
Sound power level	≤ 78 dB	≤ 78 dB
Protection type	IP20	IP20
Weight	21 kgs	28 kgs

High-quality and oil-free unit with engine protection and tarnish relief. Variable: the whisper compressor is suitable for clamping devices, silicone. spot repair, painting work as well as for filling car and bicycle tires and balls.

Code	Ref.		EAN
5116032	DS5251-OLF24	1,5 HP 24 lit.	5602482052512
5116033	DS5252-OLF50	1,5 HP 50 lit.	5602482052522

OIL-LUBRICATED AIR COMPRESSOR | 6 liters



Features	DS5245-EZ06
Power	1,5 HP
Tank volume	6 litros
Absorbed power	1.100W
Voltage/Frequency	230 V-50Hz
Speed	2.850 rpm
Suction rate	165 lit./min.
Operating pressure	8 bar
Máx. pressure	12 bar
Ø piston	Ø 48 mm
Sound power level	≤ 97 dB
Protection type	IP20
Weight	15 kgs

Oil lubricated pump for reliable performance. Max. Pressure: 12 bar.
Motor thermal protection

Code	Ref.		EAN
5116026	DS5245-EZ06	1,5HP 6 litros	5602482052451

OIL-LUBRICATED AIR COMPRESSOR | 24/50 liters



Features	DS5246-EZ25	DS5247-EZ50
Power	1,5 HP	1,5 HP
Tank volume	24 lit.	50 lit.
Absorbed power	1.100W	1.100W
Voltage/Frequency	230 V-50Hz	
Speed	2.850 rpm	
Suction rate	165 lit./min.	165 lit./min.
Operating pressure	8 bar	8 bar
Máx. pressure	12 bar	12 bar
Ø piston	Ø 48 mm	Ø 48 mm
Sound power level	IP20	
Protection type	21 kgs.	27 kgs

Oil lubricated pump for reliable performance. Max. Pressure: 12 bar.
Motor thermal protection

Code	Ref.		EAN
5116027	DS5246-EZ25	1,5 HP 24 lit.	5602482052468
5116028	DS5247-EZ50	1,5 HP 50 lit.	5602482052475

BELT DRIVEN AIR COMPRESSOR | 90 liters


Features	DS5248-EZ100
Power	2 HP
Tank volume	90 litros
Absorbed power	3.000W
Voltage/Frequency	230 V-50Hz
Speed	920 rpm
Suction rate	354 lit./min.
Operating pressure	10 bar
Máx. pressure	15 bar
Ø piston	Ø 65 mm (x2)
Sound power level	≤ 97 dB
Protection type	IP20
Weight	67 kgs

Oil-free belt driven ensures low maintenance and reliable performance. Max. Pressure: 10 bar. V-Twin unit with 3000W motor

Code	Ref.		EAN
5116029	DS5248-EZ100	2HP 90 lit.	1 5602482052482

BELT DRIVEN AIR COMPRESSOR | 90 liters


Features	DS5249-EZ200
Power	3 HP
Tank volume	200 litros
Absorbed power	3.000W
Voltage/Frequency	230 V-50Hz
Speed	2.850 rpm
Suction rate	354 litros/min.
Operating pressure	10 bar
Máx. pressure	15 bar
Ø piston	Ø 65 mm (x2)
Sound power level	≤ 97 dB
Protection type	IP20
Weight	105 kgs

Oil-free belt driven ensures low maintenance and reliable performance. Max. Pressure: 10 bar. V-Twin unit with 3000W motor

Code	Ref.		EAN
5116030	DS5249-EZ200	3 HP 200 litros	1 5602482052499

BENCH GRINDER

Features	DG3212F	DG3215F	DS3220F
Supply	230V~50 Hz	230V~50 Hz	230V~50 Hz
Size	125 mm	150 mm	200 mm
Power	150W	250W	370W
Motor	0,2 HP	0,33 HP	0,5 HP
Revolutions	S ₂ 30 min./2.950 min. ⁻¹	S ₂ 30 min./2.950 min. ⁻¹	S ₂ 30 min./2.950 min. ⁻¹
Speed	19,3 m/sec	23,5 m/sec	30,9 m/sec
Grinding wheels	125 x 16 x 12,7 mm	150 x 20 x 12,7 mm	200 x 20 x 16 mm
Weight	5,00 kg	7,500 kg	10,500 kg



Code	Ref.			EAN
5106639	DG3212F	125 mm 5"	1	5602482003985
5106640	DG3215F	150 mm 6"	1	5602482010710
5106641	DG3220F	200 mm 8"	1	5602482010689


ELECTRIC HOIST



Features	DS0514 YT120/250	DS0759 YT200/400	DS0878 YT300/600
Supply	230V~50 Hz	230V~50 Hz	230V~50 Hz
Motor	500W	1.000W	1.050W
Chain	2,4 A	4,35 A	4,6 A
Tensile strength	1.870 N/mm ²	1.870 N/mm ²	1.870 N/mm ²
Steel cable diameter	Ø 3 mm	Ø 4 mm	Ø 4,5 mm
Max. loading capacity			
- single line	125 kg	200 kg	300 kg
- double line	250 kg	400 kg	600 kg
Lifting speed			
- single line	8 m/min.	8 m/min.	8 m/min.
- double line	4 m/min.	4 m/min.	4 m/min.
Lifting height			
- single line	18 metres	18 metres	18 metres
- double line	9 metres	9 metres	9 metres
Weight	11,5 kgs	18 kg	19 kg

Code	Ref.			EAN
5108451	DS0514-YT125/250	125 250 kg	1	5602482005143
5108452	DS0759YT200/400	200 400 kg	1	5602482007598
5108453	DS0878-YT300/600	300 600 kg	1	560248208786

HOIST SUPPORT ARM



Features
Maximum load capacity
up to 750 mm - 600 kg
up to 1100 mm - 250 kg

Code	Ref.		Code	Ref.		Code	Ref.	Code	Ref.
5108454	HST250/1000		1	5602482021105					

STANDING PILLAR DRILL



Features

Motor power	1/3 CH
Drilling depth	0,8 - 13 mm
Chuck	13 mm
Shank diameter	40 mm
Spindle taper	JT33
Working speeds	(5) 620 - 2620 rpm
Table travel	203 mm
Distance spindle to column	129 mm
Spindle travel	50 mm
Column diameter	48 mm
Table size	165 x 164 mm
Base size	280 x 180 mm
Height	580 mm
Weight	19 kg

Standing pillar drill with 5 working speeds and 13 mm chuck. Perfect for DIY and small-scale works. Table with elevation and tilt adjustment from 0 to 45° on either side.

Code	Ref.			EAN
5108492	ZJ4113	13 mm single-phase	1	5602482024281

STANDING PILLAR DRILL



Features

Motor power	1/2CV
Drilling depth	3 - 16 mm
Chuck	16 mm
Shank diameter	55 mm
Spindle taper	MT2
Working speeds	(12) 180 - 2740 rpm
Table travel	330 mm
Distance spindle to column	130 mm
Spindle travel	80 mm
Column diameter	73 mm
Table size	254 x 254 mm
Base size	456 x 280 mm
Height	990 mm
Weight	55 kgs.

Professional standing pillar drill with 12 working speeds and 16 mm chuck. Perfect for workshops. Equipped with a 1 HP engine that gives it great efficiency for all types of work. Comes with a table with tilt adjustment on either side.

Code	Ref.			EAN
5108493		16 mm monofásica	1	5602482015968

CHUCK FOR PILLAR DRILL



Code	Ref.			EAN
5108497		16 mm		
5108498		20 mm		

SINGLE-PHASE GENERATOR 2.200W


Features	
AC maximum power	2.5 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	12 amp
Battery	Li-on 12V - 0,8Ah
Noise index @7m	68 dB (A)
Power factor	1.0
Motor	163 cc - 5.5 HP
Fuel tank capacity	15 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	710 x 460 x 460 mm
Weight	52,3 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114489	RD2910EX	2.200W	5602482048393

SINGLE-PHASE GENERATOR 2.800W


Features	
AC maximum power	2.8 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	13 amp
Battery	Li-on 12V - 0,8Ah
Noise index @7m	68 dB (A)
Power factor	1.0
Motor	196 cc - 6.5 HP
Fuel tank capacity	15 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	710 x 460 x 460 mm
Weight	57 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114485	RD3910EX	2.800W	5602482048409

SINGLE-PHASE GENERATOR 3.100W



Features

AC maximum power	3.1 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	14 amp
Battery	Li-on 12V - 1,6Ah
Noise index @7m	69 dB (A)
Power factor	1.0
Motor	270 cc - 9 HP
Fuel tank capacity	25 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	810 x 560 x 575 mm
Weight	79 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114486	RD5910EX 3.100W	1	5602482048416

SINGLE-PHASE GENERATOR 5.500W



Features

AC maximum power	5.5 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	25 amp
Battery	Li-on 12V - 1,6Ah
Noise index @7m	72 dB (A)
Power factor	1.0
Motor	389 cc - 13 HP
Fuel tank capacity	25 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	710 x 460 x 460 mm
Weight	94 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114487	RD7910EX 5.500W	1	5602482048423

SINGLE-PHASE GENERATOR 7.000W


Features	
AC maximum power	7.0 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	31 amp
Battery	Li-on 12V - 1,6Ah
Noise index @7m	72 dB (A)
Power factor	1.0
Motor	439 cc - 15 HP
Fuel tank capacity	25 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	810 x 560 x 575 mm
Weight	102 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114488	RD9910EX	7.000W	5602482048430

SINGLE-PHASE GENERATOR 8.300W


Features	
AC maximum power	8.3 kW
Output	±12 V - 8.3 amp
Voltage	220-240 volt / 50 Hz
Amperage	37 amp
Battery	Li-on 12V - 1,6Ah
Noise index @7m	72 dB (A)
Power factor	1.0
Motor	459 cc - 17 HP
Fuel tank capacity	25 litres
Fuel	unleaded petrol
Dimensions (LxWxH)	810 x 560 x 575 mm
Weight	108 kg

Generator with a 4-stroke engine, 1 cylinder. OHV, air-cooled. Recoil and electric start.

Code	Ref.		EAN
5114489	RD10910EX	8.000W	5602482048447

SINGLE-PHASE GENERATOR - DUAL FUEL



Features	RD3910EL	RD8910EL
AC maximum power	essence - 3.3 Kw	essence - 7.6 Kw
	gaz propane 2.6 KwA	gaz propane 7.0 KwA
Voltage	220-240 volt / 50 Hz	220-240 volt / 50 Hz
Amperage	11,3 A	26,5 A
Noise index @7m	71 dB (A)	89 dB (A)
Revolutions	3.000 rpm	3.000 rpm
Motor	208 cc -	439 cc - 15 HP
Petrol tank	23 litres	36 litres
Oil tank	0.6 litres	1,1 litres
Petrol consumption (25%; 50%; 75%)	0.8 l/h.- 1 l/h; 1.2 l/h	1,5 l/h; 2 l/h; 2,6 l/h
Gas consumption (25%; 50%; 75%)	0.5 k/h – 0.65 k/h; 0.8 k/h	0,91 k/h; 1,52 k/h; 1,84 k/h
Dimensions (LxWxH)	660 x 460 x 490	760 x 560 x 590 mm
Weight	54 kg	96 kg

Generator with an OHV air-cooled engine, 4-stroke, 1 cylinder.
Recoil and electric start.
Fuel: Petrol or propane gas

Code	Ref.		EAN
5114889	RD3910EL	3.300W 2.600W	5602482052802
5114604	RD8910EL	7.600W 7.000W	5602482048454

DIESEL GENERATOR 5.500W



Features	
AC maximum power	5.5 Kw
Output	±12 V - 8.3 A
Voltage	220-240 volt / 50 Hz
Noise index (LwA)	93 dB (A)
Power factor	1.0
Classe protection	IP23
RPM	3.000 rpm
Motor	456 cc
Start	eléctrico
Fuel tank capacity	13,5 litros
Oil tank capacity	1,65 litros
Fuel	gasóleo
Dimensions (LxWxH)	950 x 550 x 740 mm
Weight	148 kg

Silent generator with air-cooled 4-stroke diesel engine, electric start,
direct injection and current cut-off.
Use oil suitable for diesel engines

Code	Ref.		EAN
5114890	SDG7000SE	5.500W	5602482048461

SAFETY / PROTECTION



LEATHER GLOVES



EN 388
3143X

STANDARD: EN388

- Material: Cow leather.
- Highly pliable gloves.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511501	D14Y/4T 9"		12-120	5602482000865
5511464	D-14Y/4T 10"		12-120	5602482047709

LEATHER GLOVES



EN 388
3143X

STANDARD: EN388

- Material: Cow leather.
- For maintenance work and object handling.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511398	D14W/4T 8"		12-120	5602482046825
5501340	D14W/4T 9"		12-120	5602482037649
5504932	D14W/4T 10"		12-120	5602482004993

WORK GLOVES



STANDARD: EN420

- Material: Suede cowhide leather/ white cotton.
- Extra palm, forefinger and thumb protection.
- For maintenance work and object handling.
- Mechanical hazards resistant.

Code	Ref.			EAN
5500523	CS303R/W 10,5"		12-120	5602482021150

WELDING GLOVES



STANDARD: EN420

- Material: Suede cowhide leather.
- For welding applications and handling of hot components.
- Mechanical hazards resistant.

Code	Ref.			EAN
5500522	WC004/GRN 14"		 6-72	5602482021679

CANADIAN RIGGER GLOVES



STANDARD: EN420

- Material: Suede pig leather/ cotton.
- For loading and unloading goods, general tasks.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511133	88PBSA 10,5"		 12-120	5602482044913

HEAVY-DUTY WORK GLOVES



EN388 - EN420

- Material: Rubber / PVC / 13G Polyester.
- Rubber palm, padded fingers and PVC back.
- 13G polyester lining. Velcro wrist strap closure.
- To operate machines, construction work, ...

Code	Ref.			EAN
5511138	0390(X502) 9"		 12-60	5602482044920
5511139	0390(X502) 10"		 12-60	5602482044937

CUT RESISTANT GLOVES



STANDARD: EN420

- Material: Latex, cotton lining and wrist.
- Mechanical hazards resistant.

Code	Ref.			EAN
5500426	R181W 10,5"		12-120	5602482000650

LATEX PALM GLOVES



STANDARD: EN 388 - EN420

- Material: Granulated rubber, cotton lining and wrist.
- Top dexterity gloves, high grip.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511408	R281B 7"		12-120	5602482046795
5501284	R281B 8"		12-120	5602482031401
5511285	R281B 9"		12-120	5602482031418
5511409	R281B 10"		12-120	5602482046801

LATEX GLOVES



STANDARD: EN388

- Material: Latex, nylon lining and wrist.
- Top dexterity gloves, high grip.
- Mechanical hazards resistant.

Code	Ref.			EAN
5510912	R300 7"		12-120	5602482040946
5505056	R300 8"		12-120	5602482037656
5505057	R300 9"		12-120	5602482037663
5505058	R300 10"		12-120	5602482037670

NITRILE COATED GLOVES (GREY)



EN 388

 4121X

STANDARD: EN420

- Material: Nitrile, nylon lining and wrist.
- Top dexterity gloves, high grip.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511051	N119 6"		12-120	5602482044234
5501282	N119 7"		12-120	5602482031425
5501283	N119 8"		12-120	5602482031432
5504929	N119 9"		12-120	5602482003835
5504930	N119 10"		12-120	560248204149
5504931	N119 11"		12-120	5602482004887

NITRILE COATED GLOVES (FLUORESCENT YELLOW)



EN 388

 4121X

STANDARD: EN388 - EN420

- Material: Nitrile, nylon lining and wrist.
- Top dexterity gloves, high grip.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511134	N117 7"		12-120	5602482044876
5511135	N117 8"		12-120	5602482044883
5511136	N117 9"		12-120	5602482044890
5511137	N117 10"		12-120	5602482044906

PU COATED GLOVES | GREY



EN 388

 3131X

STANDARD: EN388/EN420

- Material: PU, nylon lining and wrist.
- These gloves are suited to work where a high level of dexterity is needed (electronics, ...) along with a good protection factor.
- Mechanical hazards resistant.

Code	Ref.			EAN
5511410	NL186 GRIS 7"		12-120	5602482046832
5511411	NL186 GRIS 8"		12-120	5602482046849
5511412	NL186 GRIS 9"		12-120	5602482046856
5511413	NL186 GRIS 10"		12-120	5602482046863

NITRILE COATED GLOVES (BLUE)



EN 388

4111X

STANDARD: EN388 - EN420

- Material: Nitrile, nylon lining and wrist.
- Top dexterity gloves, high grip.
- Mechanical hazards resistant.

Code	Ref.			EAN
5501015	N52 9"		12-120	5602482003620
5500637	N52 10"		12-120	5602482021662

PVC GLOVES (RED)



EN 388

4121X

STANDARD: EN388 - EN420

- Material: Red PVC.
- For protection against diluted detergent solutions, grease, oil, petrol, ...
- Suitable for cleaning jobs.

Code	Ref.			EAN
5500427	PV91-27 27 cm		12-120	5602482000889
5500428	1175 35 cm		12-60	5602482000872

LATEX GLOVES (BLACK)



STANDARD: EN420

- Material: Latex.
- Non-slip grooves on the palm and fingers.
- Waterproof.

Code	Ref.			EAN
5500812	R101 M		12-120	5602482010512
5500813	R101 L		12-120	5602482000858
5501814	R101 XL		12-120	

GARDENING GLOVES



- Material: 100% cotton.
- Non-slip coating on the palm and fingers.
- Elastic on the back.

Code	Ref.		EAN
5500521	2102	12-300	5602482011168

WELDING APRON



Code	Ref.		EAN
5112690	leather		5602482043268

WORK LINE

WORKING JACKET - GREY/ORANJE



Practical and versatile jacket made with soft fabrics. To be used in the most varied types of work.

Protective clothing against minor hazards only.

- Zip closure with protective fabric and velcro closure
- Velcro-adjustable cuffs
- Multiple pockets with flap and velcro closure.
- Washable
- Pre-shrunk

Fabric: 65% polyester, 35% cotton

Code	Ref.		EAN
5511541	WK300J M		5602482048270
5511542	WK300J L		5602482048287
5511543	WK300J XL		5602482048294
5511544	WK300J XXL		5602482048300

WORKING PANTS - GREY/ORANJE



Pants for the most varied purposes made with soft fabrics.

Protective clothing against minor hazards only.

- Button and zip
- Elastic waistband with button
- Left leg pocket with flap and velcro closure
- Two back pockets with flap and velcro closure.
- knee pads
- Washable
- Pre-shrunk

Fabric: 65% polyester, 35% cotton

Code	Ref.		EAN
5511545	WK300P M		5602482048317
5511546	WK300P L		5602482048324
5511547	WK300P XL		5602482048331
5511548	WK300P XXL		5602482048348

WORK LINE

WORKING BIB-PANTS - GREY/ORANJE



BIB-PANTS for the most varied purposes, made with soft fabrics.
Protective clothing against minor hazards only.

- Zipper
- Elastic waist and suspenders
- Multiple pockets
- Left leg pocket with flap and velcro closure
- Two back pockets with flap and velcro closure.
- knee pads
- Washable
- Pre-shrunk

Fabric: 65% poliéster, 35% cotton

Code	Ref.		EAN
5511549	WK300BP M		5602482048355
5511550	WK300BP L		5602482048362
5511551	WK300BP XL		5602482048379
5511552	WK300BP XXL		5602482048386

WORKING OVERALL - GREY/ORANJE



Overalls for the most varied types of work, made with soft fabrics.
Protective clothing against minor hazards only.

- Zip closure with fabric protection and velcro closure
- Elastic waist
- Multiple pockets
- Left leg pocket with flap and velcro closure
- Two back pockets with flap and velcro closure.
- Reflective band on chest and legs.
- Washable
- Pre-shrunk

Fabric: 65% poliéster, 35% cotton

Code	Ref.		EAN
5511537	WK400 M		5602482048232
5511538	WK400 L		5602482048249
5511539	WK400 XL		5602482048256
5511540	WK400 XXL		5602482048263

WORK LINE

WORKING VEST - GREY/ORANJE



Practical and versatile vest made with soft fabrics. To be used in the most varied types of work.

Protective clothing against minor hazards only.

- Front zip
- Multiple pockets with zip and velcro.
- Washable
- Pre-shrunk

Fabric: 65% poliéster, 35% cotton

Code	Ref.		EAN
5511533	BW1100	M	5602482048195
5511534	BW1100	L	5602482048201
5511535	BW1100	XL	5602482048218
5511536	BW1100	XXL	5602482048225

HIGHT VISIBILITY VEST - YELLOW



High visibility vest.

Protective clothing against minor hazards only.

- Adjustable Velcro opening
- 2 horizontal reflective bands

Fabric: 100% poliéster

Code	Ref.		EAN
5511516	PL600	XL	5602482048027

HIGH VISIBILITY LINE

HV T-SHIRT - YELLOW



High visibility T-Shirt in yellow color.
Protective clothing against minor hazards only.

- Black perforated fabric under the arms for
- 2 horizontal and one vertical reflective bands

Fabric: 100% poliéster

Code	Ref.		EAN
5511558	EZ61	S	
5511559	EZ61	M	
5511560	EZ61	L	
5511561	EZ61	XL	
5511562	EZ61	2XL	
5511563	EZ61	3XL	

HV T-SHIRT - ORANGE



High visibility T-Shirt in orange color.
Protective clothing against minor hazards only.

- Black perforated fabric under the arms for
- 2 horizontal and one vertical reflective bands

Fabric: 100% poliéster

Code	Ref.		EAN
5511564	EZ61	S	
5511565	EZ61	M	
5511566	EZ61	L	
5511567	EZ61	XL	
5511568	EZ61	2XL	
5511569	EZ61	3XL	

HIGH VISIBILITY LINE

HV PANTS - YELLOW



High visibility pants

Protective clothing against minor hazards only.

- Elastic waist
- Button and zip
- Rear zipped pocket
- Side pockets with flap and velcro closure and reflective tapes
- Washable
- Pre-shrunk

CE marking

EN ISO 20471:2013+A1:2016

Fabric: 65% poliéster, 35% cotton

Code	Ref.		EAN
5511529	PT500 M		5602482048157
5511530	PT500 L		5602482048164
5511531	PT500 XL		5602482048171
5511532	PT500 XXL		5602482048188

HV RAINCOAT - YELLOW



High visibility raincoat with PU coating.

Protective clothing against minor hazards only.

- Front zip, with protection and spring closure
- Concealed hood in collar
- Side pockets with flap and snap closure
- Cuffs with springs
- Waterproof
- Breathable
- Washable

CE marking

EN ISO 20471:2013+A1:2016

EN343:2003+A1:2007

Fabric: 100% PU

Code	Ref.		EAN
5511521	PY900 M		5602482048072
5511522	PY900 L		5602482048089
5511523	PY900 XL		5602482048096
5511524	PY900 XXL		5602482048102

HIGH VISIBILITY LINE

HV RAIN SUIT - YELLOW



- High visibility rain suit with PU coating.
Protective clothing against minor hazards only.
- Front zip with protection and spring closure
 - Concealed hood in collar
 - Jacket with reflective tapes, side pockets and cuffs with snaps
 - Pants with reflective tapes and adjustable leg snaps.
 - Waterproof
 - Breathable
 - Washable

CE marking
EN ISO 20471:2013+A1:2016
EN343:2003+A1:2007

Fabric: 100% PU

Code	Ref.		EAN
5511517	PY1000 M		5602482048034
5511518	PY1000 L		5602482048041
5511519	PY1000 XL		5602482048058
5511520	PY1000 XXL		5602482048065

HV PARKA - YELLOW



- High visibility parka.
Protective clothing against minor hazards only.
- Front zip with protection and spring closure
 - Concealed hood in collar
 - Elastic wrist
 - Side pockets with flaps and interior pocket with velcro closure
 - Waterproof • Breathable • Washable

CE marking
EN ISO 20471:2013+A1:2016
EN343:2003+A1:2007

Fabric: PU Oxford 300D
Lining: 100% nylon
Padding: 100% poliéster

Code	Ref.		EAN
5511525	NY700 M		5602482048119
5511526	NY700 L		5602482048126
5511527	NY700 XL		5602482048133
5511528	NY700 XXL		5602482048140

RAINCOAT (NYLON EXTRA)



Nylon raincoats with PVC induction, welded and watertight seams, waterproof and very resistant.
Attached hood, underarm vents, plastic wrists, zip and pockets.

Composition: 65% PVC /35% nylon
Length: 1,20 m

Code	Ref.			EAN
5501017	BLUE M	20		5602482025127
5501018	BLUE L	20		5602482013018
5501019	BLUE XL	20		5602482025134
5501020	BLUE XXL	20		5602482025141
5500806	GREEN M	20		5602482025158
5500807	GREEN L	20		5602482025165
5500808	GREEN XL	20		5602482025172
5500816	GREEN XXL	20		5602482025189

RAIN SUIT (NYLON EXTRA)



Nylon rain suits with PVC induction, welded and watertight seams, waterproof and very resistant.
Attached hood, underarm vents, plastic wrists, zip and pockets.

Composition: 65% PVC /35% nylon

Code	Ref.			EAN
5500670	BLUE M	20		5602482025196
5500671	BLUE L	 20		5602482013827
5500672	BLUE XL	20		5602482025202
5500673	BLUE XXL	20		5602482025219
5500805	GREEN M	20		5602482025226
5500809	GREEN L	20		5602482025233
5500810	GREEN XL	20		5602482025240
5500811	GREEN XXL	20		5602482025257

RAIN SUIT (PVC)



0,32 micron PVC rain suit. Waterproof and very resistant.
With an attached hood, vents, plastic wrists, zip and 2 pockets.

Composition: 78% PVC /22% polyester

Code	Ref.			EAN
5500678	YELLOW M	20		5602482012721
5500681	YELLOW XXL	20		5602482012745
5500682	GREEN M	20		5602482012950
5500683	GREEN L	20		5602482012943
5500684	GREEN XL	20		5602482012974
5500685	GREEN XXL	20		5602482013438

RAINCOAT (PU)



0,45 mm PU raincoats.
Attached hood, zip, welded seams, elastic wrists, spring pockets and back vents.

Composition: 20% PU, 50% PVC and 30% polyester
Length: 1,20 m

Code	Ref.			EAN
5511053	BLUE	M	20	5602482010533
5511054	BLUE	L	20	5602482044401
5511055	BLUE	XL	20	5602482044418
5511056	BLUE	XXL	20	5602482044425

RAIN SUIT (PU)



0,45 mm PU rain suits.
Attached hood, zip, welded seams, elastic wrists, spring pockets and back vents.

Composition: 20% PU, 50% PVC and 30% polyester

Code	Ref.			EAN
5510796	BLUE	M	20	5602482031029
5510797	BLUE	L	20	5602482031036
5510798	BLUE	XL	20	5602482031043
5510799	BLUE	XXL	20	5602482031050

S5

SAFETY WELLINGTON BOOTS - EN ISO 20345:2011 SRC



MATERIAL



SOLE



TOECAP



INSOLE

STANDARD: EN ISO 20345:2011SRC

PVC construction wellingtons. Ideal for water-related work, as well as cement work, excavations and agricultural work.

- Anti-static and non-slip sole, resistant to oil, acid, petrol and grease.
- Stainless steel anti-perforation blade.
- Great flexibility, even at low temperatures.
- Nylon lining.
- Bootleg height: 38 cm.
- Protective steel toecap.
- Ankle protection.

Code	Ref.		EAN
5511515	No. 39 BLACK	6	
5511502	No. 40 BLACK	6	
5511503	No. 41 BLACK	6	
5511504	No. 42 BLACK	6	
5511505	No. 43 BLACK	6	
5511506	No. 44 BLACK	6	
5511507	No. 45 BLACK	6	

Code	Ref.		EAN
5511508	No. 39 GREEN	6	
5511509	No. 40 GREEN	6	
5511510	No. 41 GREEN	6	
5511511	No. 42 GREEN	6	
5511512	No. 43 GREEN	6	
5511513	No. 44 GREEN	6	
5511514	No. 45 GREEN	6	

WELLINGTON BOOTS (RUBBER)



STANDARD: EN ISO 20347:2012

Black rubber Wellington boots to use in agriculture, construction, and other activities where protecting your feet from water is necessary. Nylon lined interior.

Code	Ref.		EAN
5510821	BLACK No. 36	8	5602482040205
5501048	BLACK No. 37	8	5602482022737
5501049	BLACK No. 38	8	5602482022744
5501040	BLACK No. 39	8	5602482022751
5501041	BLACK No. 40	8	5602482022058
5501042	BLACK No. 41	8	5602482022065
5501043	BLACK No. 42	8	5602482022072
5501044	BLACK No. 43	8	5602482022089
5501045	BLACK No. 44	8	5602482022812
5501046	BLACK No. 45	8	5602482010086
5501046	BLACK No. 46	8	5602482011304

FACE SHIELD VISOR

**Description du produit :**

Personal protective equipment consisting of 4 components, 0,5 mm PET visor, silicon comfort front support, adjustable silicone back support and ABS visor support. For face protection against solid and liquid particles and / or body fluids.

Dimensions:

Width: 174 mm

Height: 230 mm

Thickness: 0,5 mm

Weight: +/- 90 grams

Visor produced in accordance with Standard EN 166: 2001 and Directive 2001/95/EC

Code**Ref.****EAN**

1108224

R5012

174 x 230 mm

FACE SHIELD VISOR

**Composition:**

Visor: PETG, anti-reflective, anti-fog effects on both sides.

Plastic band: Polypropylene.

Elastic fixing: Polyester and Polyamide.

Uses:

Designed for procedures and environments where there is a risk of splashes or splatters from blood and/or body fluids.

Dimensions:

Width: 300 mm

Height: 240 mm

Thickness: 0,5 mm

Code**Ref.****EAN**

1501131

300 x 240 mm

70% ALCOHOL HAND SANITISER GEL



Hand sanitising gel.

Alcohol-based product, for hand disinfecting by rubbing and with no need to rinse. This product does not contain perfume or dyes and is therefore suitable for application in food processing or hospital areas.

HOW TO USE:

Apply a portion to the hands, massaging completely until dry, paying special attention to fingertips, nails and the space between the fingers. Massage for at least 30 seconds until complete evaporation of the product.

Code	Ref.		EAN
1501135	500 ml	15	5602482047716
1501134	5 litres	4	5602482047723

SURFACE SANITISER



The SADY sanitiser is a concentrated product (alcohol and quaternary ammonium-based) with triple action: bactericidal, virucidal and fungicidal.

HOW TO USE:

Apply the product straight (it is ready to use) on the area, surface or object to be disinfected. Suitable for all types of facilities where deep and continuous disinfection is required.

The SADY sanitiser has a shelf life of 2 years in an airtight container.

This sanitiser meets the requirements of Standards EN 1275 and EN 1276 within the scope of the HACCP system.

Code	Ref.		EAN
1501137	750 ml	12	5602482047730
1501136	5 litres	4	5602482047747

S3

S3 footwear rating:

A Antistatic - **E** Energy Absorption - **WRU** Water Resistance Upper - **P** Penetration Resistance**TORNADO SAFETY BOOTS - EN20345:2011 SRC**

- Material: Leather, waterproof.
- Anti-slip, anti-static PU sole, oil and acid resistant.
- Composite toecap.
- Anatomic and antistatic removable insole.

Code	Ref.			EAN
5511162	IT-110 No. 37		6	1560011013370
5511163	IT-110 No. 38		6	1560011013387
5511165	IT-110 No. 40		6	1560011013400
5511170	IT-110 No. 45		6	1560011013455
5511171	IT-110 No. 46		6	1560011013462

TORNADO SAFETY SHOES - EN20345:2011 SRC

- Material: Leather, waterproof.
- Anti-slip, anti-static PU sole, oil and acid resistant.
- Composite toecap.
- Anatomic and antistatic removable insole.

Code	Ref.			EAN
5511172	IT-120 No. 37		6	1560012013379
5511173	IT-120 No. 38		6	1560012013386
5511175	IT-120 No. 40		6	1560012013409
5511176	IT-120 No. 41		6	1560012013416
5511177	IT-120 No. 42		6	1560012013423
5511178	IT-120 No. 43		6	1560012013430
5511179	IT-120 No. 44		6	1560012013447
5511180	IT-120 No. 45		6	1560012013454
5511181	IT-120 No. 46		6	1560012013461

S3

S3 footwear rating:

A Antistatic - **E** Energy Absorption - **WRU** Water Resistance Upper - **P** Penetration Resistance

SAFETY SHOES - EN20345:2011



- Material: Leather.
- Anti-slip, anti-static PU sole, oil and acid resistant.
- Double seams for added strength.
- Composite toecap and insole.

Code	Ref.			EAN
5511040	K05K N° 38		10	5602482043473
5511041	K05K N° 39		10	5602482043480
5511042	K05K N° 40		10	5602482043497
5511043	K05K N° 41		10	5602482043503
5511046	K05K N° 44		10	5602482043534
5511047	K05K N° 45		10	5602482043541

S1-P

S1-P footwear rating:

A Antistatic - **P** Penetration Resistance

SAFETY BOOTS - EN345-1:2011

BOTAS DE PROTECCIÓN - EN345-1:2011



- Material: Leather
- Non-slip, antistatic, oil and acid resistant PU sole.
- Double stitching for greater resistance - Steel toe cap
- Steel insole

Code	Ref.			EAN
5501274	6138 N° 40		10	5602482026711
5501276	6138 N° 42		10	5602482026735
5501277	6138 N° 43		10	5602482026742
5501280	6138 N° 46		10	5602482026773

SAFETY SHOES - EN345-1:2011

ZAPATOS DE PROTECCIÓN - EN345-1:2011



- Material: Leather
- Non-slip, antistatic, oil and acid resistant PU sole.
- Double stitching for greater resistance - Steel toe cap
- Steel insole

Code	Ref.			EAN
5505040	4137 N° 40		10	5602482036987
5505041	4137 N° 41		10	5602482036994
5505043	4137 N° 43		10	5602482037014
5505045	4137 N° 45		10	5602482037038

PROTECTIVE MASKS FFP2 | KN95

**STANDARD: EN 149:2001+A1:2009**

• Half mask with five layers of filtration with two fixed elastic head straps, of the folding type. Designed to protect against solid and liquid particles suspended in the air.

Protection level indications:

• FFP2 NR: solid and liquid aerosols with low and medium toxicity (medium filtering efficiency).

***NR: Dust mask limited to one use per work shift**

Code	Ref.			EAN
5114790	JX-E95V	WITH VALVE	20	6923601112788
5114791	JX-E95		20	6923601110135

DISPOSABLE FACE MASKS

**STANDARD: EN 149:2001+A1:2009**

- Perfect fit.
- Non-woven.
- Breathable material.
- High filtering capacity.
- Multi-layer design.
- Adaptable and comfortable nose clip designed to provide an excellent breathing barrier.



Code	Ref.			EAN
5114789	FE3W	175 x 95 mm	50-2000	5602482048935

FORESTRY HELMET+ FACE SHIELD+EARMUFF



Ideal for working with cutting equipment such as chainsaws, hedge trimmers or loppers. Safely protects head, eyes and hearing.

Classification: EN 397+A1; EN352-3; EN 1731:01:2007

Category III

Features:

Mesh screen: 310x195mm

Weight: 700 gr.

SNR

23dB

Código	Ref.		EAN
5116072	DS5230	screen: 310x190mm	1-4 5602482052307

FACE SHIELD+EARMUFF



Ideal for working with cutting equipment such as chainsaws, hedge trimmers or loppers. Safely protects head, eyes and hearing.

Classification: EN352-1:2003; EN 173:2007

Category III

Features:

Mesh visor: 310x195mm

Weight: 700 gr.

SNR

23dB

Código	Ref.		EAN
5116073	DS5240	screen: 310x190mm	1-4 5602482052406

FACE SHIELD (STELL MESH)



This face mask is designed to provide effective protection against the risk of impact from high velocity particles such as those originating from forestry and gardening work.

Classification: : EN 2016/425; EN 166:2002

Class II

Characteristics:

Metal mesh visor: 400x195 mm

Weight: 240 gr.

Código	Ref.		EAN
5116074	DS5241	screen: 400x195mm	5602482052413

FACE SHIELD (PC)



Polycarbonate visor that offers effective protection against the risk of impact from medium velocity and medium energy particles.

Classification: : EN 2016/425; EN 166:2002

Class II

Features:

Polycarbonate visor: 395x200 mm

Weight: 280 gr.

Código	Ref.		EAN
5116083	DS5242	screen: 395x200mm	5602482052420

SAFETY GLASSES EXTENSIV | YELLOW

GAFAS PANORÁMICAS EXTENSIV | AMARILLO



Classification: EN166:2001; EN170:2002; EN172:1994+A2:2001
Lens marking: 2C-1,2 1 FT.

- Protective glasses for permanent use, with integral frame and extensible stem, yellow polycarbonate lens.
- Protects against impacts of medium energy.

Código	Ref.			EAN
5116081	DS5233	EPI de categoria II	12	5602482052338

SAFETY GLASSES EXTENSIV | GRY



Classification: EN166:2001; EN170:2002; EN172:1994+A2:2001
Lens marking: 2C-1,2 1 FT.

- Protective glasses for permanent use, with integral frame and extensible stem, yellow polycarbonate lens.
- Protects against impacts of medium energy.

Código	Ref.			EAN
5116080	DS5234	EPI de categoria II	12	5602482052345

SAFETY GLASSES EXTENSIV | TRANSPARENT



Classification: EN166:2001; EN170:2002; EN172:1994+A2:2001
Lens marking: 2C-1,2 1 FT.

- Protective glasses for permanent use, with integral frame and extensible stem, yellow polycarbonate lens.
- Protects against impacts of medium energy.

Código	Ref.			EAN
5116079	DS5236	EPI de categoria II	12	5602482052369

SAFETY GLASSES VENTIA | TRANSPARENT



Classification: EN166:2001; EN170:2002; EN172:1994+A2:2001
Lens marking: 2C-1,2 1 FT.

- Visor safety glasses (over-glasses) with polycarbonate lenses with UV protection. Can be worn over graduate glasses
- Protects against low energy impact.

Código	Ref.			EAN
5116082	DS5235	EPI de categoria II	12	5602482052352

SAFETY GLASSES | PANORA

**Classification:** EN166 F

- Goggles for protection against the risk of impact from high-velocity, low-energy particles and against splashes. It has a large visual field and can be used with graduate glasses.
- Injection-moulded flexible PVC

Código	Ref.			EAN
5116070	DS5231	optical class: 1	10	5602482052314

SAFETY GLASSES | PANORA

**Classification:** EN166 F

- Goggles for protection against the risk of impact from high-velocity, low-energy particles and against splashes. It has a large visual field and can be used with graduate glasses.
- Injection-moulded flexible PVC

Código	Ref.			EAN
5116071	DS5232	optical class: 1	10	5602482052321

FOAM EARPLUGS WITH CORD

**Attenuation values**

Frequency	Hz	125	250	500	1000	2000	4000	8000
Medium attenuation	dB	30.2	37.0	42.3	41.7	37.2	47.8	46.1
NORMAL Deviation	dB	6.7	4.9	7.1	7.1	5.8	6.3	5.9
Attenuation	dB	23.5	32.1	35.2	34.6	31.4	41.5	40.2
SNR=36dB H=34dB M=34dB L=31dB								

Classification: EN352-2:2002

Disposable hearing protectors made of PU foam.

Código	Ref.			EAN
5116075	DS5229	with cord	100	5602482052291

SNR
36dB

EARMUFFS | PV2



SNR
32dB

Height adjustment and hypoallergenic foam cups
Protection level:
H= 37 dB - M= 29 dB - L= 22 dB
Classification: EN 352-1:2002

Código	Ref.		EAN
5116077	DS5238	PV2 class 5	5602482052383

EARMUFFS | PV1



SNR
28dB

Height adjustment and hypoallergenic foam cups
Protection level:
H= 34 dB - M= 26 dB - L= 17 dB
Classification: EN 352-1:2002

Código	Ref.		EAN
5116076	DS5237	PV2 class 5	5602482052376

EARMUFFS | PV3



SNR
29dB

Height adjustment and hypoallergenic foam cups
Protection level:
H= 34 dB - M= 26 dB - L= 19 dB
Classification: EN 352-1:2002

Código	Ref.		EAN
5116078	DS5239	PV3 class 5	5602482052390

MISCELLANEOUS



HIGH TEMPERATURE SPRAY PAINT (400ml)



Enamel based silicon resins. For fireplaces, stoves, ovens, radiators, etc. Resistant up to 650°C. Not directly exposed to the flames. High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Storage: Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.			EAN
5511685	DSAT4970	Aluminium	6	5602482049703
5511570	DSAT4899	Antracite	6	5602482048997
5511571	DSAT4900	White	6	5602482049000
5511572	DSAT4901	Brown	6	5602482049017
5511573	DSAT4902	Bright black	6	5602482049024
5511574	DSAT4903	Matte black	6	5602482049031
5511575	DSAT4904	Transparent	6	5602482049048
5511576	DSAT4905	Red	6	5602482049055

DIRECT TO RUSH SPRAY PAINT (400ml)



High-thickness paint for the treatment of new and already weathered iron surfaces by atmospheric agents. Its special corrosion inhibitor content allows excellent protection over time and a final effect equal to the old iron. For outdoor/indoor. Quick drying. High coverage 1,5-2m². Storage: Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511577	DSDF4906	Bright white	6	5602482049062
5511578	DSDF4907	Matte white	6	5602482049079
5511579	DSDF4908	Brown	6	5602482049086
5511580	DSDF4909	Grey	6	5602482049093
5511581	DSDF4910	Old Grey	6	5602482049109
5511582	DSDF4911	Light Grey	6	5602482049116
5511583	DSDF4912	Forge Grey	6	5602482049123
5511584	DSDF4913	Bright black	6	5602482049130
5511585	DSDF4914	Matte black	6	5602482049147
5511586	DSDF4915	Green	6	5602482049154
5511587	DSDF4916	Red	6	5602482049161

SPECIAL EFFECT SPRAY PAINT (400ml)



creates a chrome effect. Only for Interior. Good for decoration. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.			EAN
5511588	DSEE4958	Copper	6	560248204581
5511589	DSEE4960	Gold chrome	6	560248204604
5511590	DSEE4959	Silver chrome	6	5602482049598
5511591	DSEE4917	Gold	6	5602482049178
5511592	DSEE4961	Old gold	6	5602482049611
5511593	DSEE4962	Silver	6	5602482049628

FLUORESCENT EFFECT SPRAY PAINT (400ml)



Acrylic ink which becomes luminous and visible surfaces at a distance even in poor lighting conditions. It is recommended to apply on a white surface. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511594	DSFC4918	Yellow	6	5602482049185
5511595	DSFC4919	Blue	6	5602482049192
5511596	DSFC4920	Orange	6	5602482049208
5511597	DSFC4921	Green	6	5602482049215
5511598	DSFC4922	Red	6	5602482049222

PRIMER SPRAY PAINT (400ml)



Protects metal surfaces from rust. Can be coated with colors after drying. Interior Exterior. It guarantees resistance to atmospheric agents. Fast drying (touch 15 min, in depth 45 min). Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511605	DSP4966	White	6	5602482049666
5511606	DSP4967	Grey	6	5602482049260
55 11607	DSP4966	Red	6	5602482049277

PROTECTION SPRAY PAINT (400ml)



cIld galvanized coating that forms a highly resistant coating. Can be painted or leave as finish. Ideal for finishing or repair in cutting, welding, etc. High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 24 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511608	DSPT4968	Inox	6	5602482049680
5511609	DSPT4929	Zinc 98%	6	5602482049291
5511610	DSPT4928	Clear zinco	6	5602482049284
5511611	DSPT4967	Dark zinco	6	5602482049673

ACRYLIC ENAMEL SPRAY PAINT (400ml)



Excellent adhesion for multiple applications and surfaces (metal, plastic, wood, cement, etc.). Interior and exterior. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m2. Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.		EAN
5511686	DSEA4969	RAL 1013 Pearl	6 5602482049697
5511612	DSEA4930	RAL 1007 Yellow daffodil	6 5602482049307
5511613	DSEA4931	RAL 1018 Yellow zinc	6 5602482049314
5511614	DSEA4932	RAL 2003 Pastel orange	6 5602482049321
5511615	DSEA4933	RAL 2004 Orange	6 5602482049338
5511616	DSEA4934	RAL 3000 Flame red	6 5602482049345
5511617	DSEA4935	RAL 3003 Ruby red	6 5602482049352
5512006	DSEA5821	RAL 3009 Ixide red	6 5602482058217
5111618	DSEA4936	RAL 3011 Brown red	6 5602482049369
5511619	DSEA4937	RAL 3015 Light pink	6 5602482049376
5511620	DSEA4938	RAL 5003 Sapphire blue	6 5602482049383
5511640	DSEA4939	RAL 5010 Dark blue	6 5602482049390
5511622	DSEA4940	RAL 6002 Leaf green	6 5602482049406
5511641	DSEA4941	RAL 6005 Mass green	6 5602482049413
5511624	DSEA4942	RAI 6010 Grass green	6 5602482049420
5511625	DSEA4943	RAL 6011 Reseda green	6 5602482049437
5511626	DSEA4944	RAL 6029 Mint green	6 5602482049444
5511627	DSEA4945	RAL 7001 Silver grey	6 5602482049451
5511628	DSEA4946	RAL 7011 Iron grey	6 5602482049468
5512007	DSEA5822	RAL 7016 Anthracite grey	6 5602482058224
5512008	DSEA5823	RAL 7024 Graphite grey	6 5602482058231
5511629	DSEA4947	RAL 7030 Stone grey	6 5602482049475
5511630	DSEA4948	RAL 7042 Traffic grey	6 5602482049482
5511631	DSEA4949	RAL 8003 Clay brown	6 5602482049499
5511632	DSEA4950	RAL 8017 Chocolate brown	6 5602482049505
5511642	DSEA4951	RAL 9005 Jet black	6 5602482049512
5511643	DSEA4952	RAL 9005 Matte black	6 5602482049529
5511635	DSEA4953	RAL 9010 Pure white	6 5602482049536
5511636	DSEA4954	RAL 9010 White	6 5602482049543
5511637	DSEA4955	RAL 9010 Matte white	6 5602482049550
Code	Ref.		EAN
5511638	DSEA4956	Transparente bright	6 5602482049567
5511639	DSEA4957	Matte transparent	6 5602482049574

SPECIAL SPRAY PAINT FOR PLASTICS (400 ml)



Acrylic enamel to renew damaged or discolored plastics by the sun in cars, motorcycles, spoilers, etc. Quick drying (touch 15 min, in depth 45 minutes). Use sandpaper for better grip. High coverage 1,5-2m2. Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.


Code	Ref.		EAN
5511687	DSEP4972	White	6 5602482049727
5511688	DSEP4973	Anthracite grey	6 5602482049734
5511689	DSEP4974	Dark grey	6 5602482049741
5511690	DSEP4975	Black	6 5602482049758

MULTIDIRECTIONAL MARKING 360° SPRAY PAINT (400ml)



360° multi-directional valve paint that sprays in all directions with maximum accuracy. Resistant to atmospheric conditions, friction and friction and ideal for parks, roads, sports grounds, delineate spaces, etc. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m2. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
	DSMM4971	Fluorescent blue	6	5602482049710
5511599	DSMM4923	Fluorescent yellow	6	5602482049239
5511600	DSMM4964	White	6	5602482049642
5511601	DSMM4924	Fluorescent orange	6	5602482049246
5511602	DSMM4965	Black	6	5602482049659
5511603	DSMM4963	Fluorescent green	6	5602482049635
5511604	DSMM4925	Fluorescent red	6	5602482049253

DISPLAY CASE FOR SPRAY PAINT
105 CANS

ralcolours

RAL 1001	RAL 1003	RAL 1004	RAL 1007	RAL 1011
RAL 1012	RAL 1013	RAL 1014	RAL 1015	RAL 1016
RAL 1018	RAL 1021	RAL 1023	RAL 1028	RAL 2000
RAL 2002	RAL 2003	RAL 2004	RAL 2008	RAL 2009
RAL 2011	RAL 3000	RAL 3001	RAL 3002	RAL 3003
RAL 3004	RAL 3005	RAL 3009	RAL 3011	RAL 3015
RAL 3020	RAL 4003	RAL 4005	RAL 4006	RAL 4008
RAL 4010	RAL 5002	RAL 5003	RAL 5005	RAL 5010
RAL 5012	RAL 5013	RAL 5015	RAL 5017	RAL 5018
RAL 5019	RAL 5021	RAL 5022	RAL 6001	RAL 6002
RAL 6005	RAL 6009	RAL 6010	RAL 6011	RAL 6016
RAL 6018	RAL 6019	RAL 6024	RAL 6029	RAL 7000
RAL 7001	RAL 7004	RAL 7005	RAL 7011	RAL 7012
RAL 7015	RAL 7016	RAL 7021	RAL 7024	RAL 7025
RAL 7030	RAL 7031	RAL 7032	RAL 7035	RAL 7037
RAL 7038	RAL 7040	RAL 7042	RAL 7043	RAL 8002
RAL 8003	RAL 8004	RAL 8007	RAL 8011	RAL 8012
RAL 8014	RAL 8016	RAL 8017	RAL 8019	RAL 9001
RAL 9002	RAL 9003	RAL 9005	RAL 9006	RAL 9007
RAL 9010	RAL 9016	RAL 9017		

The colours shown are indicative only

EXTENSION LEAD



Code	Ref.		EAN
5114944	JY-1005A	3 SOCKETS	5602482052277
5114945	JY-1006A	4 SOCKETS	5602482052284

EXTENSION LEAD - 4 SOCKETS



Code	Ref.		EAN
5101145	JY-1006A/1.5	1,5 met. x 1,5 mm	60 5602482015401
5106221	JY-1006A/3	3 met. x 1,5 mm	40 5602482017146
5106225	JY-1006A/5	5 met. x 1,5 mm	30 5602482017153

EXTENSION LEAD WITH SWITCH



Code	Ref.		EAN
5114946	JY-1001A	3 SOCKETS	5602482052253
5114947	JY-1002A	4 SOCKETS	5602482052260

EXTENSION LEAD - 5 SOCKETS



Code	Ref.		EAN
5114938	JY-1007A/1.5	1,5 met. x 1,5 mm	5602482052192
5114939	JY-1007A/3	3 met. x 1,5 mm	5602482052208
5114940	JY-1007A/5	5 met. x 1,5 mm	5602482052215

EXTENSION LEAD - 3 SOCKETS



Code	Ref.		EAN
5106226	JY-1005A/1.5	1,5 met. x 1,5 mm	80 5602482017115
5106222	JY-1005A/3	3 met. x 1,5 mm	50 5602482017122
5106218	JY-1005A/5	5 met. x 1,5 mm	30 5602482017139

EXTENSION LEAD - 6 SOCKETS



Code	Ref.		EAN
5114941	JY-1008A/1.5	1,5 met. x 1,5 mm	5602482052222
5114942	JY-1008A/3	3 met. x 1,5 mm	5602482052239
5114943	JY-1008A/5	5 met. x 1,5 mm	5602482052246

EXTENSION LEAD WITH SWITCH - 3 SOCKETS



Code	Ref.		EAN
5112160	JY-1001A/1.5	1,5 met. x 1,5 mm	5602482041639
5112161	JY-1001A/3	3 met. x 1,5 mm	5602482041646
5112162	JY-1001A/5	5 met. x 1,5 mm	5602482041653

EXTENSION LEAD WITH SWITCH - 6 SOCKETS



Code	Ref.		EAN
511147	JY-1004A/1.5	1,5 met. x 1,5 mm	5602482015425
5106224	JY-1004A/3	3 met. x 1,5 mm	5602482017184
5106219	JY-1004A/5	5 met. x 1,5 mm	5602482017191

EXTENSION LEAD WITH SWITCH - 4 SOCKETS



Code	Ref.		EAN
5112163	JY-1002A/1.5	1,5 met. x 1,5 mm	5602482041660
5112164	JY-1002A/3	3 met. x 1,5 mm	5602482041677
5112165	JY-1002A/5	5 met. x 1,5 mm	5602482041684

EXTENSION LEAD WITH USB PORT | 1,5mm2



Code	Ref.		EAN
5114601	GES-160B	4 tomadas 1,5 met.	5602482047181
5114602	GES-161B	6 tomadas 1,5 met.	5602482047198

EXTENSION LEAD WITH SWITCH - 5 SOCKETS



Code	Ref.		EAN
5101146	JY-1003A/1.5	1,5 met. x 1,5 mm	5602482015418
5106220	JY-1003A/3	3 met. x 1,5 mm	5602482017160
5106223	JY-1003A/5	5 met. x 1,5 mm	5602482017177

CABLE REEL



Code	Ref.		EAN
5108193	HJR-2	3Gx1,0mm ² x10 m	5602482012509
5108194	HJR-2A	3Gx1,0mm ² x20 m	5602482012646

CABLE REEL



Code	Ref.		EAN
5101009	HJR-103A	3Gx2,5mm ² x25 m	5602482010574

CABLE REEL



Code	Ref.		EAN
5112716	JY-2002/25A	3Gx1,5mm ² x25 m	5602482042742
5112717	JY-2002/25B	3Gx2,5mm ² x25 m	5602482042759
5113288	JY-2002/40B	3Gx2,5mm ² x40 m	5602482044456
5112996	JY-2002/50	3Gx1,5mm ² x50 m	5602482044098

TRAILING LEAD



Code	Ref.		EAN
5112718	JY-3024/5	3x1,5mm ² x 5 mt.	5602482042766
5500560	JY-3024/10	3x1,5mm ² x10 mt.	5602482004429
5114934	JY-3024/15	3x1,5mm ² x15 mt.	5602482052178
5114935	JY-3024/20	3x1,5mm ² x20 mt.	5602482052185
5500561	JY-3024/25A	3x1,5mm ² x25 mt.	5602482004436
5114932	JY-3024/5B	3x2,5mm ² x 5 mt.	5602482052130
5114933	JY-3024/10B	3x2,5mm ² x10 mt.	5602482052147
5114936	JY-3024/15B	3x2,5mm ² x15 mt.	5602482052154
5114937	JY-3024/20B	3x2,5mm ² x20 mt.	5602482052161
5113748	JY-3024/25B	3x2,5mm ² x25 mt.	5602482045781

SITE SOCKET | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5110859	YC-DA-14	FEMALE IP44	100	5602482036871

EXTENSION SOCKET



Code	Ref.			EAN
5110862	YC-DA-4Z	MALE IP20	100	5602482036901

SITE PLUG | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5110860	YC-DA-14Z	MALE IP44	100	5602482036888

PLUG ADAPTOR



Code	Ref.			EAN
5110863	ODL-153	TRIPLE IP20	100	5602482036918

SITE SOCKET | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5111791	GEL-003	TRIPLE IP44	100	5602482041882

PLUG ADAPTOR



Code	Ref.			EAN
5117611	ODL-158	DOUBLE IP20	50	5602482056244

SOCKET




Code	Ref.			EAN
5110861	YC-DA-4	FEMALE IP20	100	5602482036871

PLUG-IN TIMER




Code	Ref.			EAN
5111790	TG-14	24 hours IP20	100	5602482041899


LED PROJECTOR | APOLLO 4000K

IP65 

10 watt




20 watt




30 watt

Code	Ref.		EAN
5114864	DS405079	10W 750 Lúmen	5602482050792
5114865	DS405080	20W 1500 Lúmen	5602482050808
5114866	DS405081	30W 2250 Lúmen	5602482050815
5114867	DS405082	50W 3700 Lúmen	5602482050822
5114868	DS405083	70W 5200 Lúmen	5602482050839

LED PROJECTOR | APOLLO 6400K

IP65 


10 watt




20 watt

Code	Ref.		EAN
5114873	DS645088	10W 750 Lúmen	5602482050884
5114874	DS645089	20W 1500 Lúmen	5602482050891
5114875	DS645090	30W 2250 Lúmen	5602482050907
5114876	DS645091	50W 3700 Lúmen	5602482050914
5114877	DS645092	70W 5200 Lúmen	5602482050921

LED PROJECTOR | APOLLO 4000K

IP65 


100 watt



150 watt

Code	Ref.		EAN
5114869	DS405084	100W 7500 Lúmen	5602482050846
5114870	DS405085	150W 11200 Lúmen	5602482050853
5114871	DS405086	200W 15000 Lúmen	5602482050860

LED PROJECTOR | APOLLO 6400K

IP65 

100 watt

Code	Ref.		EAN
5114878	DS645093	100W 7500 Lúmen	5602482050938
5114879	DS645094	150W 11200 Lúmen	5602482050945
5114880	DS645095	200W 15000 Lúmen	5602482050952

LED PROJECTOR | APOLLO 4000K



Technical drawing showing dimensions: 442mm (width), 132mm (height), and 350mm (depth). The projector is 300 watt and has a color temperature of 4000K. It is IP65 rated and RoHS compliant.

Code	Ref.	Power	Lumen	EAN
5114872	DS405087	300W	22000	5602482050877

LED PROJECTOR | APOLLO 6400K



Technical drawing showing dimensions: 442mm (width), 132mm (height), and 350mm (depth). The projector is 300 watt and has a color temperature of 6400K. It is IP65 rated and RoHS compliant.

Code	Ref.	Power	Lumen	EAN
5114881	DS645096	300W	22000	5602482050969

LED PROJECTOR WITH MOVEMENT SENSOR | ARTEMIS



Technical drawing showing dimensions for the 30 watt model: 182mm (width), 38.5mm (height), and 153mm (depth). The projector is 30 watt and has a color temperature of 4000K. It is IP65 rated and RoHS compliant.

Technical drawing showing dimensions for the 50 watt model: 225.5mm (width), 40mm (height), and 184mm (depth). The projector is 50 watt and has a color temperature of 6400K. It is IP65 rated and RoHS compliant.

Code	Ref.	Power	Lumen	Color Temp	EAN
5114882	DS405097-S	30W	2250	4000K	5602482050976
5114883	DS405098-S	50W	3700	4000K	5602482050983
5114884	DS645099-S	30W	2250	6400K	5602482050990
5114885	DS645100-S	50W	3700	6400K	5602482051003


PROJECTOR TRIPOD



Technical drawing showing dimensions: 1700mm (height) x 700mm (width). The tripod is made of aluminum and has a double beam design.

Code	Ref.	Material	EAN
5114886	DS5115	Tipé 1700 x 700 mm	5602482051157
5114887		Double beam	5602482054363

SOLAR LED PROJECTOR | HELIOS 4500K




Features

Power	100W	150W
Luminosity	1300 lm	1800lm
Dimensions	260x228x45	314x274x45
Solar panel	20W	30W
Dimensions (LxAxP)	350x450x17	350x600x25
Color temperature	4500K	
CRI	≥ 70	
IP classe	IP65	
Installation height	3-5 metros	4-6 metros
Weight		

Code	Ref.		EAN
5117625	DS455671	100W 1300 Lúmen	5602482056718
5117626	DS455672	150W 1800 Lúmen	5602482056725

SOLAR LED PROJECTOR | HELIOS 6500K




Features

Power	100W	150W
Luminosity	1300 lm	1800lm
Dimensions	260x228x45	314x274x45
Solar panel	20W	30W
Dimensions (LxAxP)	350x450x17	350x600x25
Color temperature	6500K	
CRI	≥ 70	
IP classe	IP65	
Installation height	3-5 metros	4-6 metros
Weight		

Code	Ref.		EAN
5117627	DS655673	100W 1300 Lúmen	5602482056732
5117628	DS655674	150W 1800 Lúmen	5602482056749

WORK LIGHT | VULCANO




Features

Power	60W	100W
Luminosity	1600 lm	2600lm
Tipo lâmpada	LED2835	
Dimensions	324x244x59,4	382x292x58,6
Color temperature	6500K	
CRI	≥ 80	
IP classe	IP65	
Working temp.	-20°C - +50°C	
Weight		

Code	Ref.		EAN
5117629	DS605675	60W 1600 Lúmen	5602482056756
5117630	DS605676	100W 2600 Lúmen	5602482056763

LED WORKING LAMP | HEMERA



Features (DS5633MIDI)

COB LED 6W / SMD LED 3W (6500K)	
100 lm / 250 lm / 450 lm	
Autonomy	5 h
Charging time	3,5 h
Battery	3,7V/2.600 mAh Li-Ion
Waterproof	IP54 / IK07
Weight	460 gramas

Features (DS5634MAX)

COB LED 7W / SMD LED 4W (6500K)	
175 lm / 350 lm / 700 lm	
Autonomy	8 h
Charging time	3,5 h
Battery	3,7V/2.600 mAh Li-Ion
Waterproof	IP54 / IK07
Weight	710 gramas

Lanternas de grande potência, com tecnologia LED de última geração e grande rendimento, que oferece até duas vezes mais luminosidade. Indicador do nível de carga (4 luzes LED).

Linternas LED de gran potencia, con tecnología LED de gran rendimiento que ofrece hasta dos veces mas luminosidad. Indicador del nivel de carga (4 luces LED).

Code	Ref.		EAN
5117620	DS5633MIDI	400 lumen	5602482056336
5117621	DS5634MAX	700 lumen	5602482056343

LED WORKING LAMP | HERMES



Features (DS5173)


COB LED 3W / SMD 1W	
240 lumens / 40 lumens	
Autonomy	3 h
Charging time	3,5 h
Battery	3,7V/2.200 mAh Li-Ion
Waterproof	IPX4
Weight	197 gr.

Features (DS5174)

COB LED 5W / SMD 1W	
420 lumens / 45 lumens	
Autonomy	3 h
Charging time	6 h
Battery	3,7V/4.400 mAh Li-Ion
Waterproof	IPX4
Weight	300 gr.

Code	Ref.		EAN
5115014	DS5173	240 lumen	5602482051737
5115017	DS5174	420 lumen	5602482051744

LED WORKING LAMP | DIANA



Features

COB LED	
2 types of lighting (body+top)	
300 lumens (COB) + 180 lumens (LED)	
Charging time	2 h
Autonomy	2 h
Battery	3.7V / 650 mAh Li-ion
Waterproof	IPX0
Weight	58 gr

Code	Ref.		EAN
5116315	DS5677	180 lumen	5602482056770

LED WORKING LAMP | MERCÚRIO



Features

COB LED

3 dimming levels (red color 10 lumen)

400 lumens (COB) + 80 lumens (LED)

Charging time

2 h

Autonomy

4 h

Bateria

3.7V / 2600 mAh Li-ion

Waterproof

IPX0/IK07

Weight

184 gramas

Code

Ref.



EAN

5116316

DS5678

400 lumen

5602482056787

LED WORKING LAMP | NEPTUNO



Features

COB LED

Indicador de carga (4 segmentos)

1000 lumens (COB+LED)

Charging time

4 h

Autonomy

7 h

Bateria

3.65V / 8000 mAh Li-ion

Waterproof

IP54

Weight

668 gramas

Code

Ref.



EAN

5116317

DS5680

1000 lumen

5602482056800

LED HEADLAMP | POSEIDON



Features

COB LED + SMD LED

3 ttypes of lighting (mode 1/2/3)

140 lumens (LED) + 120 lumens (SMD)

Charging time

2 h

Autonomy

1.5h-2h / red light 2h

Battery

3.7V / 500 mAh Li-ion

Waterproof

IPX4

Weight

30 gr.

Code

Ref.



EAN

5115016

DS5172

120 lumen

5602482051720

LED HEADLAMP | POSEIDON



Features

COB LED + OSRAM LED	
2 ttypes of lighting (mode 1/2)	
250 lumens (LED) + 480 lumens (OSRAM)	
Sensor de movimento	
Charging time	2 h
Autonomy	3-2,5 h
Battery	3.7V / 1450 mAh Li-ion
Waterproof	IP54
Weight	73 gr.

Code	Ref.		EAN
5115015	DS5171	250 lumen	5602482051713

RECHARGEABLE LED PROJETOR | ATENA



Features

COB LED (3W) + SMD LED (5W)	
2 ttypes of lighting (mode 1/2)	
550 lumens (COB) + 330 lumens (SMD)	
Beam distance	de 10 a 170 met
Charging time	5 h
Autonomy	3 h
Battery	3.7V / 2000 mAh Li-ion
Classe proteção	IPX4
Weight	170 gr.

Code	Ref.		EAN
5115013	DS5175	550 lumen	5602482051751

RECHARGEABLE LED PROJETOR | ZEUS



Features

COB LED 10W	
2 ttypes of lighting (mode 1/2)	
1100 lumens (alto) 350 lumens (baixo)	
Power bank	
Beam distance	50 mt (high) 25 mt (low)
Charging time	6 h
Autonomy	3 h
Battery	3.7V / 4400 mAh Li-ion
Waterproof	IPX4
Weight	740 gr.

Code	Ref.		EAN
5115012	DS5176	1100 lumen	5602482051768

RECHARGEABLE LED PROJOTOR | JUPITER



Features

COB + LED (10W + 15W)	
360 - 1800 lumens (COB) + strobe	
Beam distance	from 10 to 60 mt.
Charging time	6 h
Autonomy	3 - 17 h
Rotating base	360°
Battery	3.7V / 8000 mAh Li-ion
Waterproof	IPX4
Weight	475 gr



Code

Ref.



EAN

5116313

DS5679

1500 lumen

5602482056794

RECHARGEABLE LED PROJOTOR | JUNO



Features

SMD + LED (20W)	
360 - 1800 lumens (COB) + strobe	
Beam distance	from 10 to 60 mt.
Charging time	6 h
Autonomy	8 h
Tripod height	1,470 met.
Battery	3.7V / 8000 mAh Li-ion
Waterproof	IPX4
Weight	1725 gr



Code

Ref.



EAN


5116314

DS5681

200 lumen

5602482056817

METAL TOOLBOX | 5 TIERS



- Toolbox in polished metal sheet, 0.5 mm thick.
- Epoxy painted.
- 1.5 mm thick plate joints.

Código
1501066

Ref.

530 x 200 x 210 mm



EAN

5602482044722

BLACK ALUMINIUM CASE



Código
5112319

Ref.

STC931-N

460 x 155 x 335 mm



EAN

1 - 5

5602482003972

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504933	103-50	50	72	50x18	50x50	30	120	5602482029644

SWIVEL BOLT HOLE CASTOR WITH BREAK



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5501260	107-50	50	70	50x18	10,5	30	120	5602482009042
5501261	107-75	75	102	75x21	10,5	45	60	5602482012158

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504934	104-50	50	72	50x18	50x50	30	20	5602482014176

SWIVEL CASTOR | WITH BOLT



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5501266	108-40	38	54	38x17	M10	20	240	5602482012165
5501254	108-50	50	65	50x22	M10	30	120	5602482012196

SWIVEL BOLT HOLE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5501258	106-50	50	70	50x18	10,5	30	120	5602482005600
5501259	106-75	75	102	75x21	10,5	45	60	5602482007819

SWIVEL CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501005	110-25	25	34	25x14	37x34	10	480	5602482022850
5501006	110-30	30	37	30x14	37x34	15	480	5602482009417
5501001	110-38	38	54	38x17	45x40	20	300	5602482015616

LIGHT DUTY

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501003	112-38	38	54	38x17	47x26	20	400	5602482015593

FURNITURE CASTOR | WITH PLATE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501007	138-40	40	50	40x40	38x38	25	240	5602482016033
5501008	138-50	50	65	50x46	38x38	30	200	5602482016118

FURNITURE CASTOR | WITH BOLT



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5511300	136-40	40	50	40x40	M8	25	240	5602482045712
5501010	136-50	50	65	50x46	M10	30	200	5602482021235

FURNITURE CASTOR | WITH PLATE | WITH BRAKE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501262	139-40	40	50	40x40	38x38	25	240	5602482029682
5501263	139-50	50	65	50x46	38x38	30	200	5602482029699

FURNITURE CASTOR BOLT FIXING | WITH BRAKE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5511301	137-40	40	50	40x40	M8	25	240	5602482045729
5501265	137-50	50	65	50x46	M10	30	200	5602482029712

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511469	177-30	30	35	30x14	48x20	15	480	5602482009400

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5500989	203-075	75	97	75x23	84x72	50	60	5602482013230
5500990	203-100	100	130	100x28	102x84	70	38	5602482013247
5500991	203-125	125	155	125x35	102x84	100	28	5602482015562
5501014	203-160	160	195	160x40	135x105	150	12	5602482012806
5501255	203-200	200	235	200x48	135x105	180	8	5602482029590

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501013	204-075	75	97	75x23	84x72	50	40	5602482022010
5500994	204-100	100	130	100x28	102x84	70	32	5602482022027
5500995	204-125	125	155	125x35	102x84	100	24	5602482015586
5500996	204-160	160	195	160x40	135x105	150	12	5602482024410
5501256	204-200	200	235	200x48	135x105	180	8	5602482029613

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5500997	205-75	75	97	75x23	84x72	50	60	5602482013209
5500998	205-100	100	130	100x28	102x84	70	38	5602482013216
5500999	205-125	125	155	125x35	102x84	100	28	5602482013223
5501000	205-160	160	195	160x40	135x105	150	12	5602482023185
5501257	205-200	200	235	200x48	135x105	180	8	5602482029576

SWIVEL BOLT HOLE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5511479	206-075	75	97	75x23	10,5	50	60	5602482047402
5511480	206-100	100	130	100x28	12,5	70	38	5602482047419
5511481	206-125	125	153	125x35	12,5	100	28	5602482047426
5511482	206-160	160	190	160x40	16,5	150	12	5602482047433

SWIVEL BOLT HOLE CASTOR WITH BREAK



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5511483	207-075	75	97	75x23	10,5	50	60	5602482047440
5511484	207-100	100	130	100x28	12,5	70	32	5602482047457
5511485	207-125	125	153	125x35	12,5	100	24	5602482047464
5511486	207-160	160	190	160x40	16,5	150	12	5602482047471

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504936	217-075	75	97	75x23	84x72	50	60	5602482012561
5504939	217-100	100	130	100x28	102x84	70	38	5602482029651
5504941	217-125	125	155	125x35	102x84	100	28	5602482016316

MEDIUM DUTY

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504937	218-075	75	97	75x23	84x72	50	60	5602482029668
5501079	218-100	100	130	100x28	102x84	70	32	5602482023246
5504942	218-125	125	155	125x35	102x84	100	24	5602482029675

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501088	237-075	75	97	75x23	84x72	50	60	5602482024441
5501091	237-100	100	130	100x27	102x84	70	38	5602482024458
5501094	237-125	125	155	125x34	102x84	100	28	5602482024465

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501086	236-075	75	97	75x23	84x72	50	60	5602482023192
5501089	236-100	100	130	100x27	102x84	70	38	5602482024472
5501092	236-125	125	155	125x34	102x84	100	28	5602482021389

SWIVEL CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501002	261-50	50	63	50x23	67x48	40	100	5602482015913

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501087	236B-075	75	97	75x23	84x72	50	60	5602482012790
5501090	236B-100	100	130	100x27	102x84	70	32	5602482024489
5501093	236B-125	125	155	125x34	102x84	100	24	5602482024496

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501073	261G-50	50	63	50x23	67x48	40	100	5602482024526

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501004	263-50	50	63	50x23	67x48	40	100	5602482015609

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Grey


Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501085	269-50	50	63	50x23	67x48	70	100	5602482024502

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501074	263G-50	50	63	50x23	67x48	40	100	5602482024519



HEAVY DUTY

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501084	267-50	50	63	50x23	67x48	70	100	5602482014626

SCAFFOLDING CASTOR WHEELS | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Stem (ø)	Load (kg)		EAN
5505036	313-150	150	190	150x50	35	260	6	5602482022034
5505037	313-200	200	240	200x50	35	280	4	5602482022041

HEAVY DUTY

POLYURETHANE SWIVEL CASTOR



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
CENTRE**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511487	328-100	100	144	100x50	115x100	300	12	5602482047488
5511488	328-125	125	165	125x50	115x100	350	10	5602482047495
5511489	328-150	150	191	150x50	115x100	400	8	5602482047501
5511490	328-200	200	242	200x50	115x100	450	6	5602482047518

POLYURETHANE SWIVEL CASTOR | WITH BREAK



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
CENTRE**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511491	329-100	100	144	100x50	115x100	300	12	5602482047525
5511492	329-125	125	165	125x50	115x100	350	10	5602482047532
5511493	329-150	150	191	150x50	115x100	400	8	5602482047549
5511494	329-200	200	242	200x50	115x100	450	6	5602482047556

POLYURETHANE FIXED PLATE CASTOR



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
RIM**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511495	330-100	100	144	100x50	115x100	300	12	5602482047563
5511496	330-125	125	165	125x50	115x100	350	10	5602482047570
5511497	330-150	150	191	150x50	115x100	400	8	5602482047587
5511498	330-200	200	242	200x50	115x100	450	6	5602482047594

POLYURETHANE SWIVEL CASTOR



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511470	607-080	80	108	80x31	102x84	100	40	5602482047600
5511471	607-100	100	125	100x31	102x84	120	38	5602482047617
5511472	607-125	125	150	125x38	102x84	170	28	5602482047624

POLYURETHANE SWIVEL CASTOR | WITH BREAK



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511473	608-080	80	108	80x31	102x84	100	40	5602482047631
5511474	608-100	100	125	100x31	102x84	120	32	5602482047648
5511475	608-125	125	150	125x38	102x84	170	24	5602482047655

POLYURETHANE FIXED PLATE CASTOR



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511476	609-080	80	108	80x31	102x84	100	40	5602482047662
5511477	609-100	100	125	100x31	102x84	120	38	5602482047679
5511478	609-125	125	150	125x38	102x84	170	28	5602482047686

SACK TRUCK | ALUMINIUM



Features

Base plate	350 x 230 mm
Frame	30 x 40 mm
Ø Wheels	260 mm
Dimensions	410 x 390 x 1100 mm
Weight	6,8 kg
Load capacity	90 kg

Height-adjustable trolley with aluminium frame and foldable base plate.

Code	Ref.		EAN
5501096	HT2101-31000		5602482021297

SACK TRUCK | ALUMINIUM



Features

Base plate	300 x 210 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	475 x 470 x 1170 mm
Weight	6 kg
Load capacity	50 kg

Round aluminium frame trolley with rubber grip handle and pneumatic wheels with bushing.

Code	Ref.		EAN
5504962	HT2105		5602482028616

STAIR CLIMBING SACK TRUCK



Features

Base plate	450 x 260 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	160 mm
Dimensions	480 x 600 x 1140 mm
Weight	11,6 kg
Load capacity	200 kg

Round tubular transport trolley with rubber grip handles. Equipped with three rubber and nylon cluster wheels with roller bearings. For effortlessly movement across uneven surfaces and up/down stairs. Epoxy painted.

Code	Ref.		EAN
5501050	506/v-2100 3 wheels		5602482021006

SACK TRUCK | FOLDABLE BASE



Features

Base plate	380 x 210 mm
Foldable base	530 x 310 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	540 x 490 x 1180 mm
Weight	12,6 kg
Load capacity	150 kg

Round tubular transport trolley with rubber grip handles. Allows the transportation of large boxes thanks to its folding base. Pneumatic wheels with bushing. Epoxy painted.

Code	Ref.		EAN
5501053	1163-2102	foldable	5602482021020

SACK TRUCK | METALLIC



Features

Base plate	450 x 260 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	470 x 520 x 1080 mm
Weight	9,5 kg
Load capacity	150 kg

Round tubular transport trolley with rubber grip handles for transportation of sacks and boxes. Pneumatic wheels with bushing. Epoxy painted.

Code	Ref.		EAN
5501052	1110-2103		5602482021037

STEPS | SACK TRUCK




Features

Base plate	400 x 270 mm
Frame	25 x 25 mm
Ø Wheels	100 mm
Step dimensions	460 x 660 x 1200 mm
Step space	300 mm
Weight	8,2 kg
Load capacity	50 kg

Perfect to use as a sack truck or steps, at home or the office. Simple and easy to convert from steps to sack trucks. Tubular structure with non-slip steps, foam handle for better grip. Maximum load of the ladder 150 kg.

Code	Ref.		EAN
5511499	2009	Ladder with 3 steps	5602482047693

LADDER | ALUMINIUM


150 Kg
Max

Car Features acterísticas

Reference	DS5076	DS5077	DS5791	DS5792
Thickness	1,2 mm			
Max height (A)	113 cm	145 cm	168,5 cm	189,5 cm
Max height (B)	74 cm	98 cm	123 cm	147 cm
Max width (C)	63,5 cm	75 cm	92 cm	147 cm
Number of steps	3	4	5	6
Distance between steps	24 cm			
Weight	3,6 kg	4,4 kg	5,2 kg	6,0 kg

Código	Ref.		Ref.	Ref.
1501178	DS5076	3 steps 1, 12 met.	1	5602482050761
1501176	DS5077	4 steps 1,32 met.	1	5602482050778
1501127	DS4791	5 steps 1, 50 met.	1	5602482047914
1501128	DS4792	6 steps 1,72 met.	1	5602482047921

LADDER | STEEL


150 Kg
Max

Features

Reference	DS4796	DS4798	DS5797
Thickness	1,2 mm	1,2 mm	1,2 mm
Max height (A)	90 cm	115 cm	140 cm
Max height (B)	47,5 cm	72 cm	96,5 cm
Max width (C)	49 cm	65 cm	81 cm
Number of steps	2	3	4
Distance between steps	24 cm	24 cm	24 cm
Weight	4,5 kg	6,0 kg	7,8 kg

Code	Ref.		Ref.	Ref.
1501111	DS4796	2 steps 0,88 m	1	5602482047969
1501175	DS4798	3 steps 1,12 m	1	5602482047983
1501112	DS4797	4 steps 1,37 m	1	5602482047976

EXTENSION LADDER | ALUMINIUM

150 Kg
Max

Features

Reference	DS5793	DS4794	DS5795	DS5075
Thickness	1,2 mm			
Max height (A)	340 cm	506 cm	670 cm	842 cm
Max height (C)	170 cm	226 cm	282 cm	338 cm
Height w/1 segment (B)	254 cm	366 cm	478 cm	590 cm
Number of steps	6	8	10	12
Distance between steps	28 cm			
Weight	8,9 kg	11,3 kg	13,9 kg	16,5 kg

Código	Ref.		Ref.	Ref.
1501121	DS4793	3x6 steps 3,40 met.	1	5602482047938
1501110	DS4794	3x8 steps 5,40 met.	1	5602482047945
1501122	DS4795	3x10 steps 6,70 met.	1	5602482047952
1501799		3x12 steps 8,42 met	1	
1501780	DS5075	3x14 steps 10 met.	1	5602482050754

LADDER | ALUMINIUM

Máx.
150 Kg

EN131



Features

Referência	DS5078
Thickness	1,2 mm
Max. height (open)	352 cm
Max. height (closed)	92 cm
Nº of steps	4 x 3
Plataform	steel
Distance between steps	28 cm
Weight	11 kg



Code	Ref.			EAN
1501177	DS5078	Plataforma incluídas	1	5602482050785

ESCADA SIMPLES EM ALUMÍNIO | PRO

ESCALERA ALUMÍNIO | PRO

Máx.
150 Kg

EN131



Features

Thickness	1,2 mm	1,2 mm	1,2 mm	1,2 mm	1,2 mm
Max height (A)	200 cm	250 cm	310 cm	366 cm	394 cm
Width (B)	38 cm	38 cm	38 cm	38 cm	38 cm
Number of steps	7	9	11	13	14
Distance between steps	28 cm	28 cm	28 cm	28 cm	28 cm
Weight	3 kg	3,8 kg	4,6 kg	5,4 kg	5,8 kg

Code	Ref.		EAN
1501105	7 steps 2,00 met.	1	
1501106	9 steps 2,50 met.	1	
1501107	11 steps 3,10 met.		
1501108	13 steps 3,66 met.		
1501109	14 steps 3,94 met.		

GARDEN TOOLS



TIN SNIPS



Code	Ref.			EAN
1101070	12A025	10" 250 mm	 6	5602482043596
1101071	12A030	12" 300 mm	 6	5602482043602

HARVEST SHEARS



Code	Ref.			EAN
1101078	01A18V	180 mm	 12	5602482043688

PRUNING SHEARS



Code	Ref.			EAN
5112315	01A22V	22 mm	 20	5602482043619
5112316	01A23V	23 mm	 20	5602482043626
5112317	01A24V	24 mm	 15	5602482043633
5112318	01A26V	26 mm	 15	5602482043640

GARDEN SHEARS



Code	Ref.			EAN
1107877	08L25	10" 250 mm	 25	5602482043657
1107878	08L30	12" 300 mm	 20	5602482043664

STRAIGHT SNIP HARVEST SHEARS



Code	Ref.			EAN
1101077	02A19V	190 mm	 12	5602482043671

SECATEURS REPLACEMENT SPRING



Code	Ref.			EAN
5600252	98N50	50 mm		5603492980505
5600256	98N60	60 mm		5603492980604
1400300	98N65	65 mm		5603492980659
5600253	98N70	70 mm		5603492980703
5600254	98N75	75 mm		5603492980758
5600255	98N80	80 mm		5603492980802

PRUNING SHEARS



Code	Ref.			EAN
5118478	420CFA1	210 mm (8.1/4")	10	4719131008965
5118745	420CFA1-1	spare blade		4719131012580

PRUNING SHEARS (ALUMINIUM HANDLE)



Code	Ref.			EAN
5118466	417QLG	210 mm (8.1/4")	10	4719131005773
5118744	417QLG-1	spare blade		4719131012573

PRUNING SHEARS



Code	Ref.			EAN
5117608	420CZ	210 mm (8.1/4")		4719131012856

BYPASS LOPPERS



With long aluminium handles

Code	Ref.			EAN
5118457	018H9	725 mm	12	4719131008880

BYPASS LOPPERS (TELESCOPIC)



Aluminium extendable handles

Code	Ref.			EAN
5118458	018H9L	645/925 mm	12	4719131008897

BYPASS LOPPERS



With long aluminium handles

Code	Ref.			EAN
5118459	020AJRH9	760 mm	12	4719131008903

BYPASS LOPPERS (TELESCOPIC)



Aluminium extendable handles

Code	Ref.		EAN
5118460	020AJRH9L	675/1.020 mm	12 4719131008910
5118743	020AJRH9-1	spare blade	4719131012566

TREE PRUNER WITH PRUNING SAW



Dimensions:
Blade: 75 mm
Saw: 360 mm

Code	Ref.		EAN
5118469	M4B1		12 4719131001225

WAVY BLADE HEDGE SHEARS



With long aluminium handles

Code	Ref.		EAN
5118463	036WH9	blade 228 mm 590 mm	12 471913100

TREE PRUNER WITH PRUNING SAW



Aluminium extendable pole
Dimensions:
Blade: 75 mm / Saw: 360 mm

Code	Ref.		EAN
5112692	M4B8T2A1	cabo telescópico	6 4719131009467

WAVY BLADE HEDGE SHEARS (TELESCOPIC)



Aluminium extendable handles
Dimensions:
Extended: 855 mm
Normal: 660 mm

Code	Ref.		EAN
5118464	036WH9L	lâmina 228 mm	12 4719131008958

TREE PRUNER WITH TELESCOPIC POLE



Aluminium telescopic handle
6 adjustment positions
Trigger with brake

Code	Ref.		EAN
5118468	F2AFCN3M	1.27 met. 2 met.	610 4719131008989

TELESCOPIC METALLIC POLE



Normal: 1,30 m
Extended: 2,40 m

Code	Ref.		EAN
5118472	M4T2S	20	4719131008149

CURVED PRUNING SAW



Code	Ref.		EAN
5114767	DS4799	330 mm	5602482047990

MULTI-FUNCTION SCISSORS



Code	Ref.		EAN
5117609	ZK210	220 mm	4719131011286

PRUNING SAW



Code	Ref.		EAN
5117606	F2AD2LNA	210 mm 8"	4719131008972

DRYWALL SAW



For cutting wooden boards, plasterboard,
plaster, small tree branches, etc.

Code	Ref.		EAN
5118477	F2AK02	165 mm	4719131002154

MULTI-FUNCTION KNIFE



Para cortar galhos, erva, linóleo e carpetes,
para abrir embalagens, etc.

Para cortar ramitas, hierba, linóleo y alfombras,
para abrir paquetes, etc.

Code	Ref.		EAN
5117607	F2AK02A	80 mm	4719131012863

LEAF RAKE



Supplied with a wood handle

Code	Ref.		EAN
5113574	22 dentes dientes		5602482045033

GALVANISED LINE WIRE



Code	Ref.		EAN
5118474	X4E 50 met.		4719131003199

ADJUSTABLE LEAF RAKE



Metal handle with rubber grip

Code	Ref.		EAN
5118465	R4 1.250 mm		5602482028036

PLASTIC COATED LINE WIRE



Code	Ref.		EAN
5118475	X4EC 50 met.		4719131003205

FRUIT PICKER



Code	Ref.		EAN
5118479	M6A Ø 13 mm		4719131001607

TWIST TIES ROLL



Code	Ref.		EAN
5118473	X4A 20 met.		4719131003168

ADJUSTABLE HOSE NOZZLE

MAX
12 l/min
4 barligação
FÁCIL

Its small dimensions make it a very manageable element that does not require great effort, even when exerting strong pressure.

Code	Ref.		EAN
5511712	DS5304	ABS / PP	140 5602482053045

ADJUSTABLE HOSE NOZZLE

MAX
12 l/min
4 barligação
FÁCIL

Its small dimensions make it a very manageable element that does not require great effort, even when exerting strong pressure.

Code	Ref.		EAN
5511713	DS5303	plastic	240 5602482053038

WATERING KIT | 4 APPLICATIONS

ligação
FÁCIL

- 1 adjustable nozzle
- 1 universal hose connector 1/2"-5/8"
- 1 universal hose connector with waterstop 1/2"-5/8"
- 1 tap adaptor 1/2"-3/4"

Code	Ref.		EAN
5511726	DS5318	ABS / PP	48 5602482053182

ADJUSTABLE PLASTIC SPRAY GUN

MAX
15 l/min
4 barligação
FÁCIL

Plastic spray gun with rubber handle.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511736	DS5329		48 5602482053298

ADJUSTABLE METAL SPRAY GUN

MAX
15 l/min
4 barligação
FÁCIL

Metallic spray gun with rubber handle.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511737	DS5328		48 5602482053281

ADJUSTABLE METAL SPRAY GUN



Metal spray gun with rubber grip.
Versatile for watering, medium flow and jet adjustment.

Code	Ref.		EAN
5511738	DS5330	48	5602482053304

8 PATTERN METAL SPRAY GUN CHROME PLATED



Rubber coated metal spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511740	DS5332	8 different jet	48 5602482053328

8 PATTERN METAL SPRAY GUN



Rubber coated metal spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511739	DS5331	8 different jet	48 5602482053311

8 PATTERN PLASTIC SPRAY GUN



Rubber-coated plastic spray gun with 8 different jet settings. Rear knob for regulating the water flow.

Code	Ref.		EAN
5511741	DS5333	8 different jet	48 5602482053335

3 ARM SPRINKLER WITH PLASTIC SPIKE



Rotating sprinkler ideal for watering small/medium surfaces. Adjustable nozzles.

Code	Ref.		EAN
5511717	DS5308	3 braços	5602482053083

PLASTIC IMPULSE SPRINKLER WITH SPIKE



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511719	DS5310	espeto plástico	5602482053106

METAL IMPULSE SPRINKLER WITH ZINC SPIKE



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511718	DS5309	zinc spike	5602482053090

SPIKE



Code	Ref.		EAN
5511724	DS5316	zinc spike	5602482053168
5511725	DS5317	plastic spike	5602482053175

METAL IMPULSE SPRINKLER



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511715	DS5306 metal	48	5602482053069

3 WAY BASE SPRINKLER



Round sprinkler ideal for watering small and medium-sized areas. Adjustable nozzles to optimize watering according to the type of plants.

Code	Ref.		EAN
5511714	DS5305 plastic	20	5602482053052

PLASTIC IMPULSE SPRINKLER



Impulse-type, sectorial sprinkler. Ideal for medium-sized surfaces. Device for uniform water distribution.

Code	Ref.		EAN
5511716	DS5307 plastic	48	5602482053076

PORTABLE HOSE CART



Code	Ref.		EAN
5511723	DS5315 plastic/metal	5	5602482053151

TWO WAY COUPLING WITH SWIVEL



Code	Ref.		EAN
5511707	DS5299	3/4" - 1"	5602482052994

TAP ADAPTOR



Code	Ref.		EAN
5511733	DS5325	3/4"	5602482053250

TAP ADAPTOR



Code	Ref.		EAN
5511710	DS5301	3/4" 19 mm	5602482053014
5511708	DS5311	1" 25 mm	5602482053113

TWO WAY HOSE COUPLING



Code	Ref.		EAN
5511734	DS5326		5602482053267

TAP ADAPTOR



Code	Ref.		EAN
5511709	DS5300	1/2" - 3/4"	5602482053007
5511711	DS5302	3/4" - 1"	5602482053021

THREE WAY HOSE COUPLING



Code	Ref.		EAN
5511735	DS5327		5602482053274

HOSE REPAIR CONNECTOR



Code	Ref.		EAN
5511742	DS5334	1/2" - 3/4"	5602482053342

HOSE CONECTOR



Code	Ref.		EAN
5511745	DS5337	universal	5602482053373

HOSE REPAIR CONNECTOR



Code	Ref.		EAN
5511743	DS5335	universal	5602482053359

TAP ADAPTOR



Code	Ref.		EAN
5511720	DS5312	1" - 3/4"	5602482053120

HOSE CONECTOR



Code	Ref.		EAN
5511744	DS5336	1/2" - 3/4"	5602482053366

ADJUSTABLE HOSE NOZZLE



Code	Ref.		EAN
5511721	DS533		5602482053137

HOSE CONECTOR



Code	Ref.		EAN
5511722	DS5314 1"	120	5602482053144

ADJUSTABLE BRASS HOSE NOZZLE



Code	Ref.		EAN
5511730	DS5322L	48	5602482053229

BRASS TAP ADAPTOR



Code	Ref.		EAN
5511728	DS5320L 3/4" 19 mm	48	5602482053205
5511727	DS5321L 1" 25 mm	48	5602482053212

TWO WAY BRASS HOSE COUPLING



Code	Ref.		EAN
5511731	DS5323L	48	5602482053236

BRASS TAP ADAPTOR



Code	Ref.		EAN
5511729	DS5321L 3/4" - 1"	48	5602482053212

THREE WAY BRASS HOSE COUPLING



Code	Ref.		EAN
5511732	DS5324L	48	5602482053243

GARDEN RAKE



Code	Ref.			EAN
5114833	R106-10T	10 teeth	25	5602482050327
5114834	R106-12T	12 teeth	25	5602482050334
5114835	R106-14T	14 teeth	25	5602482050341

MACHETE



Code	Ref.			EAN
5114832	DS5043	16" 405 mm	48	5602482050433

HOE



Code	Ref.			EAN
5114836	DS5044	2 lib. 195x190 mm	12	5602482050440
5114837	DS5045	2,5 li. 210x200	12	5602482050457

SNOW SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114838	ESP-1Y	1300x370x410 mm	6	5602482050419

SNOW SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114839	ESP-1L	1500x370x410 mm	6	5602482050402

ROUND POINT SHOVEL WITH FIBERGLASS SHAFT



Code	Ref.			EAN
5114845	518-13FY	fiberglass handle	6	5602482050358

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5118227	S518-13Y	metallic handle	6	5602482031005

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.			EAN
5114842	518-12Y	plastic handle 75 cm	6	5602482050426

ROUND POINT SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5114840	S518-13L	cabo 1,50 met.	5602482050389

SQUARE MOUTH SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5118228	S519-3Y	metalic handle	5602482031012

ROUND POINT SHOVEL WITH METALLIC SHAFT



Code	Ref.		EAN
5100194	S518-13MY	metalic handle	5602482021310

SQUARE MOUTH SHOVEL WITH WOOD SHAFT



Code	Ref.		EAN
5114844	S519-13L	cabo 1,50 met.	5602482050396

SQUARE MOUTH SHOVEL WITH METALLIC SHAFT



Code	Ref.		EAN
5114841	S512-4MY	metalic handle	5602482050372

PICKAXE



Code	Ref.		EAN
5100339	P5001-B	2,500 kg	5602482025899

SQUARE MOUTH SHOVEL WITH FIBERGLASS SHAFT



Code	Ref.		EAN
5114843	S519-3FY	fibergalss handle	5602482050365

STEEL LEVER



Code	Ref.		EAN
1108100	CONS1068	Ø 22 mm x 1 m.	5602482044838
1108101	CONS1069	Ø 25 mm x 1,25 m	5602482044845
1107886	CONS1070	Ø 25 mm x 1,50 m	5602482037687
1107887	CONS1071	Ø 25 mm x 1,75 m	5602482037694

GRUBBING MATTOCK



Code	Ref.		EAN
1108228	ALVI0021	No.1 1.120 g	5602482048867

PICKAXE MATTOCK



Code	Ref.		EAN
1107885	ALVI0002	No.2 1.280 g	5602482037700

HOE MATTOCK



Code	Ref.		EAN
1108053	ALVI0080	No.00 1.200 g	5602482041431
1108052	ALVI0081	No.0 1.390 g	5602482041424
1108054	ALVI0082	No.1	5602482041448

GARDEN RAKE



Code	Ref.		EAN
1107926	ANCI0003	8 teeth 850 g	5602482038387
1107927	ANCI0004	10 teeth 690 g	5602482038394
1107928	ANCI0005	12 teeth 800 g	5602482038400
1107929	ANCI0006	14 teeth 950 g	5602482038417

MACHETE



Code	Ref.		EAN
1108002	FACA0070	14" 355 mm	5602482039506
1108063	FACA0071	16" 405 mm	5602482041905
1108003	FACA0073	21" 530 mm	5602482039513

HAND TROWEL



Code	Ref.		EAN
1108055	AGRI	large 300 mm	5602482041455
1108056	AGRI	small 340 mm	5602482041462

SPLITTING WEDGE



Code	Ref.		EAN
1107890	CONS0601	1,50 kg 190 x 51 mm	5602482037724
1107891	CONS0602	2,00 kg 230 x 51 mm	5602482037731
1107892	CONS0603	2,50 kg 225 x 53 mm	5602482037748
1107893	CONS0604	3,00 kg 270 x 53 mm	5602482037755

2 PRONG DIGGING HOE



Code	Ref.		EAN
1107904	ENXA0336	Medium 830 g	5602482037762

HOE



Code	Ref.		EAN
1107905	ENXA0357	No.2,5 900 g	5602482037779

DIGGING HOE



Code	Ref.		EAN
1107894	ENXA0003	No.000 430 g	5602482037809
1107895	ENXA0004	No.00 470 g	5602482037793
1107896	ENXA0005	No.0 540 g	5602482037786
1107897	ENXA0006	No.1 600 g	5602482037816
1107898	ENXA0007	No.1,5 760 g	5602482037823
1107899	ENXA0008	No.2 890 g	5602482037830
1107900	ENXA0009	No.2,5 980 g	5602482037847
1107901	ENXA0010	No.3 1.170 g	5602482037854

DIGGING HOE




Code	Ref.		EAN
1108134	ENXA0300	n° 1 small	5602482046559
1108057	ENXA0301	n° 2 medium	5602482041479
1108135	ENXA0302	n° 3 large	5602482046566

MOULD RELEASE LEVER



Code	Ref.		EAN
1108225	CONS0030	1,50 m	5602482047754
1108226	CONS0031	2,00 m	5602482047761

DIGGING HOE



Code	Ref.		EAN
1107902	ENXA0301	No.1 1.085 g	5602482037861
110903	ENXA0276	No.2 1.315 g	5602482037878

POST HOLE DIGGER



Code	Ref.		EAN
1108067	AGRI0080	1.750 x 150 mm	5602482042261

DIGGING HOE



Code	Ref.		EAN
1107936	ENXA0051	No.00 1.360 g	5602482038097
1107935	ENXA0052	No.0 1.490 g	5602482038103
1107937	ENXA0053	No.1 1.690 g	5602482038110
1107938	ENXA0054	No.2 1.830 g	5602482038127

SHEEP BRANDING IRON



Code	Ref.		EAN
1107939	SORT0034	500 mm 725 g	5602482038134

POST HOLE DIGGER



Code	Ref.		EAN
1107884	AGRI0081	1.230 x 1 75 mm	5602482037885

SICKLE



Code	Ref.		EAN
1107940	FOIC0064	No.2 590 g	5602482038141

SICKLE



Code	Ref.		EAN
1107941	FOIC0128	Large 750 g	5602482038158

SICKLE



Code	Ref.		EAN
1107906	FOIC0162	No.1 590 g	5602482037892

2 EDGE SICKLE



Code	Ref.		EAN
1107942	FOIC0126	No.3 670 g	5602482038448

SICKLE



Code	Ref.		EAN
1107943	FOIC0210	No.0	5602482038165

SICKLE



Code	Ref.		EAN
1107969	MLUA0003	No.3 690 g	5602482039063

CURVED PITCHFORK



Code	Ref.		EAN
1107909	FORQ0011	4 teeth 790 g	5602482037908
1107910	FORQ0012	5 teeth 950 g	5602482037922

MANURE FORK WOOD SHAFT - PVC HANDLE



Total length (with handle): 1,450 mm

Code	Ref.		EAN
1108026	FORQ051	4 teeth 340 x 230 mm	5602482039780
1108081	FORQ052	5 teeth 340 x 240 mm	5602482043282
1108028	FORQ053	6 teeth 340 x 300 mm	5602482039803

MANURE FORK



Code	Ref.		EAN
1107907	FORQ002	4 teeth 835 g	5602482037915
1107908	FORQ003	5 teeth 965 g	5602482037939
1107925	FORQ004	6 teeth 1.120 g	5602482038370

MANURE FORK METAL SHAFT



Total length (with handle): 1,450 mm

Code	Ref.		EAN
1107944	FORQ031	4 teeth 330 x 230 mm	5602482038455
1107945	FORQ032	5 teeth 340 x 270 mm	5602482038462

MINI CURVED PITCHFORK



Code	Ref.		EAN
1107946	FORQ0076	5 teeth 390 g	5602482038196
1107947	FORQ0078	7 teeth 490 g	5602482038202

STONE AND GRAVEL FORK WITH WOOD SHAFT



Total length (with handle): 1.20 mm

Code	Ref.		EAN
1107911	FORQ0081	8 teeth 350 x 260 mm	5602482037946

3 PRONG HOE FORK



Code	Ref.		EAN
1107912	GANC0005	3 teeth 1.250 g	5602482037953

3 PRONG HOE FORK



Code	Ref.		EAN
1108083	GANC0021	No.2 3 teeth 300x230 mm	5602482044388

2 PRONG HOE FORK



Code	Ref.		EAN
1108084	GANC0135	2 teeth 950 g	5602482044210

GRASS SCYTHE - RIGHT HANDED



Code	Ref.		EAN
1108136	FACA0100	right-handed	5602482038219

POINT CHISEL



Code	Ref.			EAN
1108058	CONS010	120 mm 490 g	12	5602482041486
1108059	CONS012	180 mm 790 g	12	5602482041493

COLD CHISEL



Code	Ref.			EAN
1108060	CONS015	120 mm 490 g	12	5602482041509
1108061	CONS017	180 mm 790 g	12	5602482041516

AXE WITH WEDGE



Code	Ref.			EAN
1107965	MACH0007		6	5602482038479

HATCHET



Code	Ref.			EAN
1107914	MACH0020	570 g	12	5602482037960

HATCHET WITH HAMMER



Code	Ref.		EAN
1107890	MACH0021	825 g	5602482041349



12

HATCHET



Code	Ref.		EAN
1107949	MACH0032	No.0 525 g	5602482038486
1107950	MACH0033	No.1 620 g	5602482038240
1107951	MACH0034	No.2 750 g	5602482038257
1107952	MACH0035	No.3 1.000 g	5602482038493



12

HATCHET



Code	Ref.		EAN
1107948	MACH0015	280 g	5602482038233



12

AXE (WITHOUT HANDLE)



Code	Ref.		EAN
1107913	MACH0002	No.1 1.420 g	5602482037977



6

HATCHET WOOD SHAFT



Code	Ref.		EAN
1108072	MACH0039	No.0 shaft 60 cm	5602482042605
1108073	MACH0043	No.1 shaft 60 cm	5602482042612
1108074	MACH0044	No.2 shaft 70 cm	5602482042629
1108075	MACH0045	No.3 shaft 100 cm	5602482042636



AXE WOOD HANDLE



Code	Ref.		EAN
1107922	MACH0003	No.2 shaft 90 cm	5602482038363
1108137	MAC1004	No.3 shaft 90 cm	5602482046573



SQUARE Mallet



Code	Ref.		EAN
1107960	CONS0160	No.1 930 g	5602482038509
1107962	CONS0162	No.2 2,000 kg	5602482038516
1107963	CONS0164	No.3 2.600 kg	5602482038523
1107964	CONS0166	No.4 3.600 kg	5602482038530
1108044	CONS0167	No.5 4.100 kg	5602482041318
1108045	CONS0168	No.6 5.200 kg	5602482041325
1108046	CONS0169	No.8 8.250 kg	5602482041332

Masons Hammer



Code	Ref.		EAN
1108039	CONS0103	925 g	5602482040267

Pavers Hammer



Code	Ref.		EAN
1108141	CONS0063	Nº 0 640 g	5602482046740
1107888	CONS0061	Nº 1 740 g	5602482037717

Digging Spade



Code	Ref.		EAN
1108031	PAAG007	320x140x1.113 mm	5602482040069

Bricklayers Hammer



Code	Ref.		EAN
1108095	CONS0100	No.1 415 g	5602482044463

Digging Spade



Code	Ref.		EAN
1108032	PAAG0009	260x160x1.006 mm	5602482040076

ROUND POINT SHOVEL WITH FIBERGLASS SHAFT



* Cable length: 1.030 mm

Code	Ref.		EAN
1108029	209-A	335x285 mm* 2.000 gr.	5602482039827

PICKAXE



Code	Ref.		EAN
1108030	CONS0081	350 g	5602482040052

SQUARE MOUTH SHOVEL WITH FIBERGLASS SHAFT



* Cable length: 1.030 mm

Code	Ref.		EAN
1108038	219-A	335x270 mm* 2.000 gr.	5602482040199

DOUBLE POINT MORTAR PICK WITH SHAFT



Code	Ref.		EAN
1107953	CONS0091	675 g	5602482038264

WELDING CHIPPING HAMMER



Code	Ref.		EAN
1107889	cons0086	350 g	5602482037984

DOUBLE POINT MORTAR PICK



Code	Ref.		EAN
1108043	cons0094	Nº 3 2.650 g	5602482041295

DOUBLE POINT MORTAR PICK



Code	Ref.		EAN
1108042	CONS0096	1.600 g	5602482041301

2 EDGE SICKLE



Code	Ref.		EAN
1107954	PODA0050	No.2 460 g	5602482038288

SQUARE MALLET



Code	Ref.		EAN
1108097	CONS0672	1.250 g	5602482044647

2 EDGE SICKLE



Code	Ref.		EAN
1107956	PODA0086	No.2 420 g	5602482038301

SICKLE



Code	Ref.		EAN
1107955	PODA0044	No.2 420 g	5602482038295

SQUEEGEE WITH TUBULAR HANDLE



Code	Ref.		EAN
1108062	SORT0083	380x150 mm handle 1.460 mm	5602482041523

HOE



Code	Ref.		EAN
1108231	SACH0501		5602482049925
1108232	SACH0502		5602482049932
1108233	SACH0503		5602482049949

DOUBLE HEADED HOE & FORK WITH HANDLE



Code	Ref.		EAN
1107918	SACH0013	375 g	5602482037991

DOUBLE HEADED HOE & FORK WITH HANDLE



Code	Ref.		EAN
1107919	SACH0014	380 g	5602482038004

1 POINT HOE WITH HANDLE



Code	Ref.		EAN
1107916	SAC0011	360 g	5602482038011

POINTED GARDEN HOE WITH HANDLE



Code	Ref.		EAN
1108070	AGRI0042	290 g	5602482042599

DOUBLE HEADED HOE WITH HANDLE



Code	Ref.		EAN
1107917	SACH0012	340 g	5602482038028

DOUBLE HEADED HOE



Code	Ref.		12	EAN
1108066	SACH0165	No.0 364 g		5602482042285

DOUBLE HEADED HOE & FORK



Code	Ref.		12	EAN
1107958	SACH0231	No.00 365 g		5602482038349

1 POINT HOE



Code	Ref.		12	EAN
1107915	SACH0002	260 g		5602482038035

HOE



Code	Ref.		12	EAN
1107957	SACH0201	No.00 316 g		5602482038332
1107966	SACH0200	No.0 385 g		5602482038783
1107967	SACH0199	No.1 357 g		5602482038790

HOE



Code	Ref.		12	EAN
1108216	SACH0366	150X75 mm 260 g		5602482046818

DOUBLE HEADED HOE



Code	Ref.		12	EAN
1107959	SACH0221	No.00 396 g		5602482038356
1108068	SACH0220	No.0 455 g		5602482041561
1108069	SACH0219	No.1 520 g		5602482041554

COAL TONGS



Code	Ref.		EAN
1108065	SORT1002	No.2 335 g	5602482044227

WOOD HANDLE (FOR HOES)



Code	Ref.		EAN
1108235	CAB0080	1,20 mt. - enxadas azadas	5602482042407

GARDEN FORK WITH WOOD HANDLE



Code	Ref.		EAN
1108118	GANC0102		5602482045798

HAND AUGER



Code	Ref.		EAN
1108119	AGRI0152	Ø 150 mm	5602482045804

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107579	2425525436	255 x 1,5 x 25,4 mm / 36T		5602482019034
5107580	2425525440	255 x 1,5 x 25,4 mm / 40T		5602482019041

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118661	TF-1111	255 x 2,5 x 25,4 mm / 20T		5602482040274

CARBIDE TIP BLADE FOR BRUSHCUTTERS



Blades for the cutting of weeds, tree branches, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5118699	27225024	255 x 2,0 x 25,4 mm / 24T		5602482040311
5118700	27225036	255 x 2,0 x 25,4 mm / 36T		5602482040328
5118701	27225040	255 x 2,0 x 25,4 mm / 40T		5602482040335

BRUSHCUTTER BLADE - 2 TEETH

Blades for cutting weeds, lawns,
thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107581	253052542	300 x 3,0 x 25,4 mm / 2T		5602482022836

BRUSHCUTTER BLADE - 3 TEETH

Blades for cutting weeds, lawns,
thinning of flowers and plants, ...

Code	Ref.	Diam. x Thk. x Hole		EAN
5107582		300 x 3,0 x 25,4 / 3T		5602482026049

SUBMERSIBLE WATER PUMP (CLEAN WATER)


Features	QSB-JH-350	QSB-JH-750
Power	350 W	750 W
Maximum flow rate	100 l/min	200 l/min
Maximum height	7 m	8,5 m
Depth	5 m	8 m
Particle diameter (max)	Ø 5 mm	Ø 5 mm
Fluid temperature	0°C / +35°C	0°C / +35°C
Weight	3,5 kg	5 kg

Model	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
QSB-JH	l/min	25	50	75	100	125	150	175	200
350	hgt./m	6,4	5,5	3,6	1,2				
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump suitable for draining, general transfer of water and small irrigation. Ideal for pumping clean water containing solid particles up to 5 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110291	QSB-JH-350	350 W	5602482027282
5110292	QSB-JH-750	750 W	5602482027299

STAINLESS STEEL SUBMERSIBLE WATER PUMP (CLEAN WATER)


Features	
Power	750 W
Maximum flow rate	185 l/min
Maximum height	8,5 m
Depth	8 m
Particle diameter (max)	Ø 8 mm
Fluid temperature	0°C / +35°C
Weight	5 kg

Model	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
QSB-JH	l/min	25	50	75	100	125	150	175	200
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump with a stainless steel housing, for draining, general transfer of water and small irrigation. Ideal for pumping clean water containing solid particles up to 5 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110295	QSB-2JH-750	750 W	5602482027329

SUBMERSIBLE WATER PUMP (DIRTY WATER)



Features	QSB-JH-400B	QSB-JH-750B
Power	450 W	750 W
Maximum flow rate	133 l/min	216 l/min
Maximum height	5 m	8 m
Depth	5 m	5 m
Particle diameter (max)	Ø 30 mm	Ø 30 mm
Fluid temperature	0°C / +35°C	0°C / +35°C
Weight	3,5 kg	5 kg

Model QSB-JH	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
	l/min	25	50	75	100	125	150	175	200
350	hgt./m	6,4	5,5	3,6	1,2				
750	hgt./m	8	7,8	7,2	6,5	5,4	4,2	2,4	

Multi-purpose submersible pump suitable for draining, general transfer of water and small irrigation. Ideal for pumping dirty water containing solid particles up to 30 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110293	QSB-JH-400B	450 W	5602482027305
5110294	QSB-JH-750B	750 W	5602482027312

STAINLESS STEEL SUBMERSIBLE WATER PUMP (DIRTY WATER)



Features	
Power	900 W
Maximum flow rate	230 l/min
Maximum height	9 m
Depth	5 m
Particle diameter (max)	Ø 30 mm
Fluid temperature	0°C / +35°C
Weight	5 kg

Model QSB-JH	m³/h	1,5	3	4,5	6	7,5	9	10,5	12
	l/min	25	50	75	100	125	150	175	200
750	hgt./m	9	8,4	7,8	7,2	6,6	5,5	4,2	2,4

Multi-purpose submersible pump with a stainless steel housing, for draining, general transfer of water and small irrigation. Ideal for pumping dirty water containing solid particles up to 30 mm. Equipped with plug-in power cable, non-return valve and safety floats.

Code	Ref.		EAN
5110296	QSB-JH-900B	900 W	5602482027336

PETROL EARTH AUGER



Features

Power	1.45 kW - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2800/2500 rpm
Máx. speed	8.500 rpm
Fuel tank capacity	1.2 litros
Drill Ø 30mm	100/150/200 mm
Max. drilling speed	240 min ⁻¹
Fuel-oil ratio	40:1
Weight	8,5 kgs.

Earth auger with 2-stroke combustion engine, 1.9HP, 1.45kW, and 52cc displacement, maximum engine speed 8500rpm, maximum drill speed 240rpm.

Composition: 3 drills (100/150 and 200mm) with Ø 30mm

Code	Ref.			EAN
5118834	DS5453-52	52 c.c. 1.9 HP	1	5602482054530

PETROL HEDGE TRIMMER



Features

Power	0.75 kW - 1.0 HP
Engine	2 stroke - 25 c.c.
Idling speed	2800-3200 rpm
Máx. speed	8.500 rpm
Length scissors	600 mm
Distance teeth	28 mm
Fuel-oil ratio	1:40
Fuel tank capacity	230 ml
Weight	7 kgs.

Hedge trimmer with 2-stroke combustion engine and 25 cc cylinder capacity. Excellent performance due to its power, blade length, the type of teeth and hand protection.

Code	Ref.			EAN
5118835	DS5454-26	25.4 c.c. 1.0 HP	1	5602482054547

PETROL WATER PUMP



Features

Power	1.45 kW - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2800-3200 rpm
Máx. speed	7.500 rpm
Saída/entrada água	38 mm 1,5"
Max. suction depth	7-8 metres
Maximum delivery	22 metres
Max. conveyed volume	14 m³/hora
Fuel tank capacity	1,5 litros
Weight	8,5 kgs.

Compact and portable petrol motor pump with 1.9 HP, maximum lift of 22m and a maximum suction of 8m. 1.5" water inlet/outlet pipe, ideal for small irrigation operations

Code	Ref.			EAN
5118836	DS5455-52	52 c.c. 1.9 HP	1	5602482054554

PRUNING CHAINSAW



Features

Power	0.75 kW - 1.0 HP
Engine	2 stroke - 25 c.c.
Idling speed	3000±200 rpm
Máx. speed	8.500 rpm
Bar size	12" 300 mm
Chain pitch	3/8"
Fuel-oil ratio	1:40
Fuel tank capacity	230 ml
Oil tank capacity	210 ml
Weight	kgs.

25cc pruning chain saw ideal for pruning work, branch removal, among others. OREGON blade of 300mm (12").

Code	Ref.			EAN
5118825	DS5444-25	25 c.c. 1.0 HP	1	5602482054448

CHAINSAW

Chainsaws for tree cutting and general woodworking, with handles, Oregon blade and Walbro carburetor pump.



Features	DS5445-45	DS5446-52	DS5447-58
Power	1.7 kW-2.3 HP	1.9 kW-2.5HP	2.2 Kw-2.9 HP
Engine	2 stroke - 45 c.c.		
Idling speed	3000±200 rpm		
Máx. speed	8.000 rpm		
Bar size	16" 400 mm	18" 460 mm	20" 510 mm
Chain pitch	0.325" (8,25mm)		
Gauge of chain	0.063" (1,60mm)		
Fuel-oil ratio	1:40		
Fuel tank capacity	550 ml		
Oil tank capacity	260 ml		
Weight	6 kgs.		

Code	Ref.			EAN
5118826	DS5445-45	45 c.c. 2.3 HP	1	5602482054455
5118827	DS5446-52	52 c.c. 2.5 HP	1	5602482054462
5118828	DS5447-58	58 c.c. 2.9 HP	1	5602482054479

MULTI-FUNCTION 4 IN 1 BRUSH CUTTER



Features	
Power	1,45 kw - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,2 litros
Shaft diameter	Ø 26 mm
Bar size	10" 250 mm
Sound power level	105 dB (A)
Weight	8 kgs.

Composition:

- Telescopic pruning head
- Hedge trimmer head
- Brushcutter (disc) / trimmer (reel) head

Code	Ref.			EAN
5118829	DS5448-52	52 c.c. 1.9 HP	1	5602482054486

PETROL BRUSH CUTTER



Features

Power	1,45 kw - 1.9 HP
Engine	2 stroke - 52 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,2 litros
Shaft dimension	1.600 x Ø 28 mm
Sound power level	112 dB (A)
Weight	8 kgs.

- 1-cylinder, air-cooled 2-stroke engine.
- 2 hand grip.
- Supplied with:
 - 1 metal disc with 3 teeth;
 - 1 nylon thread reel.

Code

Ref.



EAN

5118830

DS5449-52

52 c.c. | 1.9 HP

5602482054493

PETROL BACKPACK BRUSH CUTTER



Features

Power	1,45 kw - 1.9 HP
Engine	2 stroke - 43 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	8.000 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,25 litros
Shaft dimension	1.600 x Ø 26 mm
Sound power level	111 dB (A)
Weight	8 kgs.

- One-cylinder, air-cooled, 2-stroke, 43cc engine, ideal for brushcutting and mowing in densely planted areas.
- Supplied with:
 - 1 metal disc with 3 teeth;
 - 1 nylon thread reel.

Code

Ref.



EAN

5118831

DS5450-43

43 c.c. | 1.9 HP

1

5602482054509

PETROL BLOWER | VACUUM | SHREDDER



Features	
Power	0.75 kw - 1.0 HP
Engine	2 stroke - 25.4 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed	7.500 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	450 ml
Air speed	245 km/h
Air volume speed	348 m³/h
Collection bag capacity	35 litros
Sound power level	113 dB (A)
Weight	8 kgs.

Blower/cacuum/shreder with a 1.0HP and 25.4cc, 2-stroke engine, maximum speed of 7500rpm. Easy to transport blower/aspirator, high power and high quality performance.

Code	Ref.		EAN
5118832	DS5451-26	25.4 c.c. 1.0 HP	5602482054516

PETROL BACKPACK BLOWER



Features	
Power	1.2 kw - 1.6 HP
Engine	2 stroke - 43 c.c.
Idling speed	2.800~3.200 rpm
Máx. speed máxima	7.000 rpm
Fuel-oil ratio	25:1
Fuel tank capacity	1,3 litros
Air speed	81 m/s
Air volume speed	750 m³/h
Sound power level	116 dB (A)
Peso	9 kgs.

Backpack blower with a 1.6HP and 43cc, 2-stroke engine, maximum speed of 7000rpm. Backpack blower with comfortable carrying handles for convenience.

Code	Ref.		EAN
5118833	DS5452-43	43 c.c. 1.6 HP	5602482054523

CORDLESS BRUSH CUTTER



18V 2.4A

18V 4Ah

18V 4Ah

model DS5442-PLY

Features

Voltage	18V 4Ah
Motor	40 volts
No load speed	6.000 rpm min ⁻¹
Cutting width:	255 mm (brush cutter) 340 mm (grass trimmer)
Shaft size	1.500 x Ø 26 mm
Vibration	1.35 m/s, K=1.5 m/s ²
Noise level	96 dB (A)
Weight	kgs.

- Brush cutter
- 2-handed handle.
- Supplied with:
 - 1 3-tooth metal disc;
 - 1 nylon line spool.

BRUSHLESS

CORDLESS

Code	Ref.			EAN
5118805	DS5442-PLY	2 bat.+charger	1	5602482054424
5118806	DS5443-PL	WITHOUT BATTERIE	1	5602482054431

BRUSH CUTTER



Features

Power	1,4 kW
Motor	2 stroke - 43 c.c.
No load speed	2.800~3.200 rpm
Maximum speed	8.000 rpm min ⁻¹
Fuel (mixture)	25:1
Fuel tank capacity	1,2 litres
Shaft size	1.500 x Ø 26 mm
Noise level	114 dB (A)
Weight	7,4 kg

- 1 cylinder, 2-stroke engine, air-cooled.
- Two-handed handle.
- Supplied with:
 - 1 3-tooth blade.
 - 1 nylon line spool.

Code	Ref.			EAN
5111785	CG-KW-430	43 c.c.		5602482041615

TESOURA PODA | 4V 2.0Ah

TIJERA PODA | 4V 2.0Ah

NOVO



Características

Potência	4V
Capacidade bateria	Li-Ion 2.0 Ah
Velocidade em vazio	60 corte / min.
Capacidade máx. corte	12 mm
Peso	600 gramas

Tesoura de poda leve e confortável, ideal para pequenos trabalhos de poda e para floristas. Interruptor de gatilho com botão de bloqueio e luz indicadora do estado da bateria.

Equipamento standard:

Carregador USB, chave, pedra afiar, óleo lubrificante

Tijeras de podas ligeras y cómodas, ideales para pequeños trabajos de poda e para floristas. Interruptor de disparo con botón de bloqueo y luz indicadora del estado de la batería.

Equipo estandar:

Cargador USB, llave, piedra afilar, aceite lubricante.

CORDLESS

Código	Ref.		EAN
5116405	DS5816PLJ	4V 2Ah	5602482058163

TESOURA DE PODA - 18V 2.0Ah

TIJERA PODA - 18V 2.0Ah



NOVO



2x
18V-2Ah



Características

Potência	18V
Capacidade bateria	Li-Ion 2.0 Ah
Tempo carga	1 hora
Velocidade em vazio	30 corte / min.
Capacidade máx. corte	25 mm
Peso	1.890 gramas

Tesoura de poda para poda de vinhas, arbustos e pequenas árvores. Lâmina em aço SK5 para melhor precisão de corte. Fornecida com haste, extensível até 2 metros, com cabeça rotativa com 7 posições de ajuste

Equipamento standard:

Carregador, 2 baterias, caixa plástica

Tijera de poda para podar viñas, arbustos y árboles pequeños. Hoja de acero SK5 para una mayor precisión de corte. Se suministra con vástago, extensible hasta 2 metros, con cabezal giratorio con 7 posiciones de ajuste.

Equipo estandar:

Cargado, 2 baterias, estuche de plástico

BRUSHLESS
CORDLESS

Código	Ref.		EAN
5116420	DS55989	Tesoura + Haste	5602482059894
5116406	DS5817PLY	Tesoura	5602482058170

PETROL LAWNMOWER



Features

Power	4.2 kW - 5.5 HP
Motor	4 stroke - 224 cc
Neutral speed	2.800 rpm
Cutting width	530 mm 21"
Cutting height	8 stages 30~80 mm
Fuel	Unleaded petrol
Fuel tank capacity	2 litres
Oil sump	600 ml
Starting system	Manual
Grass box capacity	60 litres
Sound level	98 dB (A)
Weight	35 kg

- Lawnmower with a petrol spark-ignition engine.
- OHV 4-stroke engine, air-cooled.
- Rear-wheel drive.
- Cutting area: 1.500 m2

Code	Ref.		1	EAN
5114613	WR65828ABK	224 c.c. 5.5 HP		5602482048478

PETROL LAWNMOWER

MOTOR:



Features

Power	4.8 kW - 6.5 HP
Motor	4 stroke - 161 cc
Neutral speed	2.800 rpm
Cutting width	560 mm 22"
Cutting height	8 stages 30~80 mm
Fuel	Unleaded petrol
Fuel tank capacity	1 litre
Oil sump	500 ml
Starting system	Manual
Grass box capacity	62 litres
Sound level	98 dB (A)
Weight	37 kg

- Lawnmower with a petrol spark-ignition engine.
- OHV 4-stroke engine, air-cooled.
- Rear-wheel drive.
- Cutting area: 1.500 m2

Code	Ref.		1	EAN
5114640	HG56SMH	161 c.c. 6.5 HP		5602482048874

ELECTRIC LAWNMOWER 1.400 W



brushless

Features	
Power	1.400 watt
No load speed	2.900 rpm
Cutting width	400 mm
Cutting height adjustment	25 a 70 mm (5)
Grass box capacity	50 litres
Maximum cutting area	500 m ²
Vibration	4.45m/s ²
Sound level	90dB(A)
Protection level	IPX4
Weight	17 kg

Code	Ref.			EAN
5110361	DYM1164	1.400 watt	1	5602482027633

ELECTRIC GRASS TRIMMER 400 W



Features	
Power	400 watt
No load speed	12.000 rpm
Cutting width	250 mm
Cutting system	2 lines / tap and go
Coil diameter	Ø 0,65 mm
Height adjustment	980 a 1220 mm
Vibration	2,69 m/s ²
Sound level	96dB(A)
Weight	2,2 kg

Lawn trimmer with adjustable handle for more comfortable working (up to a maximum of 1.20 metres). 400 Watt motor for high quality cutting. Head with adjustable cutting angle.

Code	Ref.			EAN
5114625	DYM2127	400 watt		5602482044111

LEAF BLOWER 2600W



Features

Power	3000W
No load speed	15000 min ⁻¹
Max air speed	270 km/h
Max air volum	13,2 m ³ / min.
Munching rate	10:1
Bag capacity	35 lit.
Weight	kg

3-in-1 garden tool: blower, hoover and shredder.

The ideal solution for cleaning and leaf collection during spring and autumn. The powerful blower function moves even the dampest leaves effortlessly, with a blowing speed of up to 270 km/h, suction 13.2 m³/min and shredding ratio of 10:1 reducing the volume of debris to speed up composting.

Code

Ref.



EAN

5118804

DS5441-QT

3.000W

1

5602482054417



NYLON SPOOL LINE FOR TRIMMERS




Code	Ref.		EAN
5118226	Ø 75 mm DYM2165		5602482039285
5114628	90000141901 Ø 65 mm DYM2127		5602482035362

LAWNMOWER BLADE




Code	Ref.		EAN
5110414	6300122	DYM1162 - 310 mm	Elétrica
5114627	2105200021C	DYM1164 - 410 mm	Elétrica
5114614	650340802	WR65828ABK - 530 mm	Explosão
5114641		HG56SMH-BS675EX	Explosão

HEAD STRING SET FOR BRUSH CUTTERS



Code	Ref.		EAN
5114746	DS4868	aperto rápido	560248204868

HEAD STRING SET FOR BRUSH CUTTERS




Code	Ref.		EAN
5118526	DS3905	55 x Ø 45 mm	5602482039056
5114929	DS5178	APERTO LATERAL	5602482051782

NYLON SPOOL LINE FOR BRUSH CUTTERS



Code	Ref.		EAN
3008132	Ø 2 mm bobine 150 mm		

NYLON LINE FOR BRUSH CUTTERS



Code	Ref.		EAN
5118660	Ø 3 x 300 mm	50	5602482040250

TRIMMER LINE | DUO SQUARE TWIST LINE



Code	Ref.		EAN
5114923	DS5101	Ø 2.4 mm x 15 metres	5602482051010
5114924	DS5103	Ø 3.0 mm x 15 metres	5602482051034
5114925	DS5105	Ø 4.0 mm x 15 metres	5602482051058

TRIMMER LINE | SQUARE



Code	Ref.		EAN
5114728	DS4850	Ø 2.4 mm x 15 metres	5602482048508
5114729	DS4851	Ø 3.0 mm x 15 metres	5602482048515
5114918	DS5107	Ø 3.3 mm x 21 metres	5602482051072
5114730	DS4852	Ø 4.0 mm x 15 metres	5602482048522

TRIMMER LINE | DUO SQUARE TWIST LINE



Code	Ref.		EAN
5114926	DS5102	Ø 2.4 mm x 100 metres	5602482051027
5114927	DS5104	Ø 3.0 mm x 65 metres	5602482051041
5114928	DS5106	Ø 4.0 mm x 42 metres	5602482051065

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114731	DS4853	Ø 2.4 mm x 82 metres	5602482048539
5114734	DS4856	Ø 2.4 mm x 236 metres	5602482048550
5114732	DS4854	Ø 3.0 mm x 52 metres	5602482048546
5114735	DS4857	Ø 3.0 mm x 152 metres	5602482048577
5114919	DS5108	Ø 3.3 mm x 43 metres	5602482051089
5114920	DS5109	Ø 3.3 mm x 125 metres	5602482051096
5114733	DS4855	Ø 4.0 mm x 28 metres	5602482048553
5114736	DS4858	Ø 4.0 mm x 85 metres	5602482048584

TRIMMER LINE | SQUARE



Code	Ref.		EAN
5114726	DS4848	Ø 3.0 mm x 30 cm (50 pcs)	5602482048485
5114727	DS4849	Ø 4.0 mm x 30 cm (25 pcs)	5602482048492

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114921	DS5110	Ø 1.3 mm x 15 metres	5602482051102
5114922	DS5111	Ø 1.65 mm x 15 metres	5602482051119

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114740	DS4862	Ø 2.4 mm x 87 metres	5602482048621
5114743	DS4865	Ø 2.4 mm x 259 metres	5602482048652
5114141	DS4863	Ø 3.0 mm x 56 metres	5602482048638
5114744	DS4866	Ø 3.0 mm x 167 metres	5602482048669
5114742	DS4864	Ø 4.0 mm x 31 metres	5602482048645
5114745	DS4867	Ø 4.0 mm x 93 metres	5602482048676

TRIMMER LINE | ROUND



Code	Ref.		EAN
5114737	DS4859	Ø 2.4 mm x 15 metres	5602482048591
5114738	DS4860	Ø 3.0 mm x 15 metres	5602482048607
5114739	DS4861	Ø 4.0 mm x 15 metres	5602482048614

BRUSH CUTTER HARNESS



Code	Ref.	EAN
5117671	DS5734	5602482057340

LOG SPLITTER | 7 TON.



Features

Power supply	230V~50Hz
Electric motor performance	2.200W S3 40%
Revolutions	2.820 rpm
Splitting force	7 ton. (70kN)
Hidraulic pressure	180 bar (18Mpa)
Log length	150 - 520 mm
Log diameter	50 - 250 mm
Piston rod diameter	30 mm
Dimensions (LxWxH)	550 x 1.030 x 220 mm
Weight	78 kg

Horizontal log splitter for effortless cutting of logs. With a cutting force of 7 tons, cutting logs up to 0.5 meters in length and 300 mm in diameter, this wood chipper is the ideal tool for intensive use.

Code	Ref.		EAN
5114859	LS7000/520C	7 toneladas	1 5602482042643

LOG SPLITTER | 7 TON.



Features

Power supply	230V~50Hz
Electric motor performance	2.200W S3 40%
Revolutions	2.820 rpm
Splitting force	7 ton. (70kN)
Hidraulic pressure	180 bar (18Mpa)
Log length	150 - 520 mm
Log diameter	50 - 250 mm
Piston rod diameter	30 mm
Dimensions (LxWxH)	1.070 x 1.030 x 220 mm
Weight	81 kg

Horizontal log splitter for effortless cutting of logs. With a cutting force of 7 tons, cutting logs up to 0.5 meters in length and 300 mm in diameter, this wood chipper is the ideal tool for intensive use. Possibility of adapting legs with wheels in order to make work more comfortable.

Code	Ref.		EAN
5114860	LS7000/520C-S	7 toneladas	1 5602482042650

VERTICAL LOG SPLITTER | 8 TON.



Features	
Power supply	230V~50Hz
Electric motor	3.500W
Revolutions	2.820 rpm
Max. splitting lift	Aprox. 500 mm
Splitting force	8 ton. (80kN)
Hidraulic pressure	260 bar (26Mpa)
Log length	máximo 520 mm
Log diameter	120 - 350 mm
Feed speed	Aprox. 0,04 mt./seg.
Return speed	Aprox. 0,15 mt./seg.
Dimensions (LxWxH)	1.510 x 770 x 490 mm
Weight	Aprox. 105 kg

Vertical log splitter for effortless cutting of logs.. With a cutting force of 8 tons, cutting logs up to 1 meter high and 350 mm in diameter, this wood splitter is the ideal tool for intensive and professional use. Supplied with wheels which makes it easier to transport the splitter.

Code	Ref.			Ref.
5114861	LS8000A	8 toneladas	1	5602482042667

LOG CUTTING SAW | 1.800W



Features	
Power supply	230V~50Hz
Electric motor performance	1.800W S6 40%
Motor power	2.820 rpm
Saw blade dia. x hole diam.	400 x 30 mm
Saw blade thickness	3,0 mm
Workpiece diameter	50 - 120 mm
Workpiece length	500 - 1300 mm
Saw blade brake	Eléctrico
Protection type	IP 54
Measured sound power level	115 dB (A)
Dimensions (LxWxH)	800 x 860 x 990 mm
Weight	43 kg

Professional log cutting saw for easier and faster cutting. This machine can be used with a disc up to 400 mm in diameter, which allows cutting logs up to a maximum diameter of 120 mm and with a length of up to one meter.

Code	Ref.			Ref.
5114862	LCS400	1.800w	1	5602482042674

BATTERY SPRAYER



16 lit.

12V
8Ah

4h
Autonomia

4.5 bar

Code	Ref.		EAN
5511700	DS5293-16H	16 liters Li-Ion battery	5602482052932
5511701	DS5353-16L	16 liters gel battery	5602482053533

ELECTRIC/MANUAL SPRAYER



16 lit.

12V
8Ah

4h
Autonomia

4.5 bar

Code	Ref.		EAN
5511702	DS5294-16A	16 liters Li-Ion battery	5602482052949
5511703	DS5354-16L	16 liters gel battery	5602482053540

HANDCART SPRAYER



Code	Ref.		EAN
5511699	DS5296-16L	16 liters	2 5602482052956

PRESSURE SPRAYER



5511695	Ref.		EAN
5511695	DS3704-5K	5 liters	6 5602482037045
5511696	DS3705-8K	8 liters	6 5602482037052

SPRAYERS



Code	Ref.		EAN
5511691	DS5296-05	500 ml	5602482052963
5511692	DS5297-1	1 liter	5602482052970

SPRAYER



Code	Ref.		EAN
5511963	DS5298-15	1,5 liters	5602482052987

SPRAYER



Code	Ref.		EAN
5511964	DS3708-20	2 liters	5602482037083

REPAIR KIT | SPRAYERS



Code	Ref.		EAN
5511704	DS4893-12/16	12 and 16 liters	5602482049833

PLASTIC LANCE WITH NOZZLE



Code	Ref.		EAN
5511706	DS4984-5/8	5 e 8 liters	5602482049840
5511705	DS4985-12/16	12 e 16 liters	5602482049857

KNAPSACK SPRAYER



Code	Ref.		EAN
5505014	NS 12 12 litres		5602482037069

KNAPSACK SPRAYER



Code	Ref.		EAN
5505013	NS 16 16 litres		5602482037076



GARDEN HOSE PIPE



Features

Ø interior	5/8" (15 mm)	3/4" (19 mm)	1" (25 mm)
Thickness	2,0 mm	2,5 mm	3 mm
Weight	0,180 kg/m	0,280 kg/m	0,400 kg/m
Work pressure	8 bar	8 bar	8 bar
Break pressure	20 bar	20 bar	20 bar

Features: Combines the knit fabric with appealing design materials, with 3 layers of UV resistant coating.

Application: Especially in the garden, but also different uses at home and water transportation in general.

Display: Colour: clear blue (with metallic effect)

Code	Ref.		EAN
1501018	Ø 5/8" (15mm) x 25 met.		5602482042223
1501024	Ø 3/4" (19mm) x 25 met.		5602482042513
1501019	Ø 5/8" (15mm) x 50 met.		5602482042230
1501021	Ø 3/4" (19mm) x 50 met.		5602482042216
1501022	Ø 1" (25mm) x 50 met.		5602482042209

GARDEN HOSE PIPE



Features

Ø interior	5/8" (15 mm)	3/4" (19 mm)	1" (25 mm)
Thickness	2,0 mm	2,5 mm	3 mm
Weight	0,180 kg/m	0,260 kg/m	0,380 kg/m
Work pressure	10 bar	10 bar	10 bar
Break pressure	25 bar	25 bar	25 bar

Features: Light hoses for medium pressure, with an opaque yellow outer layer.

Application: Especially in the garden, but also different uses at home and water transportation in general.

Display: Colour: Yellow with two green longitudinal stripes

Code	Ref.		EAN
1501013	Ø 5/8" x 25 m		5602482042186
1501052	Ø 3/4" x 25 m		5602482043572
1501014	Ø 5/8" x 50 m		5602482042193
1501016	Ø 3/4" x 50 m		5602482042179
1501017	Ø 1" x 50 m		5602482042162

Fittings: 1 nozzle, 1 water stop hose connector, 5/8", 1 hose connector 5/8", 1 1/2" 3/4" and 1" universal tap connector.

Code	Ref.		EAN
1501029	Ø 5/8" x 15 m		5602482042575
1501029	Ø 5/8" x 25 m		5602482042582

CRYSTAL GARDEN HOSE



Features: PVC flexible pipe

Application: Suitable for garden and water transportation.

Temperature range: -10°C to +50°C.

Display: Colour: transparent.

Code	Ref.		EAN
1501114	8 x 11 mm 100 metres		5602482046900
1501115	10 x 13 mm 100 metres		5602482046917
1501116	12 x 16 mm 50 metres		5602482046924
1501117	15 x 20 mm 50 metres		5602482046931
1501118	19 x 24 mm 50 metres		5602482046948
1501119	25 x 30 mm 50 metres		5602482046955

AIR LINE HOSE

**Features**

Ø intérieur	8 mm
Thickness	2,5 mm
Work pressure	17 bar
Break pressure	54 bar

Features: THose flexible reinforced with polyester yarns for medium pressure


Applications: Multiple industry applications, mainly compressed air and water.

Presentation: Cor: transparente..

Working temperature: -10°C a +60°C

Code	Ref.		EAN
1501113	8 x 14 mm 50 metres		5602482042575

HOSE HOLDER - STAINLESS STEEL



Code	Ref.		EAN
1501067	n° 1 pequeno		5602482044739
1501068	n° 2 grande		5602482044746

HARDWARE



50
ANOS



D&S

BRASS PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.



Code	Ref.			EAN
5201197	BC7520/DS3479	20 mm 2 keys	6	5602482034792
5201198	BC7525/DS3480	25 mm 2 keys	6	5602482034808
5201199	BC7530/DS3481	30 mm 2 keys	6	5602482034815
5201494	BC7535/DS3482	35 mm 2 keys	6	5602482034822
5201200	BC7540/DS3483	40 mm 2 keys	6	5602482034839
5201495	BC7545/DS3484	45 mm 2 keys	6	5602482034846
5201201	BC7550/DS3485	50 mm 2 keys	6	5602482034853
5201202	BC7560/DS3486	60 mm 2 keys	6	5602482034860
5201629	BC7570/DS4486	70 mm 2 keys	6	5602482044104
5201750	BC7520	20 mm BLISTER	6	5602482047839
5201751	BC7525	25 mm BLISTER	6	5602482047846
5201752	BC7530	30 mm BLISTER	6	5602482047853
5201753	BC7535	35 mm BLISTER	6	5602482047860
5201754	BC7540	40 mm BLISTER	6	5602482047877
5201755	BC7545	45 mm BLISTER	6	5602482047884
5201756	BC7550	50 mm BLISTER	6	5602482047891
5201757	BC7560	60 mm BLISTER	6	5602482047907

LONG SHACKLE BRASS PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.

Code	Ref.			EAN
5201203	BC7530L	30 mm 2 keys	6	5602482034884
5201204	BC7540L	40 mm 2 keys	6	5602482034891
5201205	BC7550L	50 mm 2 keys	6	5602482034907
5201206	BC7560L	60 mm 2 keys	6	5602482034914

BRASS COMBINATION PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.
Resettable combination.

Code	Ref.			EAN
5201530	NLB110B30	30 mm 3 digits	6	5602482007871
5201769	NLB110B	30 mm 4 digits	6	5602482058149
5201637	NLB110B40	40 mm 4 digits	6	5602482008359

MONOBLOCK SHUTTER PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.

Code	Ref.			EAN
5201472	RC7060	60 mm 2 keys	6	5602482034921
5201630	RC7075	75 mm 2 keys	6	5602482041691
5201475	RC7090	90 mm 2 keys	6	5602482034952

STAINLESS STEEL HIGH SECURITY PADLOCK



Stainless steel body, with reinforced shackle protection. Stainless steel shackle.

Code	Ref.			EAN
5201526	LSO400	40 mm 4 keys	6	5602482007338
5201528	LSO350	50 mm 4 keys	6	5602482007444
5201529	LSO360	60 mm 4 keys	6	560248207864

PLASTIC TIE WRAPS | WHITE

PA6,6
WHITE

Code	Ref.			EAN
5400128	DS5135	2,5 x 150 mm	100	5602482051355
5400129	DS5136	2,5 x 250 mm	100	5602482051362
5400130	DS5137	3,6 x 150 mm	100	5602482051379
5400131	DS5138	3,6 x 200 mm	100	5602482051386
5400132	DS5139	3,6 x 300 mm	100	5602482051393
5400133	DS5140	4,8 x 200 mm	100	5602482051409
5400134	DS5141	4,8 x 300 mm	100	5602482051416
5400135	DS5142	4,8 x 400 mm	100	5602482051423
5400136	DS5143	4,8 x 500 mm	50	5602482051430
5400137	DS5144	7,5 x 300 mm	50	5602482051447
5400138	DS5145	7,5 x 500 mm	50	5602482051454
5400139	DS5146	7,5 x 800 mm	50	5602482051461
5400140	DS5147	9 x 500 mm	25	5602482051478
5400141	DS5148	9 x 1000 mm	25	5602482051485

PLASTIC TIE WRAPS | BLACK

PA6,6
BLACK

Code	Ref.			EAN
5400143	DS5149	2,5 x 150 mm	100	5602482051492
5400144	DS5150	2,5 x 250 mm	100	5602482051508
5400145	DS5151	3,6 x 150 mm	100	5602482051515
5400146	DS5152	3,6 x 200 mm	100	5602482051522
5400147	DS5153	3,6 x 300 mm	100	5602482051539
5400148	DS5154	4,8 x 200 mm	100	5602482051546
5400149	DS5155	4,8 x 300 mm	100	5602482051553
5400150	DS5156	4,8 x 400 mm	100	5602482051560
5400151	DS5157	4,8 x 500 mm	50	5602482051577
5400152	DS5158	7,5 x 300 mm	50	5602482051584
5400153	DS5159	7,5 x 500 mm	50	5602482051591
5400154	DS5160	7,5 x 800 mm	50	5602482051607
5400155	DS5161	9 x 500 mm	25	5602482051614
5400156	DS5162	9 x 1000 mm	25	5602482051621

PLASTIC TIE WRAPS | GREEN

PA6,6
GREEN

Code	Ref.			EAN
5400157	DS5163	2,5 x 150 mm	100	5602482051638
5400158	DS5164	2,5 x 200 mm	100	5602482051645
5400159	DS5165	2,5 x 250 mm	100	5602482051652
5400160	DS5166	3,6 x 150 mm	100	5602482051669
5400161	DS5167	3,6 x 200 mm	100	5602482051676
5400162	DS5168	3,6 x 250 mm	100	5602482051683

CABLE TIE WALL PLUG



Code	Ref.			EAN
5400127	DS5169	M8 x 40 mm WHITE	100	5602482051690
5400142	DS5170	M8 x 40 mm BLACK	100	5602482051706

STAINLESS STEEL HOSE CLIP



Code	Ref.		EAN
5201618	9 mm 8 x 12 mm	100	5602482039254
5201626	9 mm 10 x 16 mm	100	5602482042360
5201635	9 mm 16 x 25 mm	100	5602482044340
5201545	9 mm 18 x 28 mm	100	5602482034983
5201640	9 mm 20 x 32 mm	50	5602482044807
5201633	9 mm 25 x 40 mm	50	5602482044357
521634	9 mm 32 x 50 mm	50	5602482044364
5201592	12 mm 16 x 25 mm	100	5602482035010
5201593	12 mm 20 x 32 mm	50	5602482035027
5201594	12 mm 25 x 40 mm	50	5602482035034
5201595	12 mm 32 x 50 mm	50	5602482035041
5201596	12 mm 40 x 60 mm	50	5602482035058
5201597	12 mm 50 x 70 mm	50	5602482035065
5201598	12 mm 60 x 80 mm	50	5602482035072
5201599	12 mm 70 x 90 mm	25	5602482035089
5201600	12 mm 90 x 110 mm	25	5602482035096

MINI HOSE CLIP



Code	Ref.		EAN
5201601	9 mm 15 x 17 mm	100	5602482035102
5201602	9 mm 17 x 19 mm	100	5602482035119

ZINC PLATED HOSE CLIP



Code	Ref.		EAN
5201569	9 mm 8 x 12 mm	100	5602482022928
5201570	9 mm 10 x 16 mm	100	5602482022935
5201571	9 mm 16 x 20 mm	100	5602482035126
5201572	9 mm 16 x 25 mm	100	5602482035133
5201573	9 mm 20 x 32 mm	50	5602482035140
5201574	9 mm 25 x 40 mm	50	5602482035157
5201575	9 mm 32 x 50 mm	50	5602482022980
5201576	9 mm 40 x 60 mm	50	5602482022997
5201577	9 mm 50 x 70 mm	50	5602482023000
5201580	12 mm 16 x 25 mm	100	5602482035164
521581	12 mm 20 x 32 mm	50	5602482035171
5201582	12 mm 25 x 40 mm	50	5602482035188
5201583	12 mm 32 x 50 mm	50	5602482035195
5201584	12 mm 40 x 60 mm	50	5602482035201
5201585	12 mm 50 x 70 mm	50	5602482035218
5201586	12 mm 60 x 80 mm	50	5602482035225
5201587	12 mm 70 x 90 mm	25	5602482035232
5201588	12 mm 90 x 110 mm	25	5602482035249
5201589	12 mm 110 x 130 mm	25	5602482035256
5201590	12 mm 120 x 140 mm	10	5602482035263
5201591	12 mm 140 x 160 mm	10	5602482035270

STEEL WIRE ROPE



Code	Ref.		EAN
5500693	Ø 2,5 mm inox	250 mt.	5602482014978
5500634	Ø 3 mm coated	250 mt.	560248201574

GALVANIZED WIRE ROPE CLIP



Code	Ref.		EAN
5200053	3 mm 1/8"	100	
5200054	5 mm 3/16"	100	
5200055	6 mm 1/4"	100	
5200056	8 mm 5/16"	50	
5200057	10 mm 3/8"	25	
5200058	11 mm 7/16"	20	
5200059	13 mm 1/2"	20	
5201082	14 mm 9/16"	20	
5200060	16 mm 5/8"	20	
5200061	19 mm 3/4"	20	
5200062	22 mm 7/8"	20	
5200063	25 mm 1"	20	

INOX WIRE ROPE CLIP

5201293	3 mm 1/8"	100	
5201294	4 mm 5/32"	100	
5201295	5 mm 3/16"	50	
5201296	6 mm 1/4"	50	
5201297	8 mm 5/16"	50	

GALVANIZED WIRE ROPE CLIP | DOUBLE



Code	Ref.		EAN
5201478	2 mm 3/32"		

GALVANIZED EYE-EYE SWIVEL



Code	Ref.		EAN
5201155	5/8" 16 mm	100	5602482029521
5201154	3/4" 20 mm	100	5602482030138
5201153	1" 25 mm	100	5602482029507

GALVANIZED TURNBUCKLE EYE & HOOK



Code	Ref.		EAN
5200103	5 mm - 3/16" 50 kg	100	
5201126	EYE/EYE 5 mm - 3/16" 50 kg.	150	
5200104	6 mm - 1/4" 80 kg.	50	
5200105	8 mm - 5/16" 150 kg.	25	
5200106	10 mm - 3/8" 200 kg.	20	
5200108	12 mm - 1/2" 300 kg.	10	
5200109	16 mm - 5/8" 500 kg.	10	
5200110	20 mm - 3/4" 800 kg.	5	
5200111	22 mm - 7/8" 1.000 kg.	5	
5200112	25 mm - 1" 2.000 kg.	5	
5201313	EYE/EYE 5 x 70 mm 50 kg. INOX	20	
5201302	6 x 90 mm 70 kg. INOX	10	

GALVANIZED EYE HOOK WITH LATCH



Code	Ref.	load breacking point		EAN
5201540	750 kg.	3.000 kg. 3.100 kg.	50	5602482037311
5201481	1.000 kg.	4.000 kg. 4.150 kg.	25	5602482006799
5201482	1.500 kg.	6.000 kg. 6.200 kg.	30	5602482037328
5201483	2.000 kg.	8.000 kg. 8.200 kg.	20	5602482037335
5201484	3.000 kg.	12.000 kg. 12.200 kg.	10	5602482037342

GALVANIZED EYE HOOK



Code	Ref.	load breacking point		EAN
5201279	500 kg.		50	5602482006898
5201280	1.000 kg.	4.000 kg. 4.150 kg.	50	5602482000117
5201281	1.500 kg.	6.000 kg. 6.200 kg.	25	5602482007031
5201282	2.000 kg.	8.000 kg. 8.200 kg.	25	5602482037359

GALVANIZED QUICK LINK



Code	Ref.	carga útil ponto rutura		EAN
5201108	4 mm	5,6 kg. 22,5 kg.	100	
5201209	5 mm	7,2 kg. 28,5 kg.	100	
5201109	6 mm	8,5 kg. 34,5 kg.	100	
5201110	8 mm	10,8 kg. 43 kg.	50	
5201111	10 mm	13 kg. 52 kg.	25	

GALVANIZED EUROPEAN D-TYPE SHACKLE



Code	Ref.	load breacking point		EAN
5200128		5 mm 3/16"	100	
5200129		6 mm 1/4"	25	
5200130		8 mm 5/16"	20	
5200131		10 mm 3/8"	25	
5200133		13 mm 1/2"	10	
5200134		16 mm 5/8"	25	
5200135		20 mm 3/4"	20	
5200136		22 mm 7/8"	20	
5200137		25 mm 1"	10	

GALVANIZED SWIVWL EYE BOLT SNAP



Code	Ref.		EAN
5201156	1/2"	100	
5201119	3/4" x 4"	50	
5200118	5/8" x 3.1/8"	50	
5201170	1"	50	

GALVANIZED COMMON SNAP HOOK



Code	Ref.	measure breacking point		EAN
5201112		4 x 40 mm 70 kg.	100	
5201113		5 x 50 mm 110 kg.	100	
5201114		6 x 60 mm 130 kg.	100	
5201115		8 x 80 mm 260 kg.	50	
5201116		10 x 100 mm 400 kg.	25	
5201117		11 x 120 mm 460 kg.	20	

GALVANIZED SNAP HOOK WITH SCREW



Code	Ref.	medidas carga útil		EAN
5201485		4 x 40 mm 70 kg.	100	
5201486		5 x 50 mm 120 kg.	100	
5201487		6 x 60 mm 140 kg.	100	
5201490		8 x 80 mm 270 kg.	50	
5201488		10 x 100 mm 420 kg.	25	
5201489		11 x 120 mm 460 kg.	20	

GALVANIZED SNAP HOOK WITH SCREW



GALVANIZED SNAP HOOK WITH SCREW



Code	Ref.		EAN
5201622	1,6 mm 50 mt.		5602482040373
5201623	2,2 mm 50 mt.		5602482040380
5201624	2,8 mm 25 mt.		5202482040397

Technical data (STANDARD DIN 5685)

Measure	Load	Breaking point
3 mm - 1/8"	112 kg.	280 kg.
4 mm - 5/32"	200 kg.	500 kg.
5 mm - 3/16"	315 kg.	775 kg.
6 mm - 1/4"	450 kg.	1.150 kg.
8 mm - 5/16"	800 kg.	2.000 kg.
10 mm - 3/8"	1.250 kg.	3.100 kg.
12 mm - 1/2"	1.800 kg.	4.500 kg.

Code	Ref.	weight/mt mt. packaging		EAN
5200999	3 mm 1/8"	165 gr. ± 151 mt.	25 kg.	5602482031166
5201000	4 mm 5/32"	300 gr. ± 83 mt.	25 kg.	5602482039346
5201001	5 mm 3/16"	500 gr. ± 50 mt.	25 kg.	5602482039353
5201002	6 mm 1/4"	750 gr. ± 34 mt.	25 kg.	5602482039360
5201003	8 mm 5/16"	1.315 gr. ± 19 mt.	25 kg.	5602482039377
5201004	10 mm 3/8"	2 kg. ± 12,5 mt.	25 kg.	5602482039070
5201005	12 mm 1/2"	2.940 kg. ± 8,5 mt.	25 kg.	5602482039384

PLASTIC CHAIR



Code	Ref.		EAN
5201505	6 mm red/white	100 m	5602482031449
5201619	8 mm white	50 m	5602482040366
5201508	8 mm black	50 m	5602482021952
5201507	8 mm green	50 m	5602482021969
5201506	8 mm green/white	50 m	5602482016576
5201620	10 mm white	25 m	5602482040342
5201510	10 mm black	25 m	5602482021976
5201509	10 mm green	25 m	5602482022631
5201621	10 mm red/white	25 m	5602482040359

CHAIN



Code	Ref.		EAN
5201176	n° 0 1,75 m x 50 mm	3	
5201175	n° 1 1,75 m x 45 mm	3	
5201174	n° 2 1,75 m x 40 mm	6	
5201173	n° 3 1,75 m x 35 mm	6	
5201172	n° 4 1,75 m x 30 mm	6	
5201171	n° 5 1,75 m x 25 mm	6	

CURTAIN WIRE



Code	Ref.		EAN
5201523	coated 30 metros	10	5602482005808

NICKEL PLATED SNAP HOOK



Code	Ref.		EAN
5201381	50 mm		5602482054134
5201382	60 mm		5602482036925
5201383	70 mm		5602482054141
5201374	80 mm		5602482036932
5201385	90 mm		5602482054158
5201386	100 mm		5602482054165
5201388	120 mm		5602482054172

GALVANIZED SCREW HOOK



Code	Ref.		EAN
5201524		100	5602482023055

LEASH



Code	Ref.		EAN
5201121	4 x 100 mm	10	5602482003651

GALVANIZED SCREW EYE



Code	Ref.		EAN
5201525		100	5602482023079

HOLLOW WALL CAVITY ANCHOR SETTING TOOL



Setting tool for hollow wall anchors.

Code	Ref.		EAN
5201491	Anchors 4 to 6 mm		5602482009349

THROUGH BOLT



Code	Ref.		EAN
5201439	M 6 x 45 mm	100	5602482035461
5201440	M 6 x 65 mm	50	5602482035478
5201441	M 8 x 75 mm	50	5602482035485
5201442	M 8 x 90 mm	25	5602482035492
5201443	M 10 x 90 mm	25	5602482035508
5201444	M 10 x 120 mm	25	5602482035515
5201445	M 12 x 110 mm	25	5602482035522
5201446	M 12 x 140 mm	25	5602482035539

HOOK BOLT MASONRY ANCHOR



Code	Ref.		EAN
5201454	M 6 x 60 mm	50	5602482035546
5201455	M 8 x 60 mm	50	5602482035553
5201456	M 10 x 60 mm	25	5602482035560
5101457	M 12 x 80 mm	25	5602482035577

EYE BOLT MASONRY ANCHOR



Code	Ref.		EAN
5201458	M 6 x 60 mm	50	5602482035584
5201459	M 8 x 60 mm	50	5602482035591
5201460	M 10 x 60 mm	25	5602482035607
5201661	M 12 x 80 mm	25	5602482035614

SLEEVE ANCHOR WITH BOLT



Code	Ref.		EAN
5201450	M 6 x 60 mm	50	5602482035621
5201451	M 8 x 60 mm	50	5602482035638
5201452	M 10 x 60 mm	30	5602482035645
5201453	M 12 x 80 mm	25	5602482035652

MASONRY ANCHOR WITH BOLT



Code	Ref.		EAN
5201435	M 6 x 60 mm	50	5602482035669
5201436	M 8 x 60 mm	50	5602482035676
5201437	M 10 x 60 mm	25	5602482035683
5201438	M 12 x 80 mm	20	5602482035690

HOLLOW WALL BOLT MASONRY ANCHOR




Code	Ref.		EAN
5201447	M 4 x 45 mm	200	5602482035706
5201448	M 5 x 65 mm	100	5602482035713
5201449	M 6 x 65 mm	50	5602482035720

MASONRY ANCHOR WITHOUT BOLT



Code	Ref.		EAN
5201496	M 6	100	5602482035737
5201497	M 8	50	5602482035744
5501498	M 10	25	5602482035751
5201499	M 12	20	5602482035768

MASONRY ANCHOR



Code	Ref.		EAN
5201431	M 6	100	5602482035775
5201432	M 8	100	5602482035782
5201433	M 10	50	5602482035799

HAMMER-IN FIXING WITH NYLON PLUG



Code	Ref.		EAN
5201462	5 x 35 mm	100	5602482035812
5201641	6 x 35 mm	100	5602482044852
5201463	6 x 45 mm	100	5602482035828
5201464	6 x 55 mm	100	5602482035836
5201465	6 x 70 mm	100	5602482035843
5201466	8 x 75 mm	75	5602482035850
5201467	8 x 100 mm	50	5602482035867

METALLIC DOWEL PIN



Code	Ref.		EAN
5201500	6 x 60 mm	200	5602482035874
5201501	8 x 80 mm	200	5602482035881
5201502	8 x 90 mm	100	5602482035904

ALUMINIUM RIVETS



Code	Ref.		EAN
5400098	DS3451	3 x 6 mm	1000 5602482034518
5400099	DS1366	3 x 8 mm	1000 5602482013667
5400100	DS1367	3 x 10 mm	1000 5602482013674
5400101	DS3452	3 x 12 mm	1000 5602482034525
5400102	DS0851	3 x 14 mm	1000 5602482008519
5400103	DS3453	3 x 16 mm	1000 5602482034532
5400104	DS3454	3 x 18 mm	1000 5602482034549
5400105	DS3455	4 x 6 mm	1000 5602482034556
5400106	DS1368	4 x 8 mm	1000 5602482013681
5400107	DS1369	4 x 10 mm	1000 5602482013698
5400108	DS3456	4 x 12 mm	1000 5602482034563
5400109	DS3457	4 x 14 mm	1000 5602482034570
5400110	DS3458	4 x 16 mm	1000 5602482034587
5400111	DS3459	4 x 18 mm	1000 5602482034594
5400112	DS3460	4 x 20 mm	1000 5602482034600
5400113	DS3461	5 x 10 mm	1000 5602482034617
5400114	DS1370	5 x 12 mm	1000 5602482013704
5400115	DS3462	5 x 14 mm	500 5602482034624
5400116	DS3463	5 x 16 mm	500 5602482034631
5400117	DS3464	5 x 18 mm	500 5602482034648
5400118	DS3465	5 x 20 mm	500 5602482034655
5400119	DS3466	5 x 22 mm	500 5602482034662
5400120	DS3467	5 x 25 mm	500 5602482034679
5400121	DS3468	5 x 27 mm	500 5602482034686
5400122	DS3469	5 x 30 mm	500 5602482034693

ALUMINIUM RIVETS

Code	Ref.		EAN
5400123	DS3470	5 x 12 mm	250 5602482034709
5400124	DS3471	5 x 14 mm	250 5602482034716
5400163	DS3472	5 x 16 mm	200 5602482034723
5400126	DS3473	5 x 18 mm	200 5602482034730

TEMPERED STEEL NAILS



Code	Ref.		EAN
5200185	2 x 12 mm	1000	5602482032071
5200187	2 x 16 mm	1000	5602482032088
5200189	2 x 20 mm	1000	5602482032095
5200190	2 x 23 mm	1000	5602482032101
5200191	2 x 25 mm	1000	5602482032118
5200192	2 x 30 mm	1000	5602482032125
5200193	2 x 40 mm	1000	5602482032132
5201645	2,5 x 30 mm	1000	5602482032200
5201188	2,5 x 35 mm	1000	5602482032217
5200195	2,5 x 40 mm	1000	5602482032224
5201646	3 x 30 mm	1000	5602482044814
5201647	3 x 40 mm	1000	5602482032149
5201648	3 x 50 mm	1000	5602482032156
5200200	3 x 60 mm	1000	5602482032163
5200201	3 x 70 mm	1000	5602482032170
5200951	4 x 80 mm	100	5602482032187

GALVANISED STEEL NAILS



Code	Ref.		EAN
5201745	2,7 x 25 mm	500	5602482032248
5201746	2,7 x 30 mm	500	5602482032255
5200205	2,7 x 35 mm	250	5602482032262
5200206	2,7 x 40 mm	250	5602482032279
5200207	2,7 x 50 mm	250	5602482032286
5200210	3,5 x 35 mm	250	5602482032293
5200211	3,5 x 45 mm	250	5602482032309
5200212	3,5 x 55 mm	250	5602482032316
5200213	3,5 x 65 mm	250	5602482032323
5200214	3,5 x 75 mm	250	5602482032330
5201610	4,5 x 50 mm	250	5602482032392
5201558	4,5 x 60 mm	250	5602482032347
5201559	4,5 x 70 mm	250	5602482032354
5201748	4,5 x 80 mm	125	5602482032361
5201749	4,5 x 100 mm	125	5602482032378
5201161	4,5 x 100 mm	250	
5201359	4,5 x 110 mm	250	5602482032385

CUTLERY



SKIN PLIERS



Pliers for cuticle cutting. Stainless steel. Soft handles

Code	Ref.		EAN
1400288	4" 100 mm	12	5602482043695

DRESSMAKING SCISSORS



Scissors for cutting of fabrics. Carbon steel, nickel plated. Large finger holes.

Code	Ref.		EAN
1400284	7" 175 mm	12	5602482043749
1400290	8" 200 mm	12	5602482043756

NAIL PLIERS



Nail pliers for hands and feet. Stainless steel. Curved blades for a rounded cut. Soft handles.

Code	Ref.		EAN
1400289	4" 100 mm	12	5602482043701

SEWING SCISSORS



Scissors for cutting of fabrics. Carbon steel, nickel plated.


Code	Ref.		EAN
1400285	5" 125 mm	12	5602482043770
1400286	5.1/2" 140 mm	12	5602482073787
1400287	6" 150 mm	12	5602482043794
1400301	6.1/2" 165 mm	12	5602482046870

TAILOR SHEARS



Shears for cutting of fabrics. Forged carbon steel with nickel plated blades and painted handles.

Code	Ref.		EAN
1400596	8" 200 mm	12	5602482043718
1400297	10" 250 mm	12	5602482043725
1400298	12" 300 mm	12	5602482043732



CUTICLE SCISSORS | CURVED



Scissors for cuticle cutting. Stainless steel. Curved blades.

Code	Ref.		EAN
1400292	3.1/2" 90 mm	12	5602482043800

NAIL SCISSORS | CURVED



Nail cutting scissors. Stainless steel. Ideal for rounded cuts due to its curved blades.

Code	Ref.		EAN
1400294	3.1/2" 90 mm	12	5602482043831

CUTICLE SCISSORS | STRAIGHT



Scissors for cuticle cutting. Stainless steel. Straight blades.

Code	Ref.		EAN
1400293	3.1/2" 90 mm	12	5602482043817

NAIL SCISSORS | STRAIGHT



Nail cutting scissors. Stainless steel. Straight blades. Ideal for a straight nail cutting.

Code	Ref.		EAN
1400295	3.1/2" 90 mm	12	5602482043848

PINKING SHEARS



Scissors for cutting tissue samples (zigzag). Stainless steel.

Code	Ref.		EAN
1400299	225 mm ZIG-ZAG	12	5602482043824

FISH SHEARS | INOX



Perfect for fish but for multiple purposes. Stainless steel with painted handles. Serrated blade.

Code	Ref.		EAN
1300771	195 mm	10	5604831110478

POULTRY SHEARS | INOX



Perfect for poultry but for multiple purposes. Forged stainless steel. Serrated blade.

Code	Ref.		EAN
1300883	n° 2 260 mm	10	5604831110508

PIGLET SHEARS | INOX



Ideal for roasted piglet. Forged stainless steel

Code	Ref.		EAN
1300884	n° 6 260 mm	10	5604831110676



Diógenes & Santos, S.A.

**Rua Albino Moreira, 360
4485-767 Vilar VCD - PORTUGAL**

**Tel.: 226 076 310
email: geral@diosan.com**

www.sady.pt