

SADY®



Catalogue



2023

Miscellaneous
Hardware
Cutlery



SADY®

miscellaneous



hardware



cutlery



MISCELLANEOUS



HIGH TEMPERATURE SPRAY PAINT (400ml)



Enamel based silicon resins. For fireplaces, stoves, ovens, radiators, etc. Resistant up to 650°C. Not directly exposed to the flames. High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Storage: Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.			EAN
5511685	DSAT4970	Aluminium	6	5602482049703
5511570	DSAT4899	Antracite	6	5602482048997
5511571	DSAT4900	White	6	5602482049000
5511572	DSAT4901	Brown	6	5602482049017
5511573	DSAT4902	Bright black	6	5602482049024
5511574	DSAT4903	Matte black	6	5602482049031
5511575	DSAT4904	Transparent	6	5602482049048
5511576	DSAT4905	Red	6	5602482049055

DIRECT TO RUSH SPRAY PAINT (400ml)



High-thickness paint for the treatment of new and already weathered iron surfaces by atmospheric agents. Its special corrosion inhibitor content allows excellent protection over time and a final effect equal to the old iron. For outdoor/indoor. Quick drying. High coverage 1,5-2m². Storage: Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511577	DSDF4906	Bright white	6	5602482049062
5511578	DSDF4907	Matte white	6	5602482049079
5511579	DSDF4908	Brown	6	5602482049086
5511580	DSDF4909	Grey	6	5602482049093
5511581	DSDF4910	Old Grey	6	5602482049109
5511582	DSDF4911	Light Grey	6	5602482049116
5511583	DSDF4912	Forge Grey	6	5602482049123
5511584	DSDF4913	Bright black	6	5602482049130
5511585	DSDF4914	Matte black	6	5602482049147
5511586	DSDF4915	Green	6	5602482049154
5511587	DSDF4916	Red	6	5602482049161

SPECIAL EFFECT SPRAY PAINT (400ml)



creates a chrome effect. Only for Interior. Good for decoration. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.			EAN
5511588	DSEE4958	Copper	6	560248204581
5511589	DSEE4960	Gold chrome	6	560248204604
5511590	DSEE4959	Silver chrome	6	5602482049598
5511591	DSEE4917	Gold	6	5602482049178
5511592	DSEE4961	Old gold	6	5602482049611
5511593	DSEE4962	Silver	6	5602482049628

FLUORESCENT EFFECT SPRAY PAINT (400ml)



Acrylic ink which becomes luminous and visible surfaces at a distance even in poor lighting conditions. It is recommended to apply on a white surface. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511594	DSFC4918	Yellow	6	5602482049185
5511595	DSFC4919	Blue	6	5602482049192
5511596	DSFC4920	Orange	6	5602482049208
5511597	DSFC4921	Green	6	5602482049215
5511598	DSFC4922	Red	6	5602482049222

PRIMER SPRAY PAINT (400ml)



Protects metal surfaces from rust. Can be coated with colors after drying. Interior Exterior. It guarantees resistance to atmospheric agents. Fast drying (touch 15 min, in depth 45 min). Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511605	DSP4966	White	6	5602482049666
5511606	DSP4967	Grey	6	5602482049260
55 11607	DSP4966	Red	6	5602482049277

PROTECTION SPRAY PAINT (400ml)



cIld galvanized coating that forms a highly resistant coating. Can be painted or leave as finish. Ideal for finishing or repair in cutting, welding, etc. High coverage 1,5-2m². Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 24 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
5511608	DSPT4968	Inox	6	5602482049680
5511609	DSPT4929	Zinc 98%	6	5602482049291
5511610	DSPT4928	Clear zinco	6	5602482049284
5511611	DSPT4967	Dark zinco	6	5602482049673

ACRYLIC ENAMEL SPRAY PAINT (400ml)



Excellent adhesion for multiple applications and surfaces (metal, plastic, wood, cement, etc.). Interior and exterior. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m2. Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical

Code	Ref.		EAN
5511686	DSEA4969	RAL 1013 Pearl	6 5602482049697
5511612	DSEA4930	RAL 1007 Yellow daffodil	6 5602482049307
5511613	DSEA4931	RAL 1018 Yellow zinc	6 5602482049314
5511614	DSEA4932	RAL 2003 Pastel orange	6 5602482049321
5511615	DSEA4933	RAL 2004 Orange	6 5602482049338
5511616	DSEA4934	RAL 3000 Flame red	6 5602482049345
5511617	DSEA4935	RAL 3003 Ruby red	6 5602482049352
5512006	DSEA5821	RAL 3009 Ixide red	6 5602482058217
5111618	DSEA4936	RAL 3011 Brown red	6 5602482049369
5511619	DSEA4937	RAL 3015 Light pink	6 5602482049376
5511620	DSEA4938	RAL 5003 Sapphire blue	6 5602482049383
5511640	DSEA4939	RAL 5010 Dark blue	6 5602482049390
5511622	DSEA4940	RAL 6002 Leaf green	6 5602482049406
5511641	DSEA4941	RAL 6005 Mass green	6 5602482049413
5511624	DSEA4942	RAI 6010 Grass green	6 5602482049420
5511625	DSEA4943	RAL 6011 Reseda green	6 5602482049437
5511626	DSEA4944	RAL 6029 Mint green	6 5602482049444
5511627	DSEA4945	RAL 7001 Silver grey	6 5602482049451
5511628	DSEA4946	RAL 7011 Iron grey	6 5602482049468
5512007	DSEA5822	RAL 7016 Anthracite grey	6 5602482058224
5512008	DSEA5823	RAL 7024 Graphite grey	6 5602482058231
5511629	DSEA4947	RAL 7030 Stone grey	6 5602482049475
5511630	DSEA4948	RAL 7042 Traffic grey	6 5602482049482
5511631	DSEA4949	RAL 8003 Clay brown	6 5602482049499
5511632	DSEA4950	RAL 8017 Chocolate brown	6 5602482049505
5511642	DSEA4951	RAL 9005 Jet black	6 5602482049512
5511643	DSEA4952	RAL 9005 Matte black	6 5602482049529
5511635	DSEA4953	RAL 9010 Pure white	6 5602482049536
5511636	DSEA4954	RAL 9010 White	6 5602482049543
5511637	DSEA4955	RAL 9010 Matte white	6 5602482049550
Code	Ref.		EAN
5511638	DSEA4956	Transparente bright	6 5602482049567
5511639	DSEA4957	Matte transparent	6 5602482049574

SPECIAL SPRAY PAINT FOR PLASTICS (400 ml)



Acrylic enamel to renew damaged or discolored plastics by the sun in cars, motorcycles, spoilers, etc. Quick drying (touch 15 min, in depth 45 minutes). Use sandpaper for better grip. High coverage 1,5-2m2. Shake well before use. Apply vertically at a distance of 25-30cm. Shelf life 48 months from date of production in mild temperature and vertical.


Code	Ref.		EAN
5511687	DSEP4972	White	6 5602482049727
5511688	DSEP4973	Anthracite grey	6 5602482049734
5511689	DSEP4974	Dark grey	6 5602482049741
5511690	DSEP4975	Black	6 5602482049758

MULTIDIRECTIONAL MARKING 360° SPRAY PAINT (400ml)



360° multi-directional valve paint that sprays in all directions with maximum accuracy. Resistant to atmospheric conditions, friction and friction and ideal for parks, roads, sports grounds, delineate spaces, etc. Quick drying (touch 15 min, in depth 45 minutes). High coverage 1,5-2m2. Shelf life 48 months from date of production in mild temperature and vertical.

Code	Ref.			EAN
	DSMM4971	Fluorescent blue	6	5602482049710
5511599	DSMM4923	Fluorescent yellow	6	5602482049239
5511600	DSMM4964	White	6	5602482049642
5511601	DSMM4924	Fluorescent orange	6	5602482049246
5511602	DSMM4965	Black	6	5602482049659
5511603	DSMM4963	Fluorescent green	6	5602482049635
5511604	DSMM4925	Fluorescent red	6	5602482049253

DISPLAY CASE FOR SPRAY PAINT
105 CANS

ralcolours

RAL 1001	RAL 1003	RAL 1004	RAL 1007	RAL 1011
RAL 1012	RAL 1013	RAL 1014	RAL 1015	RAL 1016
RAL 1018	RAL 1021	RAL 1023	RAL 1028	RAL 2000
RAL 2002	RAL 2003	RAL 2004	RAL 2008	RAL 2009
RAL 2011	RAL 3000	RAL 3001	RAL 3002	RAL 3003
RAL 3004	RAL 3005	RAL 3009	RAL 3011	RAL 3015
RAL 3020	RAL 4003	RAL 4005	RAL 4006	RAL 4008
RAL 4010	RAL 5002	RAL 5003	RAL 5005	RAL 5010
RAL 5012	RAL 5013	RAL 5015	RAL 5017	RAL 5018
RAL 5019	RAL 5021	RAL 5022	RAL 6001	RAL 6002
RAL 6005	RAL 6009	RAL 6010	RAL 6011	RAL 6016
RAL 6018	RAL 6019	RAL 6024	RAL 6029	RAL 7000
RAL 7001	RAL 7004	RAL 7005	RAL 7011	RAL 7012
RAL 7015	RAL 7016	RAL 7021	RAL 7024	RAL 7025
RAL 7030	RAL 7031	RAL 7032	RAL 7035	RAL 7037
RAL 7038	RAL 7040	RAL 7042	RAL 7043	RAL 8002
RAL 8003	RAL 8004	RAL 8007	RAL 8011	RAL 8012
RAL 8014	RAL 8016	RAL 8017	RAL 8019	RAL 9001
RAL 9002	RAL 9003	RAL 9005	RAL 9006	RAL 9007
RAL 9010	RAL 9016	RAL 9017		

The colours shown are indicative only

EXTENSION LEAD



Code	Ref.		EAN
5114944	JY-1005A	3 SOCKETS	5602482052277
5114945	JY-1006A	4 SOCKETS	5602482052284

EXTENSION LEAD - 4 SOCKETS



Code	Ref.		EAN
5101145	JY-1006A/1.5	1,5 met. x 1,5 mm	60 5602482015401
5106221	JY-1006A/3	3 met. x 1,5 mm	40 5602482017146
5106225	JY-1006A/5	5 met. x 1,5 mm	30 5602482017153

EXTENSION LEAD WITH SWITCH



Code	Ref.		EAN
5114946	JY-1001A	3 SOCKETS	5602482052253
5114947	JY-1002A	4 SOCKETS	5602482052260

EXTENSION LEAD - 5 SOCKETS



Code	Ref.		EAN
5114938	JY-1007A/1.5	1,5 met. x 1,5 mm	5602482052192
5114939	JY-1007A/3	3 met. x 1,5 mm	5602482052208
5114940	JY-1007A/5	5 met. x 1,5 mm	5602482052215

EXTENSION LEAD - 3 SOCKETS



Code	Ref.		EAN
5106226	JY-1005A/1.5	1,5 met. x 1,5 mm	80 5602482017115
5106222	JY-1005A/3	3 met. x 1,5 mm	50 5602482017122
5106218	JY-1005A/5	5 met. x 1,5 mm	30 5602482017139

EXTENSION LEAD - 6 SOCKETS



Code	Ref.		EAN
5114941	JY-1008A/1.5	1,5 met. x 1,5 mm	5602482052222
5114942	JY-1008A/3	3 met. x 1,5 mm	5602482052239
5114943	JY-1008A/5	5 met. x 1,5 mm	5602482052246

EXTENSION LEAD WITH SWITCH - 3 SOCKETS



Code	Ref.		EAN
5112160	JY-1001A/1.5	1,5 met. x 1,5 mm	5602482041639
5112161	JY-1001A/3	3 met. x 1,5 mm	5602482041646
5112162	JY-1001A/5	5 met. x 1,5 mm	5602482041653

EXTENSION LEAD WITH SWITCH - 6 SOCKETS



Code	Ref.		EAN
511147	JY-1004A/1.5	1,5 met. x 1,5 mm	5602482015425
5106224	JY-1004A/3	3 met. x 1,5 mm	5602482017184
5106219	JY-1004A/5	5 met. x 1,5 mm	5602482017191

EXTENSION LEAD WITH SWITCH - 4 SOCKETS



Code	Ref.		EAN
5112163	JY-1002A/1.5	1,5 met. x 1,5 mm	5602482041660
5112164	JY-1002A/3	3 met. x 1,5 mm	5602482041677
5112165	JY-1002A/5	5 met. x 1,5 mm	5602482041684

EXTENSION LEAD WITH USB PORT | 1,5mm2



Code	Ref.		EAN
5114601	GES-160B	4 tomadas 1,5 met.	5602482047181
5114602	GES-161B	6 tomadas 1,5 met.	5602482047198

EXTENSION LEAD WITH SWITCH - 5 SOCKETS



Code	Ref.		EAN
5101146	JY-1003A/1.5	1,5 met. x 1,5 mm	5602482015418
5106220	JY-1003A/3	3 met. x 1,5 mm	5602482017160
5106223	JY-1003A/5	5 met. x 1,5 mm	5602482017177

CABLE REEL



Code	Ref.		EAN
5108193	HJR-2	3Gx1,0mm²x10 m	5602482012509
5108194	HJR-2A	3Gx1,0mm²x20 m	5602482012646

CABLE REEL



Code	Ref.		EAN
5101009	HJR-103A	3Gx2,5mm²x25 m	5602482010574

CABLE REEL



Code	Ref.		EAN
5112716	JY-2002/25A	3Gx1,5mm²x25 m	5602482042742
5112717	JY-2002/25B	3Gx2,5mm²x25 m	5602482042759
5113288	JY-2002/40B	3Gx2,5mm²x40 m	5602482044456
5112996	JY-2002/50	3Gx1,5mm²x50 m	5602482044098

TRAILING LEAD



Code	Ref.		EAN
5112718	JY-3024/5	3x1,5mm²x 5 mt.	5602482042766
5500560	JY-3024/10	3x1,5mm²x10 mt.	5602482004429
5114934	JY-3024/15	3x1,5mm²x15 mt.	5602482052178
5114935	JY-3024/20	3x1,5mm²x20 mt.	5602482052185
5500561	JY-3024/25A	3x1,5mm²x25 mt.	5602482004436
5114932	JY-3024/5B	3x2,5mm²x 5 mt.	5602482052130
5114933	JY-3024/10B	3x2,5mm²x10 mt.	5602482052147
5114936	JY-3024/15B	3x2,5mm²x15 mt.	5602482052154
5114937	JY-3024/20B	3x2,5mm²x20 mt.	5602482052161
5113748	JY-3024/25B	3x2,5mm²x25 mt.	5602482045781

SITE SOCKET | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5110859	YC-DA-14	FEMALE IP44	100	5602482036871

EXTENSION SOCKET



Code	Ref.			EAN
5110862	YC-DA-4Z	MALE IP20	100	5602482036901

SITE PLUG | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5110860	YC-DA-14Z	MALE IP44	100	5602482036888

PLUG ADAPTOR



Code	Ref.			EAN
5110863	ODL-153	TRIPLE IP20	100	5602482036918

SITE SOCKET | RUBBER



**Norma
IP44**

Code	Ref.			EAN
5111791	GEL-003	TRIPLE IP44	100	5602482041882

PLUG ADAPTOR



Code	Ref.			EAN
5117611	ODL-158	DOUBLE IP20	50	5602482056244

SOCKET




Code	Ref.			EAN
5110861	YC-DA-4	FEMALE IP20	100	5602482036871

PLUG-IN TIMER




Code	Ref.			EAN
5111790	TG-14	24 hours IP20	100	5602482041899


LED PROJECTOR | APOLLO 4000K

IP65 

10 watt




20 watt




30 watt

Code	Ref.		EAN
5114864	DS405079	10W 750 Lúmen	5602482050792
5114865	DS405080	20W 1500 Lúmen	5602482050808
5114866	DS405081	30W 2250 Lúmen	5602482050815
5114867	DS405082	50W 3700 Lúmen	5602482050822
5114868	DS405083	70W 5200 Lúmen	5602482050839

LED PROJECTOR | APOLLO 6400K

IP65 


10 watt




20 watt

Code	Ref.		EAN
5114873	DS645088	10W 750 Lúmen	5602482050884
5114874	DS645089	20W 1500 Lúmen	5602482050891
5114875	DS645090	30W 2250 Lúmen	5602482050907
5114876	DS645091	50W 3700 Lúmen	5602482050914
5114877	DS645092	70W 5200 Lúmen	5602482050921

LED PROJECTOR | APOLLO 4000K

IP65 


100 watt



150 watt

Code	Ref.		EAN
5114869	DS405084	100W 7500 Lúmen	5602482050846
5114870	DS405085	150W 11200 Lúmen	5602482050853
5114871	DS405086	200W 15000 Lúmen	5602482050860

LED PROJECTOR | APOLLO 6400K

IP65 

100 watt

Code	Ref.		EAN
5114878	DS645093	100W 7500 Lúmen	5602482050938
5114879	DS645094	150W 11200 Lúmen	5602482050945
5114880	DS645095	200W 15000 Lúmen	5602482050952

LED PROJECTOR | APOLLO 4000K



Technical drawing showing dimensions: 442mm (width), 132mm (height), and 350mm (depth). The projector is shown in a side view and a top view. A color temperature scale is shown with 4000K marked.

300 watt

IP65 

Code	Ref.	Power	Lumen	EAN
5114872	DS405087	300W	22000	5602482050877

LED PROJECTOR | APOLLO 6400K



Technical drawing showing dimensions: 442mm (width), 132mm (height), and 350mm (depth). The projector is shown in a side view and a top view. A color temperature scale is shown with 6400K marked.

300 watt

IP65 

Code	Ref.	Power	Lumen	EAN
5114881	DS645096	300W	22000	5602482050969

LED PROJECTOR WITH MOVEMENT SENSOR | ARTEMIS



Technical drawing showing dimensions: 182mm (width), 38.5mm (height), and 153mm (depth). The projector is shown in a side view and a top view. A color temperature scale is shown with 4000K and 6400K marked.

30 watt

IP65 

Technical drawing showing dimensions: 225.5mm (width), 40mm (height), and 184mm (depth). The projector is shown in a side view and a top view.

50 watt

Code	Ref.	Power	Lumen	Temp	EAN
5114882	DS405097-S	30W	2250	4000K	5602482050976
5114883	DS405098-S	50W	3700	4000K	5602482050983
5114884	DS645099-S	30W	2250	6400K	5602482050990
5114885	DS645100-S	50W	3700	6400K	5602482051003


PROJECTOR TRIPOD



Technical drawing showing dimensions: 1700mm (height) and 700mm (width). The tripod is shown in a side view and a top view.

Code	Ref.	Height	EAN
5114886	DS5115	1700 x 700 mm	5602482051157
5114887		Double beam	5602482054363

SOLAR LED PROJECTOR | HELIOS 4500K




Features

Power	100W	150W
Luminosity	1300 lm	1800lm
Dimensions	260x228x45	314x274x45
Solar panel	20W	30W
Dimensions (LxAxP)	350x450x17	350x600x25
Color temperature	4500K	
CRI	≥ 70	
IP classe	IP65	
Installation height	3-5 metros	4-6 metros
Weight		

Code	Ref.		EAN
5117625	DS455671	100W 1300 Lúmen	5602482056718
5117626	DS455672	150W 1800 Lúmen	5602482056725

SOLAR LED PROJECTOR | HELIOS 6500K




Features

Power	100W	150W
Luminosity	1300 lm	1800lm
Dimensions	260x228x45	314x274x45
Solar panel	20W	30W
Dimensions (LxAxP)	350x450x17	350x600x25
Color temperature	6500K	
CRI	≥ 70	
IP classe	IP65	
Installation height	3-5 metros	4-6 metros
Weight		

Code	Ref.		EAN
5117627	DS655673	100W 1300 Lúmen	5602482056732
5117628	DS655674	150W 1800 Lúmen	5602482056749

WORK LIGHT | VULCANO




Features

Power	60W	100W
Luminosity	1600 lm	2600lm
Tipo lâmpada	LED2835	
Dimensions	324x244x59,4	382x292x58,6
Color temperature	6500K	
CRI	≥ 80	
IP classe	IP65	
Working temp.	-20°C - +50°C	
Weight		

Code	Ref.		EAN
5117629	DS605675	60W 1600 Lúmen	5602482056756
5117630	DS605676	100W 2600 Lúmen	5602482056763

LED WORKING LAMP | HEMERA



Features (DS5633MIDI)

COB LED 6W / SMD LED 3W (6500K)	
100 lm / 250 lm / 450 lm	
Autonomy	5 h
Charging time	3,5 h
Battery	3,7V/2.600 mAh Li-Ion
Waterproof	IP54 / IK07
Weight	460 gramas

Features (DS5634MAX)


COB LED 7W / SMD LED 4W (6500K)	
175 lm / 350 lm / 700 lm	
Autonomy	8 h
Charging time	3,5 h
Battery	3,7V/2.600 mAh Li-Ion
Waterproof	IP54 / IK07
Weight	710 gramas

Lanternas de grande potência, com tecnologia LED de última geração e grande rendimento, que oferece até duas vezes mais luminosidade. Indicador do nível de carga (4 luzes LED).

Linternas LED de gran potencia, con tecnología LED de gran rendimiento que ofrece hasta dos veces mas luminosidad. Indicador del nivel de carga (4 luces LED).

Code	Ref.		Code	Ref.	
5117620	DS5633MIDI	400 lumen	5117621	DS5634MAX	700 lumen

LED WORKING LAMP | HERMES



Features (DS5173)

COB LED 3W / SMD 1W	
240 lumens / 40 lumens	
Autonomy	3 h
Charging time	3,5 h
Battery	3,7V/2.200 mAh Li-Ion
Waterproof	IPX4
Weight	197 gr.

Features (DS5174)

COB LED 5W / SMD 1W	
420 lumens / 45 lumens	
Autonomy	3 h
Charging time	6 h
Battery	3,7V/4.400 mAh Li-Ion
Waterproof	IPX4
Weight	300 gr.

Code	Ref.		Code	Ref.	
5115014	DS5173	240 lumen	5115017	DS5174	420 lumen

LED WORKING LAMP | DIANA



Features

COB LED	
2 types of lighting (body+top)	
300 lumens (COB) + 180 lumens (LED)	
Charging time	2 h
Autonomy	2 h
Battery	3.7V / 650 mAh Li-ion
Waterproof	IPX0
Weight	58 gr



Code	Ref.		Code	Ref.	
5116315	DS5677	180 lumen			

LED WORKING LAMP | MERCÚRIO



Features

COB LED

3 dimming levels (red color 10 lumen)

400 lumens (COB) + 80 lumens (LED)

Charging time

2 h

Autonomy

4 h

Bateria

3.7V / 2600 mAh Li-ion

Waterproof

IPX0/IK07

Weight

184 gramas

Code

Ref.



EAN

5116316

DS5678

400 lumen

5602482056787

LED WORKING LAMP | NEPTUNO



Features

COB LED

Indicador de carga (4 segmentos)

1000 lumens (COB+LED)

Charging time

4 h

Autonomy

7 h

Bateria

3.65V / 8000 mAh Li-ion

Waterproof

IP54

Weight

668 gramas

Code

Ref.



EAN

5116317

DS5680

1000 lumen

5602482056800

LED HEADLAMP | POSEIDON



Features

COB LED + SMD LED

3 ttypes of lighting (mode 1/2/3)

140 lumens (LED) + 120 lumens (SMD)

Charging time

2 h

Autonomy

1.5h-2h / red light 2h

Battery

3.7V / 500 mAh Li-ion

Waterproof

IPX4

Weight

30 gr.

Code

Ref.



EAN

5115016

DS5172

120 lumen

5602482051720

LED HEADLAMP | POSEIDON



Features

COB LED + OSRAM LED	
2 ttypes of lighting (mode 1/2)	
250 lumens (LED) + 480 lumens (OSRAM)	
Sensor de movimento	
Charging time	2 h
Autonomy	3-2,5 h
Battery	3.7V / 1450 mAh Li-ion
Waterproof	IP54
Weight	73 gr.

Code	Ref.		EAN
5115015	DS5171	250 lumen	5602482051713

RECHARGEABLE LED PROJETO | ATENA



Features

COB LED (3W) + SMD LED (5W)	
2 ttypes of lighting (mode 1/2)	
550 lumens (COB) + 330 lumens (SMD)	
Beam distance	de 10 a 170 met
Charging time	5 h
Autonomy	3 h
Battery	3.7V / 2000 mAh Li-ion
Classe proteção	IPX4
Weight	170 gr.

Code	Ref.		EAN
5115013	DS5175	550 lumen	5602482051751

RECHARGEABLE LED PROJETO | ZEUS



Features

COB LED 10W	
2 ttypes of lighting (mode 1/2)	
1100 lumens (alto) 350 lumens (baixo)	
Power bank	
Beam distance	50 mt (high) 25 mt (low)
Charging time	6 h
Autonomy	3 h
Battery	3.7V / 4400 mAh Li-ion
Waterproof	IPX4
Weight	740 gr.

Code	Ref.		EAN
5115012	DS5176	1100 lumen	5602482051768

RECHARGEABLE LED PROJOTOR | JUPITER



Features

COB + LED (10W + 15W)	
360 - 1800 lumens (COB) + strobe	
Beam distance	from 10 to 60 mt.
Charging time	6 h
Autonomy	3 - 17 h
Rotating base	360°
Battery	3.7V / 8000 mAh Li-ion
Waterproof	IPX4
Weight	475 gr



CABO
USB-C

Code

Ref.



EAN

5116313

DS5679

1500 lumen

5602482056794

RECHARGEABLE LED PROJOTOR | JUNO



Features

SMD + LED (20W)	
360 - 1800 lumens (COB) + strobe	
Beam distance	from 10 to 60 mt.
Charging time	6 h
Autonomy	8 h
Tripod height	1,470 met.
Battery	3.7V / 8000 mAh Li-ion
Waterproof	IPX4
Weight	1725 gr



CABO
USB-C

Code

Ref.



EAN


5116314

DS5681

200 lumen

5602482056817

METAL TOOLBOX | 5 TIERS



- Toolbox in polished metal sheet, 0.5 mm thick.
- Epoxy painted.
- 1.5 mm thick plate joints.

Código
1501066

Ref.

530 x 200 x 210 mm



EAN

5602482044722

BLACK ALUMINIUM CASE



Código
5112319

Ref.

STC931-N

460 x 155 x 335 mm



EAN

1 - 5

5602482003972

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504933	103-50	50	72	50x18	50x50	30	120	5602482029644

SWIVEL BOLT HOLE CASTOR WITH BREAK



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5501260	107-50	50	70	50x18	10,5	30	120	5602482009042
5501261	107-75	75	102	75x21	10,5	45	60	5602482012158

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504934	104-50	50	72	50x18	50x50	30	20	5602482014176

SWIVEL CASTOR | WITH BOLT



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5501266	108-40	38	54	38x17	M10	20	240	5602482012165
5501254	108-50	50	65	50x22	M10	30	120	5602482012196

SWIVEL BOLT HOLE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5501258	106-50	50	70	50x18	10,5	30	120	5602482005600
5501259	106-75	75	102	75x21	10,5	45	60	5602482007819

SWIVEL CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501005	110-25	25	34	25x14	37x34	10	480	5602482022850
5501006	110-30	30	37	30x14	37x34	15	480	5602482009417
5501001	110-38	38	54	38x17	45x40	20	300	5602482015616

LIGHT DUTY

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501003	112-38	38	54	38x17	47x26	20	400	5602482015593

FURNITURE CASTOR | WITH PLATE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501007	138-40	40	50	40x40	38x38	25	240	5602482016033
5501008	138-50	50	65	50x46	38x38	30	200	5602482016118

FURNITURE CASTOR | WITH BOLT



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5511300	136-40	40	50	40x40	M8	25	240	5602482045712
5501010	136-50	50	65	50x46	M10	30	200	5602482021235

FURNITURE CASTOR | WITH PLATE | WITH BRAKE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501262	139-40	40	50	40x40	38x38	25	240	5602482029682
5501263	139-50	50	65	50x46	38x38	30	200	5602482029699

FURNITURE CASTOR BOLT FIXING | WITH BRAKE



Wheel:
Material: Nylon
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Bolt (ø)	Load (kg)		EAN
5511301	137-40	40	50	40x40	M8	25	240	5602482045729
5501265	137-50	50	65	50x46	M10	30	200	5602482029712

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511469	177-30	30	35	30x14	48x20	15	480	5602482009400

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5500989	203-075	75	97	75x23	84x72	50	60	5602482013230
5500990	203-100	100	130	100x28	102x84	70	38	5602482013247
5500991	203-125	125	155	125x35	102x84	100	28	5602482015562
5501014	203-160	160	195	160x40	135x105	150	12	5602482012806
5501255	203-200	200	235	200x48	135x105	180	8	5602482029590

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501013	204-075	75	97	75x23	84x72	50	40	5602482022010
5500994	204-100	100	130	100x28	102x84	70	32	5602482022027
5500995	204-125	125	155	125x35	102x84	100	24	5602482015586
5500996	204-160	160	195	160x40	135x105	150	12	5602482024410
5501256	204-200	200	235	200x48	135x105	180	8	5602482029613

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5500997	205-75	75	97	75x23	84x72	50	60	5602482013209
5500998	205-100	100	130	100x28	102x84	70	38	5602482013216
5500999	205-125	125	155	125x35	102x84	100	28	5602482013223
5501000	205-160	160	195	160x40	135x105	150	12	5602482023185
5501257	205-200	200	235	200x48	135x105	180	8	5602482029576

SWIVEL BOLT HOLE CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5511479	206-075	75	97	75x23	10,5	50	60	5602482047402
5511480	206-100	100	130	100x28	12,5	70	38	5602482047419
5511481	206-125	125	153	125x35	12,5	100	28	5602482047426
5511482	206-160	160	190	160x40	16,5	150	12	5602482047433

SWIVEL BOLT HOLE CASTOR WITH BREAK



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Hole (ø)	Load (kg)		EAN
5511483	207-075	75	97	75x23	10,5	50	60	5602482047440
5511484	207-100	100	130	100x28	12,5	70	32	5602482047457
5511485	207-125	125	153	125x35	12,5	100	24	5602482047464
5511486	207-160	160	190	160x40	16,5	150	12	5602482047471

SWIVEL CASTOR



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504936	217-075	75	97	75x23	84x72	50	60	5602482012561
5504939	217-100	100	130	100x28	102x84	70	38	5602482029651
5504941	217-125	125	155	125x35	102x84	100	28	5602482016316

MEDIUM DUTY

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5504937	218-075	75	97	75x23	84x72	50	60	5602482029668
5501079	218-100	100	130	100x28	102x84	70	32	5602482023246
5504942	218-125	125	155	125x35	102x84	100	24	5602482029675

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501088	237-075	75	97	75x23	84x72	50	60	5602482024441
5501091	237-100	100	130	100x27	102x84	70	38	5602482024458
5501094	237-125	125	155	125x34	102x84	100	28	5602482024465

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501086	236-075	75	97	75x23	84x72	50	60	5602482023192
5501089	236-100	100	130	100x27	102x84	70	38	5602482024472
5501092	236-125	125	155	125x34	102x84	100	28	5602482021389

SWIVEL CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501002	261-50	50	63	50x23	67x48	40	100	5602482015913

SWIVEL CASTOR | WITH BRAKE



Wheel:
Material: Polypropylene
Centre: Metallic
Colour: White

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501087	236B-075	75	97	75x23	84x72	50	60	5602482012790
5501090	236B-100	100	130	100x27	102x84	70	32	5602482024489
5501093	236B-125	125	155	125x34	102x84	100	24	5602482024496

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501073	261G-50	50	63	50x23	67x48	40	100	5602482024526

FIXED PLATE CASTOR



Wheel:
Material: Rubber
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501004	263-50	50	63	50x23	67x48	40	100	5602482015609

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Grey


Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501085	269-50	50	63	50x23	67x48	70	100	5602482024502

FIXED PLATE CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501074	263G-50	50	63	50x23	67x48	40	100	5602482024519



HEAVY DUTY

SWIVEL CASTOR



Wheel:
Material: Polypropylene
Colour: Grey

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5501084	267-50	50	63	50x23	67x48	70	100	5602482014626

SCAFFOLDING CASTOR WHEELS | WITH BRAKE



Wheel:
Material: Rubber
Centre: Metallic
Colour: Black

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Stem (ø)	Load (kg)		EAN
5505036	313-150	150	190	150x50	35	260	6	5602482022034
5505037	313-200	200	240	200x50	35	280	4	5602482022041

HEAVY DUTY

POLYURETHANE SWIVEL CASTOR



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
CENTRE**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511487	328-100	100	144	100x50	115x100	300	12	5602482047488
5511488	328-125	125	165	125x50	115x100	350	10	5602482047495
5511489	328-150	150	191	150x50	115x100	400	8	5602482047501
5511490	328-200	200	242	200x50	115x100	450	6	5602482047518

POLYURETHANE SWIVEL CASTOR | WITH BREAK



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
CENTRE**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511491	329-100	100	144	100x50	115x100	300	12	5602482047525
5511492	329-125	125	165	125x50	115x100	350	10	5602482047532
5511493	329-150	150	191	150x50	115x100	400	8	5602482047549
5511494	329-200	200	242	200x50	115x100	450	6	5602482047556

POLYURETHANE FIXED PLATE CASTOR



Wheel:
Material: Polyurethane
Monture : Aluminium
Colour: Yellow

**ALUMINIUM
RIM**

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511495	330-100	100	144	100x50	115x100	300	12	5602482047563
5511496	330-125	125	165	125x50	115x100	350	10	5602482047570
5511497	330-150	150	191	150x50	115x100	400	8	5602482047587
5511498	330-200	200	242	200x50	115x100	450	6	5602482047594

POLYURETHANE SWIVEL CASTOR



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511470	607-080	80	108	80x31	102x84	100	40	5602482047600
5511471	607-100	100	125	100x31	102x84	120	38	5602482047617
5511472	607-125	125	150	125x38	102x84	170	28	5602482047624

POLYURETHANE SWIVEL CASTOR | WITH BREAK



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511473	608-080	80	108	80x31	102x84	100	40	5602482047631
5511474	608-100	100	125	100x31	102x84	120	32	5602482047648
5511475	608-125	125	150	125x38	102x84	170	24	5602482047655

POLYURETHANE FIXED PLATE CASTOR



Wheel:
Material: Polyurethane
Colour: Red

Code	Ref.	Size (mm)	Height (mm)	Wheel (mm)	Plate (mm)	Load (kg)		EAN
5511476	609-080	80	108	80x31	102x84	100	40	5602482047662
5511477	609-100	100	125	100x31	102x84	120	38	5602482047679
5511478	609-125	125	150	125x38	102x84	170	28	5602482047686

SACK TRUCK | ALUMINIUM



Features

Base plate	350 x 230 mm
Frame	30 x 40 mm
Ø Wheels	260 mm
Dimensions	410 x 390 x 1100 mm
Weight	6,8 kg
Load capacity	90 kg

Height-adjustable trolley with aluminium frame and foldable base plate.

Code	Ref.		EAN
5501096	HT2101-31000		5602482021297

SACK TRUCK | ALUMINIUM



Features

Base plate	300 x 210 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	475 x 470 x 1170 mm
Weight	6 kg
Load capacity	50 kg

Round aluminium frame trolley with rubber grip handle and pneumatic wheels with bushing.

Code	Ref.		EAN
5504962	HT2105		5602482028616

STAIR CLIMBING SACK TRUCK



Features

Base plate	450 x 260 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	160 mm
Dimensions	480 x 600 x 1140 mm
Weight	11,6 kg
Load capacity	200 kg

Round tubular transport trolley with rubber grip handles. Equipped with three rubber and nylon cluster wheels with roller bearings. For effortlessly movement across uneven surfaces and up/down stairs. Epoxy painted.

Code	Ref.		EAN
5501050	506/v-2100 3 wheels		5602482021006

SACK TRUCK | FOLDABLE BASE



Features

Base plate	380 x 210 mm
Foldable base	530 x 310 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	540 x 490 x 1180 mm
Weight	12,6 kg
Load capacity	150 kg

Round tubular transport trolley with rubber grip handles. Allows the transportation of large boxes thanks to its folding base. Pneumatic wheels with bushing. Epoxy painted.

Code	Ref.		EAN
5501053	1163-2102	foldable	5602482021020

SACK TRUCK | METALLIC



Features

Base plate	450 x 260 mm
Ø Frame	25 x 1,5 mm
Ø Wheels	260 mm
Dimensions	470 x 520 x 1080 mm
Weight	9,5 kg
Load capacity	150 kg

Round tubular transport trolley with rubber grip handles for transportation of sacks and boxes. Pneumatic wheels with bushing. Epoxy painted.

Code	Ref.		EAN
5501052	1110-2103		5602482021037

STEPS | SACK TRUCK




Features

Base plate	400 x 270 mm
Frame	25 x 25 mm
Ø Wheels	100 mm
Step dimensions	460 x 660 x 1200 mm
Step space	300 mm
Weight	8,2 kg
Load capacity	50 kg

Perfect to use as a sack truck or steps, at home or the office. Simple and easy to convert from steps to sack trucks. Tubular structure with non-slip steps, foam handle for better grip. Maximum load of the ladder 150 kg.

Code	Ref.		EAN
5511499	2009	Ladder with 3 steps	5602482047693

LADDER | ALUMINIUM


150 Kg
Max

Car Features acterísticas

Reference	DS5076	DS5077	DS5791	DS5792
Thickness	1,2 mm			
Max height (A)	113 cm	145 cm	168,5 cm	189,5 cm
Max height (B)	74 cm	98 cm	123 cm	147 cm
Max width (C)	63,5 cm	75 cm	92 cm	147 cm
Number of steps	3	4	5	6
Distance between steps	24 cm			
Weight	3,6 kg	4,4 kg	5,2 kg	6,0 kg

Código	Ref.		Ref.	Ref.
1501178	DS5076	3 steps 1, 12 met.	1	5602482050761
1501176	DS5077	4 steps 1,32 met.	1	5602482050778
1501127	DS4791	5 steps 1, 50 met.	1	5602482047914
1501128	DS4792	6 steps 1,72 met.	1	5602482047921

LADDER | STEEL


150 Kg
Max

Features

Reference	DS4796	DS4798	DS5797
Thickness	1,2 mm	1,2 mm	1,2 mm
Max height (A)	90 cm	115 cm	140 cm
Max height (B)	47,5 cm	72 cm	96,5 cm
Max width (C)	49 cm	65 cm	81 cm
Number of steps	2	3	4
Distance between steps	24 cm	24 cm	24 cm
Weight	4,5 kg	6,0 kg	7,8 kg

Code	Ref.		Ref.	Ref.
1501111	DS4796	2 steps 0,88 m	1	5602482047969
1501175	DS4798	3 steps 1,12 m	1	5602482047983
1501112	DS4797	4 steps 1,37 m	1	5602482047976

EXTENSION LADDER | ALUMINIUM

150 Kg
Max

Features

Reference	DS5793	DS4794	DS5795	DS5075
Thickness	1,2 mm			
Max height (A)	340 cm	506 cm	670 cm	842 cm
Max height (C)	170 cm	226 cm	282 cm	338 cm
Height w/1 segment (B)	254 cm	366 cm	478 cm	590 cm
Number of steps	6	8	10	12
Distance between steps	28 cm			
Weight	8,9 kg	11,3 kg	13,9 kg	16,5 kg

Código	Ref.		Ref.	Ref.
1501121	DS4793	3x6 steps 3,40 met.	1	5602482047938
1501110	DS4794	3x8 steps 5,40 met.	1	5602482047945
1501122	DS4795	3x10 steps 6,70 met.	1	5602482047952
1501799		3x12 steps 8,42 met	1	
1501780	DS5075	3x14 steps 10 met.	1	5602482050754

LADDER | ALUMINIUM

Máx.
150 Kg

EN131



Features

Referência	DS5078
Thickness	1,2 mm
Max. height (open)	352 cm
Max. height (closed)	92 cm
Nº of steps	4 x 3
Plataform	steel
Distance between steps	28 cm
Weight	11 kg



Code	Ref.			EAN
1501177	DS5078	Plataforma incluídas	1	5602482050785

ESCADA SIMPLES EM ALUMÍNIO | PRO

ESCALERA ALUMÍNIO | PRO

Máx.
150 Kg

EN131



Features

Thickness	1,2 mm	1,2 mm	1,2 mm	1,2 mm	1,2 mm
Max height (A)	200 cm	250 cm	310 cm	366 cm	394 cm
Width (B)	38 cm	38 cm	38 cm	38 cm	38 cm
Number of steps	7	9	11	13	14
Distance between steps	28 cm	28 cm	28 cm	28 cm	28 cm
Weight	3 kg	3,8 kg	4,6 kg	5,4 kg	5,8 kg

Code	Ref.		EAN
1501105	7 steps 2,00 met.	1	
1501106	9 steps 2,50 met.	1	
1501107	11 steps 3,10 met.		
1501108	13 steps 3,66 met.		
1501109	14 steps 3,94 met.		

HARDWARE



50
ANOS



D&S

BRASS PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.



Code	Ref.			EAN
5201197	BC7520/DS3479	20 mm 2 keys	6	5602482034792
5201198	BC7525/DS3480	25 mm 2 keys	6	5602482034808
5201199	BC7530/DS3481	30 mm 2 keys	6	5602482034815
5201494	BC7535/DS3482	35 mm 2 keys	6	5602482034822
5201200	BC7540/DS3483	40 mm 2 keys	6	5602482034839
5201495	BC7545/DS3484	45 mm 2 keys	6	5602482034846
5201201	BC7550/DS3485	50 mm 2 keys	6	5602482034853
5201202	BC7560/DS3486	60 mm 2 keys	6	5602482034860
5201629	BC7570/DS4486	70 mm 2 keys	6	5602482044104
5201750	BC7520	20 mm BLISTER	6	5602482047839
5201751	BC7525	25 mm BLISTER	6	5602482047846
5201752	BC7530	30 mm BLISTER	6	5602482047853
5201753	BC7535	35 mm BLISTER	6	5602482047860
5201754	BC7540	40 mm BLISTER	6	5602482047877
5201755	BC7545	45 mm BLISTER	6	5602482047884
5201756	BC7550	50 mm BLISTER	6	5602482047891
5201757	BC7560	60 mm BLISTER	6	5602482047907

LONG SHACKLE BRASS PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.

Code	Ref.			EAN
5201203	BC7530L	30 mm 2 keys	6	5602482034884
5201204	BC7540L	40 mm 2 keys	6	5602482034891
5201205	BC7550L	50 mm 2 keys	6	5602482034907
5201206	BC7560L	60 mm 2 keys	6	5602482034914

BRASS COMBINATION PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.
Resettable combination.

Code	Ref.			EAN
5201530	NLB110B30	30 mm 3 digits	6	5602482007871
5201769	NLB110B	30 mm 4 digits	6	5602482058149
5201637	NLB110B40	40 mm 4 digits	6	5602482008359

MONOBLOCK SHUTTER PADLOCK



Monobloc body in polished brass.
Hardened nickel-plated steel shackle.

Code	Ref.			EAN
5201472	RC7060	60 mm 2 keys	6	5602482034921
5201630	RC7075	75 mm 2 keys	6	5602482041691
5201475	RC7090	90 mm 2 keys	6	5602482034952

STAINLESS STEEL HIGH SECURITY PADLOCK



Stainless steel body, with reinforced shackle protection.
Stainless steel shackle.

Code	Ref.			EAN
5201526	LSO400	40 mm 4 keys	6	5602482007338
5201528	LSO350	50 mm 4 keys	6	5602482007444
5201529	LSO360	60 mm 4 keys	6	560248207864

PLASTIC TIE WRAPS | WHITE

PA6,6
WHITE

Code	Ref.			EAN
5400128	DS5135	2,5 x 150 mm	100	5602482051355
5400129	DS5136	2,5 x 250 mm	100	5602482051362
5400130	DS5137	3,6 x 150 mm	100	5602482051379
5400131	DS5138	3,6 x 200 mm	100	5602482051386
5400132	DS5139	3,6 x 300 mm	100	5602482051393
5400133	DS5140	4,8 x 200 mm	100	5602482051409
5400134	DS5141	4,8 x 300 mm	100	5602482051416
5400135	DS5142	4,8 x 400 mm	100	5602482051423
5400136	DS5143	4,8 x 500 mm	50	5602482051430
5400137	DS5144	7,5 x 300 mm	50	5602482051447
5400138	DS5145	7,5 x 500 mm	50	5602482051454
5400139	DS5146	7,5 x 800 mm	50	5602482051461
5400140	DS5147	9 x 500 mm	25	5602482051478
5400141	DS5148	9 x 1000 mm	25	5602482051485

PLASTIC TIE WRAPS | BLACK

PA6,6
BLACK

Code	Ref.			EAN
5400143	DS5149	2,5 x 150 mm	100	5602482051492
5400144	DS5150	2,5 x 250 mm	100	5602482051508
5400145	DS5151	3,6 x 150 mm	100	5602482051515
5400146	DS5152	3,6 x 200 mm	100	5602482051522
5400147	DS5153	3,6 x 300 mm	100	5602482051539
5400148	DS5154	4,8 x 200 mm	100	5602482051546
5400149	DS5155	4,8 x 300 mm	100	5602482051553
5400150	DS5156	4,8 x 400 mm	100	5602482051560
5400151	DS5157	4,8 x 500 mm	50	5602482051577
5400152	DS5158	7,5 x 300 mm	50	5602482051584
5400153	DS5159	7,5 x 500 mm	50	5602482051591
5400154	DS5160	7,5 x 800 mm	50	5602482051607
5400155	DS5161	9 x 500 mm	25	5602482051614
5400156	DS5162	9 x 1000 mm	25	5602482051621

PLASTIC TIE WRAPS | GREEN

PA6,6
GREEN

Code	Ref.			EAN
5400157	DS5163	2,5 x 150 mm	100	5602482051638
5400158	DS5164	2,5 x 200 mm	100	5602482051645
5400159	DS5165	2,5 x 250 mm	100	5602482051652
5400160	DS5166	3,6 x 150 mm	100	5602482051669
5400161	DS5167	3,6 x 200 mm	100	5602482051676
5400162	DS5168	3,6 x 250 mm	100	5602482051683

CABLE TIE WALL PLUG



Code	Ref.			EAN
5400127	DS5169	M8 x 40 mm WHITE	100	5602482051690
5400142	DS5170	M8 x 40 mm BLACK	100	5602482051706

STAINLESS STEEL HOSE CLIP



Code	Ref.		EAN
5201618	9 mm 8 x 12 mm	100	5602482039254
5201626	9 mm 10 x 16 mm	100	5602482042360
5201635	9 mm 16 x 25 mm	100	5602482044340
5201545	9 mm 18 x 28 mm	100	5602482034983
5201640	9 mm 20 x 32 mm	50	5602482044807
5201633	9 mm 25 x 40 mm	50	5602482044357
521634	9 mm 32 x 50 mm	50	5602482044364
5201592	12 mm 16 x 25 mm	100	5602482035010
5201593	12 mm 20 x 32 mm	50	5602482035027
5201594	12 mm 25 x 40 mm	50	5602482035034
5201595	12 mm 32 x 50 mm	50	5602482035041
5201596	12 mm 40 x 60 mm	50	5602482035058
5201597	12 mm 50 x 70 mm	50	5602482035065
5201598	12 mm 60 x 80 mm	50	5602482035072
5201599	12 mm 70 x 90 mm	25	5602482035089
5201600	12 mm 90 x 110 mm	25	5602482035096

MINI HOSE CLIP



Code	Ref.		EAN
5201601	9 mm 15 x 17 mm	100	5602482035102
5201602	9 mm 17 x 19 mm	100	5602482035119

ZINC PLATED HOSE CLIP



Code	Ref.		EAN
5201569	9 mm 8 x 12 mm	100	5602482022928
5201570	9 mm 10 x 16 mm	100	5602482022935
5201571	9 mm 16 x 20 mm	100	5602482035126
5201572	9 mm 16 x 25 mm	100	5602482035133
5201573	9 mm 20 x 32 mm	50	5602482035140
5201574	9 mm 25 x 40 mm	50	5602482035157
5201575	9 mm 32 x 50 mm	50	5602482022980
5201576	9 mm 40 x 60 mm	50	5602482022997
5201577	9 mm 50 x 70 mm	50	5602482023000
5201580	12 mm 16 x 25 mm	100	5602482035164
521581	12 mm 20 x 32 mm	50	5602482035171
5201582	12 mm 25 x 40 mm	50	5602482035188
5201583	12 mm 32 x 50 mm	50	5602482035195
5201584	12 mm 40 x 60 mm	50	5602482035201
5201585	12 mm 50 x 70 mm	50	5602482035218
5201586	12 mm 60 x 80 mm	50	5602482035225
5201587	12 mm 70 x 90 mm	25	5602482035232
5201588	12 mm 90 x 110 mm	25	5602482035249
5201589	12 mm 110 x 130 mm	25	5602482035256
5201590	12 mm 120 x 140 mm	10	5602482035263
5201591	12 mm 140 x 160 mm	10	5602482035270

STEEL WIRE ROPE



Code	Ref.		EAN
5500693	Ø 2,5 mm inox	250 mt.	5602482014978
5500634	Ø 3 mm coated	250 mt.	560248201574

GALVANIZED WIRE ROPE CLIP



Code	Ref.		EAN
5200053	3 mm 1/8"	100	
5200054	5 mm 3/16"	100	
5200055	6 mm 1/4"	100	
5200056	8 mm 5/16"	50	
5200057	10 mm 3/8"	25	
5200058	11 mm 7/16"	20	
5200059	13 mm 1/2"	20	
5201082	14 mm 9/16"	20	
5200060	16 mm 5/8"	20	
5200061	19 mm 3/4"	20	
5200062	22 mm 7/8"	20	
5200063	25 mm 1"	20	

INOX WIRE ROPE CLIP

5201293	3 mm 1/8"	100	
5201294	4 mm 5/32"	100	
5201295	5 mm 3/16"	50	
5201296	6 mm 1/4"	50	
5201297	8 mm 5/16"	50	

GALVANIZED WIRE ROPE CLIP | DOUBLE



Code	Ref.		EAN
5201478	2 mm 3/32"		

GALVANIZED EYE-EYE SWIVEL



Code	Ref.		EAN
5201155	5/8" 16 mm	100	5602482029521
5201154	3/4" 20 mm	100	5602482030138
5201153	1" 25 mm	100	5602482029507

GALVANIZED TURNBUCKLE EYE & HOOK



Code	Ref.		EAN
5200103	5 mm - 3/16" 50 kg	100	
5201126	EYE/EYE 5 mm - 3/16" 50 kg.	150	
5200104	6 mm - 1/4" 80 kg.	50	
5200105	8 mm - 5/16" 150 kg.	25	
5200106	10 mm - 3/8" 200 kg.	20	
5200108	12 mm - 1/2" 300 kg.	10	
5200109	16 mm - 5/8" 500 kg.	10	
5200110	20 mm - 3/4" 800 kg.	5	
5200111	22 mm - 7/8" 1.000 kg.	5	
5200112	25 mm - 1" 2.000 kg.	5	
5201313	EYE/EYE 5 x 70 mm 50 kg. INOX	20	
5201302	6 x 90 mm 70 kg. INOX	10	

GALVANIZED EYE HOOK WITH LATCH



Code	Ref.	load breacking point		EAN
5201540	750 kg.	3.000 kg. 3.100 kg.	50	5602482037311
5201481	1.000 kg.	4.000 kg. 4.150 kg.	25	5602482006799
5201482	1.500 kg.	6.000 kg. 6.200 kg.	30	5602482037328
5201483	2.000 kg.	8.000 kg. 8.200 kg.	20	5602482037335
5201484	3.000 kg.	12.000 kg. 12.200 kg.	10	5602482037342

GALVANIZED EYE HOOK



Code	Ref.	load breacking point		EAN
5201279	500 kg.		50	5602482006898
5201280	1.000 kg.	4.000 kg. 4.150 kg.	50	5602482000117
5201281	1.500 kg.	6.000 kg. 6.200 kg.	25	5602482007031
5201282	2.000 kg.	8.000 kg. 8.200 kg.	25	5602482037359

GALVANIZED QUICK LINK



Code	Ref.	carga útil ponto rutura		EAN
5201108	4 mm	5,6 kg. 22,5 kg.	100	
5201209	5 mm	7,2 kg. 28,5 kg.	100	
5201109	6 mm	8,5 kg. 34,5 kg.	100	
5201110	8 mm	10,8 kg. 43 kg.	50	
5201111	10 mm	13 kg. 52 kg.	25	

GALVANIZED EUROPEAN D-TYPE SHACKLE



Code	Ref.	load breacking point		EAN
5200128		5 mm 3/16"	100	
5200129		6 mm 1/4"	25	
5200130		8 mm 5/16"	20	
5200131		10 mm 3/8"	25	
5200133		13 mm 1/2"	10	
5200134		16 mm 5/8"	25	
5200135		20 mm 3/4"	20	
5200136		22 mm 7/8"	20	
5200137		25 mm 1"	10	

GALVANIZED SWIVWL EYE BOLT SNAP



Code	Ref.		EAN
5201156	1/2"	100	
5201119	3/4" x 4"	50	
5200118	5/8" x 3.1/8"	50	
5201170	1"	50	

GALVANIZED COMMON SNAP HOOK



Code	Ref.	measure breacking point		EAN
5201112		4 x 40 mm 70 kg.	100	
5201113		5 x 50 mm 110 kg.	100	
5201114		6 x 60 mm 130 kg.	100	
5201115		8 x 80 mm 260 kg.	50	
5201116		10 x 100 mm 400 kg.	25	
5201117		11 x 120 mm 460 kg.	20	

GALVANIZED SNAP HOOK WITH SCREW



Code	Ref.	medidas carga útil		EAN
5201485		4 x 40 mm 70 kg.	100	
5201486		5 x 50 mm 120 kg.	100	
5201487		6 x 60 mm 140 kg.	100	
5201490		8 x 80 mm 270 kg.	50	
5201488		10 x 100 mm 420 kg.	25	
5201489		11 x 120 mm 460 kg.	20	

GALVANIZED SNAP HOOK WITH SCREW



GALVANIZED SNAP HOOK WITH SCREW



Code	Ref.		EAN
5201622	1,6 mm 50 mt.		5602482040373
5201623	2,2 mm 50 mt.		5602482040380
5201624	2,8 mm 25 mt.		5202482040397

Technical data (STANDARD DIN 5685)

Measure	Load	Breaking point
3 mm - 1/8"	112 kg.	280 kg.
4 mm - 5/32"	200 kg.	500 kg.
5 mm - 3/16"	315 kg.	775 kg.
6 mm - 1/4"	450 kg.	1.150 kg.
8 mm - 5/16"	800 kg.	2.000 kg.
10 mm - 3/8"	1.250 kg.	3.100 kg.
12 mm - 1/2"	1.800 kg.	4.500 kg.

Code	Ref.	weight/mt mt. packaging		EAN
5200999	3 mm 1/8"	165 gr. ± 151 mt.	25 kg.	5602482031166
5201000	4 mm 5/32"	300 gr. ± 83 mt.	25 kg.	5602482039346
5201001	5 mm 3/16"	500 gr. ± 50 mt.	25 kg.	5602482039353
5201002	6 mm 1/4"	750 gr. ± 34 mt.	25 kg.	5602482039360
5201003	8 mm 5/16"	1.315 gr. ± 19 mt.	25 kg.	5602482039377
5201004	10 mm 3/8"	2 kg. ± 12,5 mt.	25 kg.	5602482039070
5201005	12 mm 1/2"	2.940 kg. ± 8,5 mt.	25 kg.	5602482039384

PLASTIC CHAIR



Code	Ref.		EAN
5201505	6 mm red/white	100 m	5602482031449
5201619	8 mm white	50 m	5602482040366
5201508	8 mm black	50 m	5602482021952
5201507	8 mm green	50 m	5602482021969
5201506	8 mm green/white	50 m	5602482016576
5201620	10 mm white	25 m	5602482040342
5201510	10 mm black	25 m	5602482021976
5201509	10 mm green	25 m	5602482022631
5201621	10 mm red/white	25 m	5602482040359

CHAIN



Code	Ref.		EAN
5201176	nº 0 1,75 m x 50 mm	3	
5201175	nº 1 1,75 m x 45 mm	3	
5201174	nº 2 1,75 m x 40 mm	6	
5201173	nº 3 1,75 m x 35 mm	6	
5201172	nº 4 1,75 m x 30 mm	6	
5201171	nº 5 1,75 m x 25 mm	6	

CURTAIN WIRE



Code	Ref.		EAN
5201523	coated 30 metros	10	5602482005808

NICKEL PLATED SNAP HOOK



Code	Ref.		EAN
5201381	50 mm		5602482054134
5201382	60 mm		5602482036925
5201383	70 mm		5602482054141
5201374	80 mm		5602482036932
5201385	90 mm		5602482054158
5201386	100 mm		5602482054165
5201388	120 mm		5602482054172

GALVANIZED SCREW HOOK



Code	Ref.		EAN
5201524		100	5602482023055

LEASH



Code	Ref.		EAN
5201121	4 x 100 mm	10	5602482003651

GALVANIZED SCREW EYE



Code	Ref.		EAN
5201525		100	5602482023079

HOLLOW WALL CAVITY ANCHOR SETTING TOOL



Setting tool for hollow wall anchors.

Code	Ref.		EAN
5201491	Anchors 4 to 6 mm		5602482009349

THROUGH BOLT



Code	Ref.		EAN
5201439	M 6 x 45 mm	100	5602482035461
5201440	M 6 x 65 mm	50	5602482035478
5201441	M 8 x 75 mm	50	5602482035485
5201442	M 8 x 90 mm	25	5602482035492
5201443	M 10 x 90 mm	25	5602482035508
5201444	M 10 x 120 mm	25	5602482035515
5201445	M 12 x 110 mm	25	5602482035522
5201446	M 12 x 140 mm	25	5602482035539

HOOK BOLT MASONRY ANCHOR



Code	Ref.		EAN
5201454	M 6 x 60 mm	50	5602482035546
5201455	M 8 x 60 mm	50	5602482035553
5201456	M 10 x 60 mm	25	5602482035560
5101457	M 12 x 80 mm	25	5602482035577

EYE BOLT MASONRY ANCHOR



Code	Ref.		EAN
5201458	M 6 x 60 mm	50	5602482035584
5201459	M 8 x 60 mm	50	5602482035591
5201460	M 10 x 60 mm	25	5602482035607
5201661	M 12 x 80 mm	25	5602482035614

SLEEVE ANCHOR WITH BOLT



Code	Ref.		EAN
5201450	M 6 x 60 mm	50	5602482035621
5201451	M 8 x 60 mm	50	5602482035638
5201452	M 10 x 60 mm	30	5602482035645
5201453	M 12 x 80 mm	25	5602482035652

MASONRY ANCHOR WITH BOLT



Code	Ref.		EAN
5201435	M 6 x 60 mm	50	5602482035669
5201436	M 8 x 60 mm	50	5602482035676
5201437	M 10 x 60 mm	25	5602482035683
5201438	M 12 x 80 mm	20	5602482035690

HOLLOW WALL BOLT MASONRY ANCHOR




Code	Ref.		EAN
5201447	M 4 x 45 mm	200	5602482035706
5201448	M 5 x 65 mm	100	5602482035713
5201449	M 6 x 65 mm	50	5602482035720

MASONRY ANCHOR WITHOUT BOLT



Code	Ref.		EAN
5201496	M 6	100	5602482035737
5201497	M 8	50	5602482035744
5501498	M 10	25	5602482035751
5201499	M 12	20	5602482035768

MASONRY ANCHOR



Code	Ref.		EAN
5201431	M 6	100	5602482035775
5201432	M 8	100	5602482035782
5201433	M 10	50	5602482035799

HAMMER-IN FIXING WITH NYLON PLUG



Code	Ref.		EAN
5201462	5 x 35 mm	100	5602482035812
5201641	6 x 35 mm	100	5602482044852
5201463	6 x 45 mm	100	5602482035828
5201464	6 x 55 mm	100	5602482035836
5201465	6 x 70 mm	100	5602482035843
5201466	8 x 75 mm	75	5602482035850
5201467	8 x 100 mm	50	5602482035867

METALLIC DOWEL PIN



Code	Ref.		EAN
5201500	6 x 60 mm	200	5602482035874
5201501	8 x 80 mm	200	5602482035881
5201502	8 x 90 mm	100	5602482035904

ALUMINIUM RIVETS



Code	Ref.		EAN
5400098	DS3451	3 x 6 mm	1000 5602482034518
5400099	DS1366	3 x 8 mm	1000 5602482013667
5400100	DS1367	3 x 10 mm	1000 5602482013674
5400101	DS3452	3 x 12 mm	1000 5602482034525
5400102	DS0851	3 x 14 mm	1000 5602482008519
5400103	DS3453	3 x 16 mm	1000 5602482034532
5400104	DS3454	3 x 18 mm	1000 5602482034549
5400105	DS3455	4 x 6 mm	1000 5602482034556
5400106	DS1368	4 x 8 mm	1000 5602482013681
5400107	DS1369	4 x 10 mm	1000 5602482013698
5400108	DS3456	4 x 12 mm	1000 5602482034563
5400109	DS3457	4 x 14 mm	1000 5602482034570
5400110	DS3458	4 x 16 mm	1000 5602482034587
5400111	DS3459	4 x 18 mm	1000 5602482034594
5400112	DS3460	4 x 20 mm	1000 5602482034600
5400113	DS3461	5 x 10 mm	1000 5602482034617
5400114	DS1370	5 x 12 mm	1000 5602482013704
5400115	DS3462	5 x 14 mm	500 5602482034624
5400116	DS3463	5 x 16 mm	500 5602482034631
5400117	DS3464	5 x 18 mm	500 5602482034648
5400118	DS3465	5 x 20 mm	500 5602482034655
5400119	DS3466	5 x 22 mm	500 5602482034662
5400120	DS3467	5 x 25 mm	500 5602482034679
5400121	DS3468	5 x 27 mm	500 5602482034686
5400122	DS3469	5 x 30 mm	500 5602482034693

ALUMINIUM RIVETS

Code	Ref.		EAN
5400123	DS3470	5 x 12 mm	250 5602482034709
5400124	DS3471	5 x 14 mm	250 5602482034716
5400163	DS3472	5 x 16 mm	200 5602482034723
5400126	DS3473	5 x 18 mm	200 5602482034730

TEMPERED STEEL NAILS



Code	Ref.		EAN
5200185	2 x 12 mm	1000	5602482032071
5200187	2 x 16 mm	1000	5602482032088
5200189	2 x 20 mm	1000	5602482032095
5200190	2 x 23 mm	1000	5602482032101
5200191	2 x 25 mm	1000	5602482032118
5200192	2 x 30 mm	1000	5602482032125
5200193	2 x 40 mm	1000	5602482032132
5201645	2,5 x 30 mm	1000	5602482032200
5201188	2,5 x 35 mm	1000	5602482032217
5200195	2,5 x 40 mm	1000	5602482032224
5201646	3 x 30 mm	1000	5602482044814
5201647	3 x 40 mm	1000	5602482032149
5201648	3 x 50 mm	1000	5602482032156
5200200	3 x 60 mm	1000	5602482032163
5200201	3 x 70 mm	1000	5602482032170
5200951	4 x 80 mm	100	5602482032187

GALVANISED STEEL NAILS



Code	Ref.		EAN
5201745	2,7 x 25 mm	500	5602482032248
5201746	2,7 x 30 mm	500	5602482032255
5200205	2,7 x 35 mm	250	5602482032262
5200206	2,7 x 40 mm	250	5602482032279
5200207	2,7 x 50 mm	250	5602482032286
5200210	3,5 x 35 mm	250	5602482032293
5200211	3,5 x 45 mm	250	5602482032309
5200212	3,5 x 55 mm	250	5602482032316
5200213	3,5 x 65 mm	250	5602482032323
5200214	3,5 x 75 mm	250	5602482032330
5201610	4,5 x 50 mm	250	5602482032392
5201558	4,5 x 60 mm	250	5602482032347
5201559	4,5 x 70 mm	250	5602482032354
5201748	4,5 x 80 mm	125	5602482032361
5201749	4,5 x 100 mm	125	5602482032378
5201161	4,5 x 100 mm	250	
5201359	4,5 x 110 mm	250	5602482032385

CUTLERY



SKIN PLIERS



Pliers for cuticle cutting. Stainless steel. Soft handles

Code	Ref.		EAN
1400288	4" 100 mm	12	5602482043695

DRESSMAKING SCISSORS



Scissors for cutting of fabrics. Carbon steel, nickel plated. Large finger holes.

Code	Ref.		EAN
1400284	7" 175 mm	12	5602482043749
1400290	8" 200 mm	12	5602482043756

NAIL PLIERS



Nail pliers for hands and feet. Stainless steel. Curved blades for a rounded cut. Soft handles.

Code	Ref.		EAN
1400289	4" 100 mm	12	5602482043701

SEWING SCISSORS



Scissors for cutting of fabrics. Carbon steel, nickel plated.


Code	Ref.		EAN
1400285	5" 125 mm	12	5602482043770
1400286	5.1/2" 140 mm	12	5602482073787
1400287	6" 150 mm	12	5602482043794
1400301	6.1/2" 165 mm	12	5602482046870

TAILOR SHEARS



Shears for cutting of fabrics. Forged carbon steel with nickel plated blades and painted handles.

Code	Ref.		EAN
1400596	8" 200 mm	12	5602482043718
1400297	10" 250 mm	12	5602482043725
1400298	12" 300 mm	12	5602482043732



CUTICLE SCISSORS | CURVED



Scissors for cuticle cutting. Stainless steel. Curved blades.

Code	Ref.		EAN
1400292	3.1/2" 90 mm	12	5602482043800

NAIL SCISSORS | CURVED



Nail cutting scissors. Stainless steel. Ideal for rounded cuts due to its curved blades.

Code	Ref.		EAN
1400294	3.1/2" 90 mm	12	5602482043831

CUTICLE SCISSORS | STRAIGHT



Scissors for cuticle cutting. Stainless steel. Straight blades.

Code	Ref.		EAN
1400293	3.1/2" 90 mm	12	5602482043817

NAIL SCISSORS | STRAIGHT



Nail cutting scissors. Stainless steel. Straight blades. Ideal for a straight nail cutting.

Code	Ref.		EAN
1400295	3.1/2" 90 mm	12	5602482043848

PINKING SHEARS



Scissors for cutting tissue samples (zigzag). Stainless steel.

Code	Ref.		EAN
1400299	225 mm ZIG-ZAG	12	5602482043824

FISH SHEARS | INOX



Perfect for fish but for multiple purposes. Stainless steel with painted handles. Serrated blade.

Code	Ref.		EAN
1300771	195 mm	10	5604831110478

POULTRY SHEARS | INOX



Perfect for poultry but for multiple purposes. Forged stainless steel. Serrated blade.

Code	Ref.		EAN
1300883	n° 2 260 mm	10	5604831110508

PIGLET SHEARS | INOX



Ideal for roasted piglet. Forged stainless steel

Code	Ref.		EAN
1300884	n° 6 260 mm	10	5604831110676



Diógenes & Santos, S.A.

**Rua Albino Moreira, 360
4485-767 Vilar VCD - PORTUGAL**

**Tel.: 226 076 310
email: geral@diosan.com**

www.sady.pt